

# BluePrint

Bosch Blue Power Tools & Accessories


**BOSCH** GOES AS  
**BLUE** HARD  
AS YOU DO

July – December 2015



**BOSCH**

## FlexiClick 5-in-1



OFFICIAL POWER TOOL OF



## Customer Service you can rely on



The Bosch Blue product range not only offers you powerful and high quality professional power tools, but also supports you with a complete customer service hotline.

Phone **1300 307 044**

### Bosch Blue Online

Our website can be found at:

**[www.bosch-pt.com.au/professional](http://www.bosch-pt.com.au/professional)**

Here you can find a comprehensive guide to our products and services, including operating instructions that you can download, exploded tool diagrams, spare part lists and authorised repair locations.

### Fully trained Bosch personnel

All Bosch Sales personnel are trained to meet your needs. Our Customer Contact Centre answers thousands of calls everyday, taking orders, giving technical advice and helping Bosch dealers and end users.



Requires online registration. Full details page 131

### Free warranty extension

We offer free warranty extensions on Professional Tools, Measuring tools and Lithium Ion batteries and chargers. These Extended Warranty Products must be registered with Bosch within 12 months of the date of purchase. For more details please visit **[www.bosch-pt.com.au/warranty](http://www.bosch-pt.com.au/warranty)**



# Contents

<b>New Products</b>	<b>4</b>
---------------------	----------

<b>Cordless</b>	<b>15</b>
-----------------	-----------

<b>SDS Hammers and Breakers</b>	<b>53</b>
---------------------------------	-----------

<b>Drills and Screwdrivers</b>	<b>61</b>
--------------------------------	-----------

<b>Grinders and Metal Working</b>	<b>71</b>
-----------------------------------	-----------

<b>Woodworking</b>	<b>87</b>
--------------------	-----------

<b>Measuring Devices</b>	<b>106</b>
--------------------------	------------

<b>Index</b>	<b>126</b>
--------------	------------

<b>Warranty information</b>	<b>131</b>
-----------------------------	------------

<b>Symbols and their meanings</b>	<b>135</b>
-----------------------------------	------------



## New Products



		Page
Heavy Duty Cordless	6.0Ah Battery and Charger	5
Wireless Battery	WLC 18V 2.0Ah	7
Wireless Charger	WLC 18V Charger	7
FlexiClick 5-in-1 System	GSR 18 V-EC FC 2	8
Circular Saw	GKM 18 V-LI	9
Concrete Grinder	GBR 15 CA	10
Hammer Drills	GSB 20-2 RE KLC and GSB 20-2 RE KC	11
Mitre Saw	GCM 10 MX	12
Inspection Cameras	GIC 120 and GIC 120 C	13
Electronic Multi-Line Lasers	GLL 5-40 E and GLL 8-40 E	14





## Extra heavy duty cordless power

**NEW! 6.0Ah Li-Ion Battery**

**NEW! GAL 3680 CV Charger**



**18V**



### Features & Benefits

- ▶ **50% longer run time** compared to 4.0Ah battery
- ▶ **100% compatible** with all Bosch Blue Li-Ion tools and chargers within the 18V range
- ▶ **Up to 100% longer lifetime** compared to batteries without CoolPack technology

### Features & Benefits

- ▶ **100% faster charging** compared to AL 3640 CV
- ▶ **Very compact:** smallest charger in the market – half the size compared to AL 3640 CV
- ▶ **100% compatible** with all Bosch Blue 18V and 36V Li-Ion batteries

Specification	GBA 18 V 6.0Ah
Voltage (V) / Capacity (Ah)	18 / 6.0
Dimensions (LxWxH) (mm)	115 x 74 x 56
Weight (kg)	0.62
Part Number	0615990H0K

Specification	GAL 3680 CV
Voltage (V) / Time (min)	18 – 36 / 45 (18V 6.0Ah)
Dimensions (LxWxH) (mm)	195 x 129 x 82
Weight (kg)	0.9
Part Number	TBC

**NEW!**



# ALWAYS POWER READY WIRELESS CHARGING

## Features & Benefits

- ▶ Storage, working and charging at one place. No industrial charging stations needed and no second battery required > **save money**
- ▶ Increased productivity and convenience as the tool is always charged. No interruption by changing batteries and no worries about empty batteries > **save time**
- ▶ No contacts therefore dust and water protected. Flexible installation of the compact charger at the work station via mounting frame > **durable and convenient**
- ▶ Transforms any Bosch Blue 18V tool into wireless > **flexible**





Makes charging your tools as  
**simple as putting them down**

**NEW! 18V Wireless Charging System**



**18**  
VOLT



Specification	WLC 18V 2.0Ah
Voltage (V) / Capacity (Ah)	18 / 2.0
Dimensions (LxWxH) (mm)	113 x 82 x 51
Weight (kg)	0.5
Part Number	TBC

Specification	WLC 18V Starter Kit
Includes	WLC 18V Charger WLC 18V 2.0Ah battery Wireless Charger frame
Charge time (min)	45
Dimensions (LxWxH) (mm)	245 x 170 x 120
Weight (kg)	1.86
Part Number	0615990HD9





# Bosch FlexiClick 5-in-1 System: Masters any challenge

**NEW! GSR 18 V-EC FC 2 FlexiClick**  
Barebones, Tool Only



**18**  
VOLT



## Features & Benefits

- **Flexible.** Includes bit holder, drill chuck adapter, angle adapter, off-set angle adapter and rotary hammer adapter to suit any work situation
- **Easy to use.** The Bosch FlexiClick adapters can be locked into 16 different positions without having to remove them from the tool. The lockable bit holder accepts all common standard bits
- **Compact.** Low weight of 1.7kg and short construction
- **Powerful.** High torque due to gearbox design and brushless motor

Specification	GSR 18 V-EC FC 2 BB
Voltage (V)	18
No load speed (rpm)	0 - 500 / 1,700
Max. impact rate (bpm)	4,800
Max. torque (Nm)	50
Max. drilling Ø wood/steel (mm)	38 / 13
Torque settings	18+1
Weight (kg)	1.2
Part Number	TBC





**Clean, precise cuts** and less  
re-work for fast working progress

**NEW! GKM 18 V-Li** Circular Saw for metal  
Barebones, Tool Only



**18**  
VOLT



#### Features & Benefits

- ▶ Clean and precise cuts with almost no re-work for burrs and tempering colours necessary
- ▶ Nearly spark-free for a safer working environment
- ▶ Compact, lightweight and balanced design for convenient working
- ▶ High durability and longer lifetime of motor compared to other saws in its class

Specification	GKM 18 V-Li BB
Voltage (V)	18
No load speed (rpm)	4,250
Depth of cut – 90° (mm)	50
Bore diameter (mm)	20
Blade size (mm)	136
Weight (kg)	2.2
Part Number	TBC



## Compact and lightweight solution for powerful concrete grinding

**NEW!** GBR 15 CA Concrete Grinder



### Features & Benefits

- ▶ Delivering high performance and fast grinding progress even under load
- ▶ Soft grip and ergonomic shape for fatigue free grinding
- ▶ Effective dust extraction for almost dust free working
- ▶ Large spindle lock button for easy and fast changing of grinding head
- ▶ Gearbox and motor protected against abrasive concrete dust thanks to special seal system

Specification	GBR 15 CA
Input power (W)	1,500
No load speed (rpm)	9,300
Disc Ø (mm)	125
Spindle collar (mm)	M 14
Weight (kg)	2.6
Part Number	0601776040

**CB#5**





## Power and versatility for superior performance

**NEW! GSB 20-2 RE** Hammer Drill  
Keyed or Keyless Chuck available



### Features & Benefits

- ▶ **Robust** metal gear housing, quality chuck and rotatable forward/reverse brush plate for enhanced durability and ease of use.
- ▶ **High performance** 800W motor to meet tough professional user requirements
- ▶ **Versatile** 2 mode, dual speed gear to enable usage in a variety of applications

Specification	GSB 20-2 RE
Input power (W)	800
No load speed (rpm)	0 – 1,100 / 0 – 3,000
Impact Rate (bpm)	0 – 48,000
Max. Drilling Diameter (mm)	
Brickwork (1st /2nd gear)	20 / 16
Concrete (1st /2nd gear)	20 / 16
Steel (1st /2nd gear)	13 / 6
Wood (1st /2nd gear)	40 / 25
Weight (kg)	2.6
Part Number (KC)	06011A2140
Part Number (KLC)	06011A2240

CB#1



# Efficiency and precision for excellent results

**NEW!** GCM 10 MX Mitre saw



## Features & Benefits

- ▶ High cutting capacity due to high sliding fence design, providing support for materials
- ▶ Smooth, effortless cuts
- ▶ Powerful 1700W motor for high performance in Aluminium cutting
- ▶ Electric brake function for added safety
- ▶ Soft handle provides comfort all day

Specification	GCM 10 MX
Rated power (W)	1,700
No load speed (rpm)	4,800
Saw blade / bore Ø (mm)	255 / 25.4
Electric brake	✓
Mitre setting (0° mm)	89
Incline setting (45° mm)	67
Cutting Capacity (mm)	89
Weight (kg)	14.1
Part Number	0601B29040

CB#55



# Inspection Camera

**NEW! GIC 120** Inspection Camera

**NEW! GIC 120 C** Inspection Camera



## Features & Benefits

- Compact design with optimised ergonomics for easy handling
- 2.7" colour display for a comprehensive view and Bright LED (2x stronger than current 9.5mm camera) for improved lighting
- Compass view always gives the user an indication where the 'up' position is
- Quick Connector technology for easy and fast removal of camera head and compact storage of the tool

## Features & Benefits

- Easy documentation – pictures and videos can be saved and transferred via microUSB
- Compact design with optimised ergonomics for easy handling
- 3.5" colour display for a comprehensive view and Bright LED (2x stronger than current 9.5mm camera) for improved lighting
- Compatible with 10.8V Li-Ion battery
- Unique Up Is Up™ feature rotates display to show true image orientation
- Quick Connector technology for easy and fast removal of camera head and compact storage of the tool

Specification	GIC 120
Camera head Ø (mm)	8.5
Backlight LED Display	✓
Display size (")	2.7
Camera cable L x Ø (mm)	1200 x 8.5
Zoom	2x
Battery status	✓
Power source	4x LR6 (AA)
Part Number	0601241100

Specification	GIC 120 C
Camera head Ø (mm)	8.5
Backlight LED Display	✓
Display size (")	3.5
Camera cable L x Ø (mm)	1200 x 8.5
Zoom	2x
Battery status	✓
Power source	10.8 V or 4x LR6 (AA)
Part Number	06012412K0



# The ultimate electronic multi-line laser for high precision interior levelling jobs



**NEW!** GLL 5-40 E and GLL 8-40 E Electronic Multi-Line Lasers



## Features & Benefits

- ▶ 5 Line laser
- ▶ Near perfect precision with electronic laser levelling
- ▶ 360° rotating platform with fine adjustment
- ▶ Easy to use keypad & buttons



## Features & Benefits

- ▶ 8 Line laser
- ▶ Near perfect precision with electronic laser levelling
- ▶ 360° rotating platform with fine adjustment
- ▶ Easy to use keypad & buttons

Specification	GLL 5-40 E
Working range without LR5 / with receiver LR 5 (m)	15 / 40
Levelling accuracy (mm/m)	±0.1
Self levelling range (°)	up to ± 3
Slope Function	✓
Pulse Mode	✓
Laser diode / class	635-650 Nm, < 1mW / Class 2
Dust and splash protection	IP54
Dimensions (mm) (Ø x H with turning base)	136 x 210
Operating time, max (h)	24
Power Supply	4 x AA or 6V DC
Weight (kg)	1.1
Part Number	0601063GB0

Specification	GLL 8-40 E
Working range without LR5 / with receiver LR 5 (m)	15 / 40
Levelling accuracy (mm/m)	±0.1
Self levelling range (°)	up to ± 3
Slope Function	✓
Pulse Mode	✓
Laser diode / class	635-650 Nm, < 1mW / Class 2
Dust and splash protection	IP54
Dimensions (mm) (Ø x H with turning base)	136 x 210
Operating time, max (h)	24
Power Supply	4 x AA or 6V DC
Weight (kg)	1.1
Part Number	0601063HB0

Drilling, Cutting  
and Grinding

**Cordless**





# CORE BRUSHLESS

EC/brushless  
motor

UP TO  
**2X**  
MOTOR  
LIFE\*



UP TO  
**30%**  
LONGER  
RUN TIME\*

UP TO  
**100%**  
LONGER  
BATTERY LIFE\*



**3 YEAR  
PROTECTION**  
WARRANTY



Requires online registration. Full details p131.

**MOBILISE  
CUSTOMISE  
ORGANISE**

**L-BOX  
CLICK  
& GO**



The new line of Bosch Blue CORE Brushless Power Tools are the finest examples of German engineering. Unparalleled performance and durability backed by a 3 Year Warranty is what makes these tools as tough and dependable as the people who use them.

**Core Brushless: It's What's Inside That Counts.**







\*Comparison of Bosch power tools with/without EC Brushless motor  
\*Comparison of batteries with/without CoolPack cooling technology

## 18 Volt Combo Kits



### 18V SBR 2-C



#### Includes

- ▶ 18V GSB Striker Hammer Drill BB
- ▶ 18V GDR Impact Driver BB
- ▶ 2 x 2.0Ah 18V-LI Batteries
- ▶ AL 1820 CV Charger
- ▶ L-BOXX Small 136

#### 18V SBR 2-C

Part Number 0615990H3S

### 18V SBR 2-P



#### Includes

- ▶ 18V GSB Striker Hammer Drill BB
- ▶ 18V GDR Impact Driver BB
- ▶ 2 x 4.0Ah 18V-LI Batteries
- ▶ AL 1860 CV Charger
- ▶ L-BOXX Small 136

#### 18V SBR 2-P

Part Number 0615990H3T

### 18V SBX 2-P EC



#### Includes

- ▶ 18V GSB Striker EC Brushless Hammer Drill BB
- ▶ 18V GDX Heavy Duty Brushless Impact Driver/Wrench BB
- ▶ 2 x 4.0Ah 18V-LI Batteries
- ▶ AL 1860 CV Charger
- ▶ L-BOXX Small 136

#### 18V SBX 2-P EC

Part Number 0615990H3U

### 18V SBX 2-C EC WL



#### Includes

- ▶ 18V GSB Striker EC Brushless Hammer Drill BB
- ▶ 18V GDX Heavy Duty Brushless Impact Driver/Wrench BB
- ▶ 2 x 2.0Ah 18V WLC Batteries
- ▶ WLC 18V Charger
- ▶ WLC Frame
- ▶ L-BOXX Small 136

#### 18V SBX 2-C EC WL

Part Number 0615990H3V

## 18 Volt Combo Kits

### 18V DBX 2-P



#### Includes

- 18V GSB Destroyer Heavy Duty Hammer Drill BB
- 18V GDX Heavy Duty Impact Driver/Wrench BB
- 2 x 6.0Ah 18V-LI Batteries
- AL 1860 CV Charger
- L-BOXX Small 136

#### 18V DBX 2-P

Part Number

0615990H08

### 18V DBX 2-P EC



#### Includes

- 18V GSB Destroyer Heavy Duty Hammer Drill BB
- 18V GDX EC Brushless Impact Driver/Wrench BB
- 2 x 6.0Ah 18V-LI Batteries
- AL 1860 CV Charger
- L-BOXX Small 136

#### 18V DBX 2-P EC

Part Number

0615990H07

### 18V DBW 2-P EC



#### Includes

- 18V GSB Destroyer Heavy Duty Hammer Drill BB
- 18V GDS EC Brushless Impact Wrench BB
- 2 x 6.0Ah 18V-LI Batteries
- AL 1860 CV Charger
- L-BOXX Small 136

#### 18V DBW 2-P EC

Part Number

0615990H3W

### 18V WHG 2-P



#### Includes

- 18V GDS High Torque Impact Wrench BB
- 18V GWS 125mm Angle Grinder BB
- 2 x 6.0Ah 18V-LI Batteries
- AL 1860 CV Charger
- 2 x L-BOXX Small 136

#### 18V WHG 2-P

Part Number

0615990H3X



## 18 Volt Combo Kits

### 18V DB 3-XG



#### Includes

- ▶ 18V GSB Destroyer Heavy Duty Hammer Drill BB
- ▶ 18V GDX EC Brushless Impact Driver/Wrench BB
- ▶ 18V GWS 125mm Angle Grinder BB
- ▶ 2 x 6.0Ah 18V-Li Batteries
- ▶ AL 1860 CV Charger
- ▶ 2 x L-BOXX Small 136

	18V DB 3-XG
Part Number	0615990H3Y

### 18V DB 6-XGS



#### Includes

- ▶ 18V GSB Destroyer Heavy Duty Hammer Drill BB
- ▶ 18V GDX Heavy Duty Impact Driver/Wrench BB
- ▶ 18V GWS 125mm Angle Grinder BB
- ▶ 18V GSA Sabre Saw BB
- ▶ 18V GKS Circular Saw BB
- ▶ 18V GLI VariLED Work Light BB
- ▶ 2 x 6.0Ah 18V-Li Batteries
- ▶ AL 1860 CV Charger
- ▶ 2 x L-BOXX Small 136
- ▶ 2 x L-BOXX Medium 238

	18V DB 6-XGS
Part Number	0615990H3Z



# 18 Volt Combo Kits

## 18V DB 6-HWD



### Includes

- 18V GSB Destroyer Heavy Duty Hammer Drill BB
- 18V GDS EC Brushless Impact Wrench BB
- 18V GWS 125mm Angle Grinder BB
- 18V GBH EC Brushless Rotary Hammer BB
- 18V GSA Sabre Saw BB
- 18V GLI VariLED Work Light BB
- 2 x 6.0Ah 18V-Li Batteries
- AL 1860 CV Charger
- 3 x L-BOXX Small 136
- L-BOXX Medium 238

	18V DB 6-HWD
Part Number	0615990H40

## 18V DB 10-HWD



### Includes

- 18V GSB Destroyer Heavy Duty Hammer Drill BB
- 18V GDX EC Brushless Impact Driver/Wrench BB
- 18V GWS 125mm Angle Grinder BB
- 18V GBH EC Brushless Rotary Hammer BB
- 18V GKS Circular Saw BB
- 18V GSA Sabre Saw BB
- 18V GST Jigsaw BB
- 18V GHO Planer BB
- 18V GML SoundBoxx BB
- 18V GLI VariLED Work Light BB
- 18V GAS Vacuum BB
- 2 x 6.0Ah 18V-Li Batteries
- AL 1860 CV Charger
- 3 x L-BOXX Small 136
- 3 x L-BOXX Medium 238

	18V DB 10-HWD
Part Number	0615990H41





# 18 Volt Cordless Tools



## GSB 18 V-LI Striker 2.0Ah Kit



### Hammer Drill

- ▶ 13mm chuck
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection
- ▶ 4 Pole motor - increases performance & lifetime

Specification	GSB 18 V-LI
Voltage (V) / Capacity (Ah)	18 / 2.0
Batteries / Charger	2 / 60 min
No load speed (rpm)	0 - 500 / 1,700
Impact rate (bpm)	0 - 25,500
Max. torque (Nm)	60
Max. drilling Ø wood/steel (mm)	32 / 13
Torque settings	18+1
Weight (kg)	2.0
Part Number	0615990H3C

## GSB 18 V-EC 4.0Ah Kit



### Brushless Hammer Drill

- ▶ 13mm chuck
- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection

Specification	GSB 18 V-EC
Voltage (V) / Capacity (Ah)	18 / 4.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 - 500 / 1,700
Impact rate (bpm)	0 - 25,500
Max. torque (Nm)	50
Max. drilling Ø wood/steel (mm)	38 / 13
Torque settings	18+1
Weight (kg)	2.4
Part Number	0615990H3D

## GSB 18 VE-2 LI Destroyer 4.0Ah Kit



### Hammer Drill

- ▶ Electronic Rotation Control
- ▶ Durashield™ housing
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection

Specification	GSB 18 VE-2 LI
Voltage (V) / Capacity (Ah)	18 / 4.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 - 420 / 1,800
Impact rate (bpm)	27,000
Max. torque (Nm)	85
Max. drilling Ø wood/steel (mm)	45 / 13
Torque settings	25+1
Weight (kg)	2.8
Part Number	0615990H3E

## GSB 18 VE-2 LI Destroyer 6.0Ah Kit



### Hammer Drill

- ▶ Electronic Rotation Control
- ▶ Durashield™ housing
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection

Specification	GSB 18 VE-2 LI
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 - 420 / 1,800
Impact rate (bpm)	27,000
Max. torque (Nm)	85
Max. drilling Ø wood/steel (mm)	45 / 13
Torque settings	25+1
Weight (kg)	2.8
Part Number	0615990H3F



## 18 Volt Cordless Tools

### GDR 18 V-LI 2.0Ah Kit



#### Impact Driver

- ▶ Electronic Cell Protection
- ▶ ¼" Internal hexagon
- ▶ Variable speed trigger

Specification	GDR 18 V-LI
Voltage (V) / Capacity (Ah)	18 / 2.0
Batteries / Charger	2 / 45 min
No load speed (rpm)	0 – 2,800
Impact rate (bpm)	0 – 3,200
Max. torque (Nm)	160
Screw Ø	M 6 – M 14
Weight (kg)	1.5
Part Number	0615990H3G

### GDX 18 V-EC 6.0Ah Kit



#### Brushless Impact Driver/Wrench

- ▶ EC Brushless motor
- ▶ 3 pre set torque modes
- ▶ ½" Square and ¼" Hex
- ▶ Electronic Cell Protection

Specification	GDX 18 V-EC
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries/Charge	2 / 40 min
No load speed (rpm)	
1st / 2nd / 3rd	0 – 1,300 / 2,000 / 2,800
Impact rate (bpm)	
1st / 2nd / 3rd	0 – 1,100 / 2,600 / 3,200
Max. torque (Nm)	170 / 185
Screw diameter	M6 – M16
Weight (kg)	1.8
Part Number	0615990H3H

### GDS 18 V-EC 250 6.0Ah Kit



#### Brushless Impact Wrench

- ▶ EC Brushless motor
- ▶ High torque
- ▶ Variable speed trigger
- ▶ Electronic Cell Protection

Specification	GDS 18 V-EC 250
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 – 2,400
Impact rate (bpm)	0 – 3,500
Max. torque (Nm)	250
Screw Ø	M16
Weight (kg)	1.9
Part Number	0615990H3J

# 18 Volt Cordless Tools

## GSR 18 V-EC TE & MA 55 6.0Ah Kit



### Brushless Screwdriver

- EC Brushless Motor
- Compact design
- Shortest head length for precise work

Specification	GSR 18 V-EC TE
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 – 4,200
Bit holder	¼" internal hexagon
Max. torque (Nm)	25
Max. screw Ø (mm)	4.2
Size (LxWxH) (mm)	251 x 78 x 239
Weight (kg)	1.6
Part Number	0615990H3L

## MA55 Screwdriver Bits

(For use of the MA55 the below two bits are essential)

Description	Part Number
Phillips # 2 x 142mm	2608522068
Pozidrive # 2 x 142mm	2608522069



Phillips



Pozidrive



## NEW! GSR 18 V-EC FC 2 FlexiClick 6.0Ah Kit



### Brushless 5-in-1 Drill Driver

- EC Brushless Motor
- 5 different attachments for multiple applications
- 16 rotatable attachment positions (360°)
- Lockable ¼" universal bit holder

Specification	GSR 18 V-EC FC 2
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries / Charger	2 / 40 min
No load speed (rpm)	0 – 500 / 1,700
Max. impact rate (bpm)	4,800
Max. torque (Nm)	50
Max. drilling Ø wood/steel (mm)	38 / 13
Torque settings	18+1
Weight (kg)	1.2
Part Number	0615990H3M

## GDS 18 V-LI HT 6.0Ah Kit



### High Torque Impact Wrench

- Electronic Cell Protection
- High Torque
- ½" External square

Specification	GDS 18 V-LI HT
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries/Charger	2 / 40 min
No-load speed (rpm)	0 – 1,900
Impact rate (bpm)	0 – 2,100
Max. torque (Nm)	650
Screw Ø	M12 – M20
Weight (kg)	3
Part Number	0615990H3K



## 18 Volt Cordless Tools

### GBH 18 V-EC 6.0Ah Kit



#### Brushless 3-mode Rotary Hammer

- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ Lightweight compact design



Specification	GBH 18 V-EC
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries / Charger	2 / 40 min
No-load Speed (rpm)	1,400
Impact Rate (bpm)	0 – 4550
Impact Energy (J)	1.7
Drilling Ø (mm)	
Concrete / Wood / Steel	18 / 20 / 13
Weight (kg)	2.6
Part Number	0615990H3N

### GWS 18-125 V-LI 6.0Ah Kit



#### Angle Grinder

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ 4 Pole motor
- ▶ Restart Protection



Specification	GWS 18-125 V-LI
Voltage (V) / Capacity (Ah)	18 / 6.0
Batteries/Charger	2 / 40 min
No load speed (rpm)	0 – 10,000
Disc size (mm)	125
Weight (kg)	2.3
Part Number	0615990H3P

Specification	GWS 18-125 V-LIDMS
Part Number	0615990H3R

Also available as Dead Man Switch

**Durashield™ Housing** - Bosch's innovative resilient motor housing takes the rough with the smooth providing protection from hard shocks, heavy knocks and big drops.

Thanks to the sturdy Durashield™ housing, the tool and battery remains fully functional even after a drop from a height of 2 metres.





# 18 Volt Cordless Barebones Tools



**NEW! GSR 18 V-EC FC 2 FlexiClick**



## Brushless 5-in-1 Drill Driver

- ▶ EC Brushless Motor
- ▶ 4 different attachments for multiple applications
- ▶ 16 rotatable attachment positions (360°)
- ▶ Lockable 1/4" universal bit holder

**BAREBONES – Tool Only, No Battery, No Charger**

Specification	GSR 18V-EC FC 2 BB
Voltage (V)	18
No load speed (rpm)	0 – 500 / 1,700
Max. impact rate (bpm)	4,800
Max. torque (Nm)	50
Max. drilling Ø wood/steel (mm)	38 / 13
Torque settings	18+1
Weight (kg)	1.2
Part Number	TBC



Specification	GEA FC 2	GFA FC 2	GHA FC 2	GWA FC 2
Part Number	1600A001SJ	1600A001SL	1600A003NF	1600A001SK



# 18 Volt Cordless Barebones Tools

## GSR 18 V-Li Striker BAREBONES



### Drill Driver

- ▶ 13mm chuck
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection
- ▶ 4 Pole motor - increases performance & lifetime



## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 18 V-Li BB
Voltage (V)	18
No-load speed (rpm)	0 – 500 / 1,700
Max. torque (Nm)	67
Max. drilling Ø wood/steel (mm)	35 / 13
Screw Ø (mm)	8
Torque settings	18+1
Weight (kg)	1.6
Part Number	0601866144

## GSB 18 V-Li Striker BAREBONES



### Hammer Drill

- ▶ 13mm chuck
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection
- ▶ 4 Pole motor - increases performance & lifetime



## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSB 18 V-Li BB
Voltage (V)	18
No-load speed (rpm)	0 – 500 / 1,700
Impact rate (bpm)	0 – 25,500
Max. torque (Nm)	67
Max. drilling Ø wood/steel (mm)	32 / 13
Torque settings	18+1
Weight (kg)	1.6
Part Number	0601867144

## GSR 18 V-EC BAREBONES



### Brushless Drill Driver

- ▶ 13mm chuck
- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection



## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 18 V-EC BB
Voltage (V)	18
No load speed (rpm)	0 – 500 / 1,700
Max torque (Nm)	50
Max. Drilling Ø wood/steel (mm)	38 / 13
Torque Settings	18+1
Weight (kg)	2.2
Part Number	06019D6141

## GSB 18 V-EC BAREBONES



### Brushless Hammer Drill

- ▶ 13mm chuck
- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection



## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSB 18 V-EC BB
Voltage (V)	18
No load speed (rpm)	0 – 500 / 1,700
Impact rate (bpm)	0 – 25,500
Max torque (Nm)	50
Max. Drilling Ø wood/steel (mm)	38 / 13
Torque Settings	18+1
Weight (kg)	2.2
Part Number	06019D7141



# 18 Volt Cordless Barebones Tools



## GSR 18 VE-2 LI Destroyer 2.5 BAREBONES



### Drill Driver

- ▶ Electronic Rotation Control
- ▶ Durashield™ housing
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection
- ▶ 4 Pole motor - increases performance & lifetime

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 18 VE-2 LI BB
Voltage (V)	18
No-load speed (rpm)	0 – 380 / 1,600
Max. torque (Nm)	80
Max. drilling Ø wood/steel (mm)	50 / 13
Screw Ø (mm)	12
Torque settings	25+1
Weight (kg)	2.1
Part Number	06019D9141

## GSB 18 VE-2 LI Destroyer 2.5 BAREBONES



### Hammer Drill

- ▶ Electronic Rotation Control
- ▶ Durashield™ housing
- ▶ Electronic Motor Protection
- ▶ Electronic Cell Protection
- ▶ 4 Pole motor - increases performance & lifetime

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSB 18 VE-2 LI BB
Voltage (V)	18
No-load speed (rpm)	0 – 420 / 1,800
Impact rate (bpm)	27,000
Max. torque (Nm)	85
Max. drilling Ø wood/steel (mm)	45 / 13
Torque settings	25+1
Weight (kg)	2.2
Part Number	06019D9341

## GDR 18 V-LI BAREBONES



### Impact Driver

- ▶ Electronic Cell Protection
- ▶ ½" Internal hexagon
- ▶ Variable speed trigger

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GDR 18V-LI BB
Voltage (V)	18
No-load speed (rpm)	0 – 2,800
Impact rate (bpm)	0 – 3,200
Max. torque (Nm)	160
Screw Ø	M6 – M14
Weight (kg)	1.2
Part Number	06019A1341

CB#29

## GDR 18 V-EC BAREBONES



### Brushless Impact Driver

- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ 3 pre set torque modes

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GDR 18V-EC BB
Voltage (V)	18
No load speed (rpm)	
1st / 2nd / 3rd	0 – 1,300 / 2,000 / 2,800
Impact rate (bpm)	
1st / 2nd / 3rd	0 – 1,100 / 2,600 / 3,200
Max. torque (Nm)	170
Screw diameter	M6 – M14
Weight (kg)	1.5
Part Number	06019B9341



# 18 Volt Cordless Barebones Tools

## GDX 18 V-LI BAREBONES



### Impact Driver/Wrench

- ▶ Electronic Cell Protection
- ▶ ½" Square and ¼" Hex



CB#29

BAREBONES – Tool Only, No Battery, No Charger

Specification	GDX 18 V-LI BB
Voltage (V)	18
No-load speed (rpm)	0 – 2,800
Impact rate (bpm)	0 – 3,200
Max. torque (Nm)	160 / 180
Screw Ø	M 6 – M 16
Weight (kg)	1.2
Part Number	06019B8141

## GDX 18 V-EC BAREBONES



### Brushless Impact Driver/Wrench

- ▶ EC Brushless Motor
- ▶ Electronic Cell Protection
- ▶ ½" Square and ¼" Hex
- ▶ 3 pre set torque modes



BAREBONES – Tool Only, No Battery, No Charger

Specification	GDX 18 V-EC BB
Voltage (V)	18
No load speed (rpm)	0 – 1,300 / 2,000 / 2,800
Impact rate (bpm)	0 – 1,100 / 2,600 / 3,200
Max. torque (Nm)	170 / 185
Screw diameter	M6 – M16
Weight (kg)	1.7
Part Number	06019B9141

Impact wrench + Impact driver = **GDX**

**Available in CORE Brushless.**

# 18 Volt Cordless Barebones Tools



## GDS 18 V-LI BAREBONES



### Impact Wrench

- ▶ Electronic Cell Protection
- ▶ ½" External square
- ▶ Variable speed trigger



18V

CB#29

BAREBONES – Tool Only, No Battery, No Charger

Specification	GDS 18V-LI BB
Voltage (V)	18
No-load speed (rpm)	0 – 2,800
Impact rate (bpm)	0 – 3,200
Max. torque (Nm)	180
Screw Ø	M6 – M16
Weight (kg)	1.3
Part Number	06019A1S41

## GDS 18 V-EC 250 BAREBONES



### Brushless Impact Wrench

- ▶ EC Brushless motor
- ▶ High torque
- ▶ Variable speed trigger



18V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GDS 18 V-EC 250 BB
Voltage (V)	18
No load speed (rpm)	0 – 2,400
Impact rate (bpm)	0 – 3,500
Max. torque (Nm)	250
Screw Ø	M16
Weight (kg)	1.9
Part Number	06019D81B1

## GDS 18 V-LI HT BAREBONES



### High Torque Impact Wrench

- ▶ Electronic Cell Protection
- ▶ High Torque
- ▶ ½" External square



18V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GDS 18V-LIHT BB
Voltage (V)	18
No-load speed (rpm)	0 – 1,900
Impact rate (bpm)	0 – 2,100
Max. torque (Nm)	650
Screw Ø	M12 – M20
Weight (kg)	3
Part Number	06019B1300

## GSR 18 V-EC TE BAREBONES



### Brushless Screwdriver

- ▶ EC Brushless Motor
- ▶ Compact design
- ▶ Shortest head length for precise work



18V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 18 V-EC TE
Voltage (V)	18
No load speed (rpm)	0 – 4,200
Bit holder	¼" internal hexagon
Max. torque (Nm)	25
Max. screw Ø (mm)	4.2
Size (LxWxH) (mm)	251 x 78 x 239
Weight (kg)	1.6
Part Number	06019C8040



# 18 Volt Cordless Barebones Tools

## GBH 18 V-EC BAREBONES



### Brushless 3-mode Rotary Hammer

- ▶ EC Brushless motor
- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ Lightweight compact design

BAREBONES – Tool Only, No Battery, No Charger

Specification	GBH 18 V-EC BB
Voltage (V)	18
No-load Speed (rpm)	1,400
Impact Rate (bpm)	0 – 4550
Impact Energy (J)	1.7
Drilling Ø (mm)	
Concrete / Wood / Steel	18 / 20 / 13
Weight (kg)	2.6
Part Number	0611904040

## GBH 18 V-LI Compact BAREBONES



### 2-mode Rotary Hammer

- ▶ Electronic Cell Protection
- ▶ Overload clutch
- ▶ SDS-Plus tool holder

BAREBONES – Tool Only, No Battery, No Charger

Specification	GBH 18 V-LI Compact BB
Voltage (V)	18
Impact rate (bpm)	0 – 4,950
Impact energy (J)	0 – 1.0
Drilling Ø concrete (mm)	12
Weight (kg)	1.9
Part Number	0611905300

## GWS 18 V-LI BAREBONES



### Angle Grinder

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ 4 Pole motor - increases performance & lifetime
- ▶ Rare Earth Magnets
- ▶ Restart Protection

BAREBONES – Tool Only, No Battery, No Charger

Specification	GWS 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	10,000
Disc Ø (mm)	115
Weight (kg)	2.3
Part Number	060193A300

## GWS 18-125 V-LI BAREBONES



### Angle Grinder

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ 4 Pole motor - increases performance & lifetime
- ▶ Rare Earth Magnets
- ▶ Restart Protection

BAREBONES – Tool Only, No Battery, No Charger

Specification	GWS 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	10,000
Disc Ø (mm)	125
Weight (kg)	2.3
Part Number	060193A307



# 18 Volt Cordless Barebones Tools



## GGG 18 V-LI BAREBONES



18V

### Straight Grinder

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ Robust and durable 4-pole high performance motor
- ▶ Compact design for perfect handling in tight spaces

BAREBONES – Tool Only, No Battery, No Charger

Specification	GGG 18 V-LI BB
Voltage (V)	18
No-load speed (rpm)	22,000
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.8
Part Number	06019B5300

## GCB 18 V-LI BAREBONES



18V

### Bandsaw

- ▶ Ergonomic Handle insulated gripping surface
- ▶ Lock off button avoids accidental turn-on of the tool
- ▶ Roller guide for stabilisation of the saw blade

BAREBONES – Tool Only, No Battery, No Charger

Specification	GCB 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	162
Cutting capacity (mm)	63.5 x 63.5
Blade Size (mm)	730 x 12.7 x 0.5
Weight (kg)	3.8
Part Number	06012A0340

## GOP 18 V-EC BAREBONES



### Brushless Oscillating Tool

- ▶ EC Brushless motor
- ▶ SDS tool-less changing
- ▶ Soft grip

BAREBONES – Tool Only, No Battery, No Charger

Specification	GOP 18 V-EC BB
Voltage (V)	18
No load speed (rpm)	8,000 – 20,000
Oscillation angle left/right	1.4
Weight (kg)	1.8
Part Number	06018B0040

## GHO 18 V-LI BAREBONES



18V

### Planer

- ▶ Variable depth-of-cut setting up to 1.6mm
- ▶ Ultra sharp and durable Tungsten Carbide reversible blades

BAREBONES – Tool Only, No Battery, No Charger

Specification	GHO 18 V-LI BB
Voltage (V)	18
No-load speed (rpm)	14,000
Cutting depth (mm)	0 – 1.6
Rebating depth (mm)	0 – 8
Planing width, max. (mm)	82
Weight (kg)	2.6
Part Number	06015A0300

# 18 Volt Cordless Barebones Tools

## GST 18 V-LI BAREBONES



### Jigsaw

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ SDS System
- ▶ 4-stage pendulum action
- ▶ Continuous variable accelerator function

BAREBONES – Tool Only, No Battery, No Charger

Specification	GST 18 V-LI BB
Voltage (V)	18
No load stroke rate (spm)	2,700
Cutting depth wood (mm)	90
Stroke height (mm)	23
Weight (kg)	2.4
Part Number	060158J302

## GKS 18 V-LI BAREBONES



### Circular Saw

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ 50° bevel capacity

BAREBONES – Tool Only, No Battery, No Charger

Specification	GKS 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	3,900
Saw blade Ø (mm)	165
Cutting depth 90°/45° (mm)	51 / 40
Weight (kg)	4.1
Part Number	060166H040

CB#45

## NEW! GKM 18 V-LI BAREBONES



### Circular Saw for metal

- ▶ Compact and lightweight
- ▶ Nearly spark-free
- ▶ Durable

BAREBONES – Tool Only, No Battery, No Charger

Specification	GKM 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	4,250
Depth of cut – 90° (mm)	50
Bore diameter (mm)	20
Blade size (mm)	136
Weight (kg)	2.2
Part Number	TBC

## GSA 18 V-LI BAREBONES



### Sabre Saw

- ▶ Electronic Cell Protection
- ▶ Electronic Motor Protection
- ▶ 2-stage speed setting

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSA 18 V-LI BB
Voltage (V)	18
No load stroke rate (spm)	0 – 2,400 / 2,700
Stroke height (mm)	28
Weight (kg)	3.4
Part Number	060164J042

CB#45

# 18 Volt Cordless Barebones Tools

## GSK 18 V-LI BAREBONES



### Nailer

- ▶ Electronic Cell Protection
- ▶ Variable depth setting of the nail impact
- ▶ Wood Protection System

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSK 18 V-LI BB
Voltage (V)	18
Magazine angle	20°
Nail type	Brad head nail
Nail length (mm)	32 – 64
Nail Ø (mm/gauge)	1.6
Weight (kg)	3.5
Part number	0601480300

## GSS 18 V-LI BAREBONES



### Orbital Sander

- ▶ High removal rate
- ▶ Compact and ergonomic design

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSS 18 V-LI BB
Voltage (V)	18
No load speed (rpm)	11,000
Orbital stroke rate (opm)	22,000
Sheet type	¼ sheet
Weight (kg)	0.6
Part Number	06019D0240

## GAS 18 V-LI BAREBONES



### Vacuum

- ▶ Two speed
- ▶ HEPA filter
- ▶ Soft grip, compact size
- ▶ Flexible power system

BAREBONES – Tool Only, No Battery, No Charger

Specification	GAS 18 V-LI BB
Voltage (V)	18
Max Vacuum (kPa)	4
Max. air flow (l/s)	19.3
Dust capacity (ml)	700
Filter material	HEPA
LED light	✓
Weight (kg)	1.6
Part Number	06019C6140

## GLI Vari LED BAREBONES



### Cordless Work Light

- ▶ Brightest light (300 lux) in its class
- ▶ For flexible use with all Bosch 18V Lithium-Ion batteries
- ▶ Practical hard rubber strap for fixing the work light

BAREBONES – Tool Only, No Battery, No Charger

Specification	GLI Vari LED BB
Part Number	0601443400



# ALWAYS POWER READY

See how it works here



## WIRELESS CHARGING

THE FUTURE OF CHARGING TODAY

Wireless charging gets you working continuously without interruption, saving you time and money. Transform any existing Bosch Blue 18V tool to wireless\*, so charge time is no longer downtime. Charging your tool is now as simple as putting it down, with wireless charging technology continuously topping up the battery, so it is **always power ready**.



**BOSCH**  
Invented for life



Bosch Blue Power Tools

[www.bosch-pt.com.au/professional](http://www.bosch-pt.com.au/professional)



\*Excluding GML 18V-Li SoundBoxx

# 10.8 Volt Cordless Tools



## GSR 10.8-2-Li



### Drill Driver

- ▶ Most compact: shortest head length and smallest height – only 179mm and 178mm
- ▶ Includes L-BOXX Storage System

Specification	GSR 10.8-2-Li
Voltage (V) / Capacity (Ah)	10.8 / 1.3
Batteries / Charger	2 / 30 min
No-load speed (rpm)	0 – 350/1,300
Max. drilling Ø wood/steel (mm)	19 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	30 / 13
Weight (kg)	0.95
Part Number	F005XR0062

## GSB 10.8-2-Li



### Hammer Drill

- ▶ 2-speed gearbox for powerful screw driving and drilling applications
- ▶ Shortest design (187mm) in its class for optimum handling
- ▶ Includes L-BOXX Storage System

Specification	GSB 10.8-2-Li
Voltage (V) / Capacity (Ah)	10.8 / 1.3
Batteries / Charger	2 / 30 min
No-load speed (rpm)	0 – 380 / 1,300
Max. drilling Ø wood/steel (mm)	19 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	30 / 13
Impact rate (bpm)	0 - 19,500
Weight (kg)	1
Part Number	0615990FC5

## GDR 10.8 V-Li



### Impact Driver

- ▶ Most compact: shortest head length and weight of only 137mm and 0.96kg
- ▶ Includes L-BOXX Storage System

Specification	GDR 10.8 V-Li
Voltage (V) / Capacity (Ah)	10.8 / 1.3
Batteries / Charger	2 / 30 min
No-load speed (rpm)	0 – 2,600
Max. torque (Nm)	105
Impact rate (bpm)	0 – 3,100
Weight (kg)	0.96
Part Number	F005XR0063

## 10.8 V-Li Cordless Kit



### Includes:

- ▶ 1 x GSR 10.8-2-Li Drill Driver
- ▶ 1 x GDR 10.8 V-Li Impact Driver
- ▶ 1 x GOP 10.8 V-Li Multi Tool
- ▶ 2 x 1.3Ah Li-Ion Batteries
- ▶ 1 x 30 min charger
- ▶ Tool Bag

	10.8 V-Li Cordless Kit
Part Number	0601858043



## 10.8 Volt Cordless Tools

### GSA 10.8 V-Li



#### Sabre Saw

- ▶ Bosch SDS system for fast blade changes
- ▶ Electronic Cell Protection
- ▶ Small and lightweight
- ▶ Includes plastic carry case

Specification	GSA 10.8 V-Li
Voltage (V) / Capacity (Ah)	10.8 / 1.3
Batteries / Charger	2 / 30 min
No load speed (rpm) / (spm)	0 – 3,000
Stroke lengths (mm)	14.5
Weight (kg)	1.2
Part Number	060164L940

### GOP 10.8 V-Li



#### Oscillating Tool

- ▶ Wide range of applications due to wide range of accessories
- ▶ Compact design and lightweight: only 1.0kg
- ▶ Includes plastic carry case

Specification	GOP 10.8 V-Li
Voltage (V) / Capacity (Ah)	10.8 / 1.3
Batteries / Charger	2 / 30 min
No load speed (rpm) / (spm)	5,000 – 20,000
Oscillation angle left/right (°)	1.4
Weight (kg)	1
Part Number	0601858040

### GSC 10.8 V-Li



#### Metal Shear

- ▶ Cuts up to 1.3mm in metal
- ▶ Up to 5 times faster than conventional tin snips
- ▶ Electronic Cell Protection
- ▶ Includes plastic carry case, 2 x 2.0Ah batteries & fast charger

Specification	GSC 10.8 V-Li
Voltage (V) / Capacity (Ah)	10.8 / 2.0
Batteries / Charger	2 / 30 min
No load speed (rpm) / (spm)	3,600
Cutting cap. steel/aluminium (mm)	1.3 / 2.0
Weight (kg)	1.4
Part Number	0601926142

### GOS 10.8 V-Li



#### Inspection Camera

- ▶ Bright Power-LED for optimum illumination in dark areas
- ▶ Extra long, waterproof camera cable with compact camera head

Specification	GOS 10.8 V-Li
Voltage (V)	10.8
Display size (mm)	68.6
Display resolution (px)	320x240
Diameter of camera head (mm)	17
Length of camera cable (cm)	122
Number of LED lighting stages	9
Run time with one battery charge (h)	up to 15
Part number	0601241040



# 10.8 Volt Cordless Barebones Tools



## 10.8 V-Li Heated Jacket BAREBONES



### Jacket

- ▶ 3 heat settings
- ▶ 3 heat zones
- ▶ USB port for charging electronic devices
- ▶ High quality water resistant outer shell
- ▶ Includes holster

## BAREBONES – Tool Only, No Battery, No Charger

Specification	Battery Holster BB
Part number	0615990G91

Jacket Size	Part number
S	0615990G8V
M	0615990G8W
L	0615990G8X
XL	0615990G8Y
2XL	0615990G8Z
3XL	0615990G90

## GSR 10.8 V-Li BAREBONES



### Drill Driver

- ▶ At 178mm, it is designed for optimum handling, includes L-BOXX insert
- ▶ Quick change ¼" Hex bit holder

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 10.8 V-Li BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 350 / 1,300
Max. drilling Ø wood/steel (mm)	19 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	30 / 13
Weight (kg)	0.8
Part Number	0601992901

## GSR 10.8-2-Li BAREBONES



### Drill Driver

- ▶ Compact: short head length of only 179mm
- ▶ Lightweight: only 0.95kg

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 10.8-2-Li BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 350 / 1,300
Max. drilling Ø wood/steel (mm)	19 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	30 / 13
Weight (kg)	0.95
Part Number	0601868141

## GSR 10.8 V-EC HX BAREBONES



### Brushless Drill Driver

- ▶ EC Brushless motor
- ▶ Best power to weight ratio: powerful soft torque of 18Nm and shortest head length of 135mm

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 10.8V-EC HX BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 400 / 1,300
Max. drilling Ø wood/steel (mm)	30 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	20 / 18
Weight (kg)	0.7
Part Number	06019D4141

## 10.8 Volt Cordless Barebones Tools

### GSR 10.8 V-EC BAREBONES



#### Brushless Drill Driver

- ▶ EC Brushless motor
- ▶ Best power to weight ratio: powerful soft torque of 18Nm and shortest head length of 163mm

### BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 10.8 V-EC BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 400 / 1,300
Max. drilling Ø wood/steel (mm)	30 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	20 / 18
Weight (kg)	0.7
Part Number	06019D4041

### GSB 10.8-2-LI BAREBONES



#### Hammer Drill

- ▶ 2-speed gearbox for powerful screw driving and drilling applications
- ▶ Shortest design (187mm) in its class for optimum handling

### BAREBONES – Tool Only, No Battery, No Charger

Specification	GSB 10.8-2-LI BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 380 / 1,300
Max. drilling Ø wood/steel (mm)	19 / 10
Torque setting range	20 + 1
Max. torque hard/soft (Nm)	30 / 13
Impact rate (bpm)	0 – 19,500
Weight (kg)	1
Part Number	06019B69B1

### GDR 10.8 V-LI BAREBONES



#### Impact Driver

- ▶ Most compact: head length and weight of only 137mm and 0.96kg
- ▶ Best performance to size ratio: high power 105Nm but pocket sized

### BAREBONES – Tool Only, No Battery, No Charger

Specification	GDR 10.8 V-LI BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 2,600
Max. torque (Nm)	105
Impact rate (bpm)	0 – 3,100
Weight (kg)	0.96
Part Number	06019A6941

### GWB 10.8 V-LI BAREBONES



#### Angle Drill /Driver

- ▶ Adjustable Head: Chuck adjusts from 90° – 180°
- ▶ Motor Brake: Exact serial screw driving

### BAREBONES – Tool Only, No Battery, No Charger

Specification	GWB 10.8 V-LI BB
Voltage (V)	10.8
No-load speed (rpm)	0 – 1,300
Max. drilling Ø wood/steel (mm)	35 / 10
Max. torque hard/soft (Nm)	10
Weight (kg)	1.2
Part Number	0601390905

# 10.8 Volt Cordless Barebones Tools



## GOP 10.8 V-LI BAREBONES



### Oscillating Tool

- ▶ Wide range of applications due to wide range of accessories
- ▶ Compact design and lightweight: only 1.0kg

BAREBONES – Tool Only, No Battery, No Charger

Specification	GOP 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm) / (spm)	5,000 – 20,000
Oscillation angle left/right	1.4°
Weight (kg)	1
Part Number	060185800C

## GST 10.8 V-LI BAREBONES



### Jigsaw

- ▶ Barrel grip shape
- ▶ Activated LED
- ▶ Compact design

BAREBONES – Tool Only, No Battery, No Charger

Specification	GST 10.8 V-LI BB
Voltage (V)	10.8
No load stroke rate (spm)	1,500 – 2,800
Cutting depth in wood (mm)	70
Cutting depth in aluminium (mm)	3
Cutting depth in non-alloy steel (mm)	3
Stroke height (mm)	18
Weight (kg)	1.3
Part Number	06015A1040

## GKS 10.8 V-LI BAREBONES



### Circular Saw

- ▶ Optimised for short cuts in wood
- ▶ Compact design

BAREBONES – Tool Only, No Battery, No Charger

Specification	GKS 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm)	0 – 1,400
Saw blade diameter (mm)	85
Cutting depth at 90/45 (mm)	26.5 / 17
Weight (kg)	1.2
Part Number	06016A1040

## GSA 10.8 V-LI BAREBONES



### Sabre Saw

- ▶ Bosch SDS system for fast blade changes
- ▶ Bosch Electronic Cell Protection
- ▶ Small and lightweight

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSA 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm) / (spm)	0 – 3,000
Stroke length (mm)	14.5
Weight (kg)	1.2
Part Number	060164L902





## 10.8 Volt Cordless Barebones Tools

### GRO 10.8 V-LI BAREBONES



10.8V

#### Rotary multi-tool

- ▶ Highly versatile
- ▶ Great precision handling: compact, perfect balance
- ▶ Speed regulator and spindle-lock
- ▶ Compatible with Dremel rotary accessories

BAREBONES – Tool Only, No Battery, No Charger

Specification	GRO 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm)	5,000–32,000
Grip diameter (mm)	160
Collet size (mm)	3.2
Weight (kg)	0.4
Part Number	06019C5040

### GUS 10.8 V-LI BAREBONES



10.8V

#### Universal Shear

- ▶ Safe cutting into different materials with optimised highest 700 rpm cutting speed
- ▶ High convenience with Autoshear function, as blade self sharpens

BAREBONES – Tool Only, No Battery, No Charger

Specification	GUS 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm)	700
Cut thickness (mm)	11
Weight (kg)	1
Part Number	06019B2901

### GSC 10.8 V-LI BAREBONES



10.8V

#### Metal Shear

- ▶ Cuts up to 1.3mm in metal
- ▶ Up to 5 times faster than conventional tin snips
- ▶ Bosch Electronic Cell Protection

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSC 10.8 V-LI BB
Voltage (V)	10.8
No load speed (rpm)	3,600
Cutting cap. steel/aluminium (mm)	1.3 / 2.0
Weight (kg)	1.4
Part Number	0601926105

### GLI 10.8 V-LI LED BAREBONES



10.8V

#### Torch

- ▶ 1 Watt high power LED
- ▶ 7.5h Run time (1.3Ah battery)

BAREBONES – Tool Only, No Battery, No Charger

Specification	GLI 10.8 V-LI LED BB
Voltage (V) / Weight (kg)	10.8 / 0.3
Part Number	0601437U00

# 10.8 Volt Cordless Barebones Tools

## GAS 10.8 V-LI BAREBONES



### Vacuum

- ▶ Compact size, low weight and ergonomic design
- ▶ Powerful and compact – fits into smallest L-BOXX
- ▶ Crevice nozzle for hard-to-reach places



10.8V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GAS 10.8 V-LI
Voltage (V)	10.8
Container volume (l)	0.35
Filter surface area (cm <sup>2</sup> )	408
Max. volume flow rate (l/sec)	15
Max. vacuum pressure (mbar)	45
Weight (kg)	0.87
Part Number	06019E3040

## GOS 10.8 V-LI BAREBONES



### Inspection Camera

- ▶ Bright Power-LED for optimum illumination in dark areas
- ▶ Extra long, waterproof camera cable with compact camera head



10.8V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GOS 10.8 V-LI BB
Voltage (V)	10.8
Display size (mm)	68.6
Display resolution (px)	320x240
Diameter of camera head (mm)	17
Length of camera cable (cm)	122
Number of LED lighting stages	9
Run time with one battery charge (h)	up to 15
Part number	0601241004

## GSL 2 BAREBONES



### Surface Laser

- ▶ Projects 2 laser lines and rotates 360° to check floor planarity
- ▶ Self-levelling within 5 seconds
- ▶ The first instrument, worldwide, dedicated to checking floor planarity
- ▶ Comes in L-BOXX with RC2, target plate and safety glasses



10.8V

BAREBONES – Tool Only, No Battery, No Charger

Specification	GSL 2 BB
Working range (m)	20 (with target plate)
Levelling accuracy (mm/m)	±0.3
Self-levelling range (°)	±4
Laser class	3R
Dust and splash protection	IP54
Power supply	10.8V Li-Ion / 4 x AA 1.5V
Operating time, max (h)	15
Weight (kg)	1.5
Part number	0601604002





## Cordless Radio/Music Players

### GML 10.8 V-Li BAREBONES



#### Radio/Music Player

- ▶ Digital display
- ▶ 5 FM and 5 AM Presets
- ▶ Equalizer
- ▶ External auxiliary input

BAREBONES – Tool Only, No Battery, No Charger

Specification	GML 10.8 V-Li BB
Voltage (V)	10.8
Number of presets	5 FM + 5 AM
AUX In for external audio devices	✓
DC/AC Power supply	✓
Equaliser	✓
Number of speakers	2
Weight (kg)	1.41
Part Number	0601429241

### GML 18 V-Li SoundBoxx BAREBONES



#### Radio/Music Player

- ▶ Digital display
- ▶ 5 FM and 5 AM Presets
- ▶ Equalizer
- ▶ External auxiliary input

BAREBONES – Tool Only, No Battery

Specification	GML 18 V-Li BB
Voltage (V)	18
Number of presets	5 FM + 5 AM
AUX In for external audio devices	✓
DC/AC Power supply	✓
Equaliser	✓
Number of speakers	2
Weight (kg)	1.3
Part Number	0601429940

### GML 18 V-Li PowerBox 360 BAREBONES



#### Radio Charger

- ▶ 360° Sound Subwoofer
- ▶ Enclosed media bay: can play iPods & MP3's
- ▶ Built in battery charger

BAREBONES – Tool Only, No Battery

Specification	GML 18 V-Li BB
Voltage (V)	14.4 – 18 Li-Ion
Number of presets	20 FM + 10 AM
AUX In for external audio devices	✓
DC/AC Power supply	✓
Equaliser	✓
Number of speakers	4
Weight (kg)	9.4
Part Number	0601429640



## 36 Volt Cordless Tools

### GSR 36 VE-2-LI



Specification	GSR 36 VE-2-LI
Voltage (V) / Capacity (Ah)	36 / 4.0
Batteries / Charger	2 / 80 min
No load speed (rpm)	0 - 420 / 1,800
Max. torque (Nm)	100
Max. drilling Ø wood/steel (mm)	102 / 16
Torque settings	25+1
Weight (kg)	3.3
Part Number - 2 x 4.0Ah	06019C0140
Part Number - 2 x 2.0Ah	06019C1142

### GSB 36 VE-2-LI



Specification	GSB 36 VE-2-LI
Voltage (V) / Capacity (Ah)	36 / 4.0
Batteries / Charger	2 / 80 min
No load speed (rpm)	0 - 420 / 1,800
Impact rate (bpm)	27,000
Max. torque (Nm)	100
Max. drilling Ø wood/steel (mm)	102 / 16
Torque settings	25+1
Weight (kg)	3.4
Part Number - 2 x 4.0Ah	06019C1141
Part Number - 2 x 2.0Ah	06019C1143

### GBH 36 V-LI Compact



Specification	GBH 36 V-LI Compact
Voltage (V) / Capacity (Ah)	36 / 2.6
Batteries / Charger	2 / 30 min
Impact rate (bpm)	0 - 4,850
Impact energy (J)	1.8
Drilling Ø concrete (mm)	18
Weight (kg)	2.9
Part Number	0611903R42

### GBH 36 VF-LI



Specification	GBH 36 VF-LI
Voltage (V) / Capacity (Ah)	36 / 4.0
Batteries / Charger	2 / 45 min
Impact rate (bpm)	0 - 4,260
Impact energy (J)	3.0
Drilling Ø concrete (mm)	26
Weight (kg)	4.5
Part Number - 2 x 2.6Ah	0611901R42
Part Number - 2 x 4.0Ah	0611901R4A

# 36 Volt Cordless Barebones Tools

## GSR 36 VE-2-LI BAREBONES



### Drill Driver

- ▶ 13mm chuck
- ▶ Electronic Rotation Control
- ▶ Electronic Cell Protection
- ▶ Includes plastic carry case

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSR 36 VE-2-LI BB
Voltage (V)	36
No load speed (rpm)	0 – 420 / 1,800
Max. torque (Nm)	100
Max. drilling Ø wood/steel (mm)	102 / 16
Torque settings	25+1
Weight (kg)	3.3
Part Number	06019C0102

## GSB 36 VE-2-LI BAREBONES



### Hammer Drill

- ▶ 13mm chuck
- ▶ Electronic Rotation Control
- ▶ Electronic Cell Protection
- ▶ Includes plastic carry case

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GSB 36 VE-2-LI BB
Voltage (V)	36
No load speed (rpm)	0 – 420 / 1,800
Impact rate (bpm)	27,000
Max. torque (Nm)	100
Max. drilling Ø wood/steel (mm)	102 / 16
Torque settings	25+1
Weight (kg)	3.4
Part Number	06019C1102

## GBH 36 V-LI Compact BAREBONES



### Brushless 2-mode Rotary Hammer

- ▶ EC Brushless Motor
- ▶ Electronic Cell Protection
- ▶ Bosch Vibration Control
- ▶ Overload Clutch Protection

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GBH 36 V-LI Compact BB
Voltage (V)	36
Impact rate (bpm)	0 – 4,850
Impact energy (J)	0 – 1.8
Drilling Ø concrete (mm)	18
Weight (kg)	2.9
Part Number	0611903R00

## GBH 36 V-LI BAREBONES



### 3-mode Rotary Hammer

- ▶ SDS-Plus tool holder
- ▶ Electronic Cell Protection
- ▶ Overload Clutch Protection

## BAREBONES – Tool Only, No Battery, No Charger

Specification	GBH 36 V-LI BB
Voltage (V)	36
Impact rate (bpm)	0 – 4,260
Impact energy (J)	0 – 3
Drilling Ø concrete (mm)	26
Weight (kg)	4.5
Part Number	0611900R0E



## 36 Volt Cordless Barebones Tools



### GKS 36 V-LI BAREBONES



#### Circular Saw

- ▶ As powerful as corded: cut up to 95 chipboard sheets to length with only one battery charge
- ▶ Electronic Cell Protection
- ▶ Infinitely variable cutting depth adjustment

CB#48

### BAREBONES – Tool Only, No Battery, No Charger

Specification	GKS 36 V-LI BB
Voltage (V)	36
No load speed (rpm)	4,000
Saw blade Ø (mm)	165
Cutting depth 90°/45° (mm)	54 / 38
Weight (kg)	4.3
Part Number	0601673R00



## "CUTS LIKE A HOT KNIFE THROUGH BUTTER!"



**Delivers up to 6X**  
the life and durability  
of Standard Blades



for Wood & Wood  
Composites / Demolition



FINE FINISH  
& FRAMING BLADES

**Delivers up to 5X**  
the life and durability  
of Standard Blades



for Wood  
& Wood Composites

### Range of Diablo Circular Saw Blades available

Part Number	Description	Diameter (inch)	Diameter (mm)	Teeth	Kerf (mm)	Bore (mm)	Machine Use	Application	Barcode
2608642395	Demo Demon	7 - 1/4"	182	24	1.49	20	7 1/4" Circular Saw	Framing / Demolition	3165140642811
2608642396	Diablo Ultra Thin	7 - 1/4"	184	40	1.49	20	7 1/4" Circular Saw	Finishing	3165140642828
2608642398	Diablo Ultra Thin	8 - 1/4"	209	40	2.40	25	8 1/4" Circular Saw 8 1/2" Mitre Saw	Finishing	3165140642842
2608642397	Diablo Ultra Thin	9 - 1/4"	235	40	2.40	25	9 1/4" Circular Saw	Finishing	3165140642835
2608642393	Diablo Ultra Thin	10"	254	60	2.48	30	10" Slide / Mitre Saw	Fine Finish	3165140642798
2608642394	Diablo Ultra Thin	12"	305	80	2.99	30	12" Slide / Mitre Saw	Fine Finish	3165140642804



# Bosch Electronic Rotation Control



**Bosch Electronic Rotation Control (ERC)** – stops the tool instantly if it jams.\*

## GSR and GSB 36 VE-2-LI Professional

Electronic Rotation Control (ERC) allows you to tackle high-torque applications efficiently and effectively while reducing the risk of dangerous kickback. The new GSR and GSB 36 VE-2-LI Professional will feature ERC and 100 Nm for the toughest screwdriving and drilling applications. Bosch Blue Works as Safe as You Do.

[www.bosch-pt.com.au/professional](http://www.bosch-pt.com.au/professional)



**BOSCH**  
Invented for life

\*Also available on selected 18V models: GSB 18VE-2-LI and GSR 18VE-2-LI.

# Li-Ion Batteries



## 10.8 V-Li Battery Range

- ▶ Electronic Cell Protection (ECP)



**10.8**



Specification	10.8 V-Li 2.0Ah	10.8 V-Li 4.0Ah
Voltage (V) / Capacity (Ah)	10.8 / 2.0	10.8 / 4.0
Part Number	1600A001BT	1600A001BX

## 18 V-Li Battery Range

- ▶ CoolPack technology
- ▶ Electronic Cell Protection (ECP)
- ▶ Charge level indicator



**18**



**NEW!**



Specification	WLC 18 V 2.0Ah	18 V-Li 3.0Ah	18 V-Li 4.0Ah
Voltage (V) / Capacity (Ah)	18 / 2.0	18 / 3.0	18 / 4.0
Part Number	TBC	1600Z0001K	1600A00163



**NEW!**

Specification	18 V-Li 5.0Ah	18 V-Li 6.0Ah
Voltage (V) / Capacity (Ah)	18 / 5.0	18 / 6.0
Part Number	1600A001Z9	0615990H0K

## 36 V-Li Battery Range

- ▶ CoolPack technology
- ▶ Electronic Cell Protection (ECP)
- ▶ Charge level indicator



**36**



Specification	36 V-Li 2.0Ah	36 V-Li 4.0Ah
Voltage (V) / Capacity (Ah)	36 / 2.0	36 / 4.0
Part Number	1600A001ZJ	1600A001ZN

## 10.8 V-Li Charger

► Fan cooled intelligent charger



**10.8**



Specification	AL 1130 CV
Voltage (V) / Capacity (Ah)	10.8
Charge Time (min) 2.0Ah/4.0Ah	40/80
Part Number	1600Z0001P

## 18 V-Li Chargers

► Fan cooled intelligent charger



**18**



Specification	AL 1820 CV	AL 1860 CV
Voltage (V)	18	18
Charge Time (min) 2.0Ah/4.0Ah/6.0Ah	60/120/180	20/40/60
Part Number	F005XR0166	F005XT0035

## NEW! Wireless 18 V-Li Charging System



**18**



Specification	WLC 18 V Charger
Capacity (min)	45
Dimensions (LxWxH) (mm)	165 x 115 x 40
Weight (kg)	0.55
Part Number	TBC

## 36 V-Li Chargers

► Fan cooled intelligent charger



**36**



Specification	AL 3640 CV
Voltage (V) / Capacity (Ah)	36
Charge Time (min) 2.0Ah/4.0Ah	45/80
Part Number	2607225103

## Multi-voltage chargers

► Fan cooled intelligent charger



Specification	GAL 3680 CV
Voltage (V) / Capacity (Ah)	18 – 36
Charge Time (min) 18V 2.0Ah/4.0Ah/6.0Ah 36V 2.0Ah/4.0Ah	20/35/45 18/35
Part Number	TBC



## L-BOXX 'Click & Go' Storage Solutions



Tradies know that Time is Money. An easy way to improve job efficiency is by reducing time spent searching for tools, sorting through their utes and organizing their gear. The Bosch L-BOXX 'Click & Go' system allows users to efficiently organize, store and transport their power tools, hand tools, accessories and gear, from the workshop to job site. Get Sorted, with the Bosch L-BOXX 'Click & Go' storage system.

ORGANISE OVER  
**90,000**  
NUTS, BOLTS

SCREWS, FASTENERS,  
BLADES, BITS, ACCESSORIES,  
SMALL TOOLS & MUCH MORE



HOUSE OVER  
**100**  
TYPES OF PORTABLE  
POWER TOOLS



CUSTOM INSERTS  
to fit many Bosch power  
tools available - sold separately

AVAILABLE IN  
**4**  
SIZES



REQUIRES ONLY  
**1**  
CLICK  
STACKING  
FOR INCREASED MOBILITY



## L-BOXX: CLICK, STACK, GO!

**1-CLICK STACKING**  
Easily lock tool  
cases together for  
easy transport and  
handling.

**TOP, FRONT AND  
SIDE HANDLES**  
3 carrying options  
for comfort in all  
situations.

**COMFORTABLE  
LOCKING CLIPS**  
Easy to lock and  
unlock for fast  
access to tools.



# L-BOXX 'Click & Go' Storage Solutions



Model	Part Number	Width (mm)	Height (mm)	Depth (mm)	Max. Load (kg)
A L-BOXX Compact 102	1605438165	445	357	117	100
B L-BOXX Small 136	1605438166	445	357	151	100
C L-BOXX Medium 238	1605438167	445	357	253	100
D L-BOXX Large 374	1605438168	445	357	389	100
E L-BOXX Organiser	60828504HT	445	357	117	100
F L-BOXX Trolley	1600A001SA	795	500	75	125

## L-BOXX Inlays

Tool	Suits L-BOXX	Part Number
GDR / GSR 10.8 V-Li	Compact - 102	6035961385
Accessories 10.8 V-Li	Compact - 102	6035961409
GSR / GDR & GLI 10.8 V-Li	Compact - 102	6035961415
GSR / GSB 18 V-Li	Small - 136	60828504H2
GDR / GDS 18 V-Li	Small - 136	60828504K2
GWS 18 V-Li	Small - 136	60828504HB
GBH 18 V-Li / GBH 18 V-EC	Small - 136	60828504GE
GKS 18 V-Li	Medium - 238	60828504H9
GSA 18 V-Li	Medium - 238	60828504HA



G



H

## Additional Storage Bags

Model	Part Number	Width (mm)	Height (mm)	Depth (mm)
G Medium Tool Bag	1600A003BJ	480	280	300
H Large Tool Bag	1600A003BK	550	350	350



## Bosch Accessory Sets



### 35 Piece Impact Screwdriver Bit and Metal Drill Bit Set



Specification	Contents
6 x 1/4" HEX HSS-G Drill Bits	1 x 2.5mm, 1 x 3mm, 1 x 3.5mm, 1 x 4mm, 1 x 5mm, 1 x 6mm
2 x Double-ended Impact screwdriver bits	60mm, PH2
3 x Nutsetters	1/4", 5/16", 3/8"
2 x Bit holders	1 x 80mm with sleeve, 1 x 60mm quick release
22 x Screwdriver Bits	2 x PH1, 4 x PH2, 1 x PH3, 2 x R1, 2 x R2, 1 x R3, 1 x Pz1, 1 x PZ2, 2 x HEX5, 1 x HEX6, 1 x Th10, 1 x Th15, 1 x Th20, 1 x Th25, 1 x Th30
Part Number	2608832772

### 29 Piece Impact Screwdriver Bit Set



Specification	Contents
4 x Double-ended Impact screwdriver bits	60mm, PH2
4 x Power bits, 50mm	2 x R2, 2 x H 5
3 x Nutsetters, 50mm	1/4", 5/16", 3/8"
16 x Screwdriver bits, 25mm	2 x PH1, 4 x PH2, 1 x PH3, 2 x R1, 2 x R2, 1 x H5, 1 x T20, 1 x T25, 2 x T25
1 x Bit holder	1/4" hex
1 x Socket adapter	1/4" hex to 1/2" square
Part Number	2608832771

### 9 Piece Deep Well Impact Socket Set



- ▶ Tapered deep well sockets
- ▶ Thin-walled sockets made out of premium steel for optimal access to narrow spaces


Specification	Contents
9 x Impact sockets	10/12/13/14/15/ 16/17/18/19mm
Part Number	2608832770

A full range of individual bits and various sets are available for each range. See the full Bosch Accessories Range Catalogue for full product listing.



Rotary Hammers,  
Demolition Hammers

**SDS Hammers and Breakers**



# Rotary Hammers



## GBH 2-18 RE



- 2-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder
  - ▶ Variable speed
  - ▶ Forward/Reverse operation
  - ▶ Overload Clutch Protection

Specification	GBH 2-18 RE
Rated power (W)	550
No load speed (rpm)	0 – 1,550
Impact rate (bpm)	0 – 4,500
Impact energy (J)	1.7
Drilling Ø concrete (mm)	18
Vibration level (m/s <sup>2</sup> )	15
Weight (kg)	2
Part Number	0611258341

CB#26

## GBH 2-20 RE



- 2-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder
  - ▶ Variable Speed
  - ▶ Short head length for convenient working
  - ▶ Overload Clutch Protection

Specification	GBH 2-20 RE
Rated power (W)	600
No load speed (rpm)	0 – 1,400
Impact rate (bpm)	0 – 4,400
Impact energy (J)	1.7
Drilling Ø concrete (mm)	20
Weight (kg)	2.3
Part Number	061125A340

CB#24

## GBH 2-20 DRE



- 3-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder
  - ▶ Variable Speed
  - ▶ Chiselling function with vario lock
  - ▶ Short head length for convenient working
  - ▶ Overload Clutch Protection

Specification	GBH 2-20 DRE
Rated power (W)	600
No load speed (rpm)	0 – 1,400
Impact rate (bpm)	0 – 4,400
Impact energy (J)	1.7
Drilling Ø concrete (mm)	20
Weight (kg)	2.3
Part Number	061125A440

CB#24

## GBH 2-26 DRE Super Kit



- 3-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder
  - ▶ Rotation stop for chiselling
  - ▶ Overload Clutch Protection

Specification	GBH 2-26 DRE
Rated power (W)	800
No load speed (rpm)	0 – 900
Impact rate (bpm)	0 – 4,000
Impact energy (J)	3
Drilling Ø concrete (mm)	26
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	17.5/9.5
Weight (kg)	2.7
Part Number	0611253767

CB#1

# Rotary Hammers

## GBH 2-28 DV



- 3-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder
  - ▶ Rotation stop for chiselling & Vibration Control Counter Balancer

Specification	GBH 2-28 DV
Rated power (W)	850
No load speed (rpm)	0 – 1,300
Impact rate (bpm)	0 – 5,100
Impact energy (J)	3.2
Drilling Ø concrete (mm)	28
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	11/11
Weight (kg)	2.9
Part Number	0611267140

CB#1

## GBH 2-28 DFV



- 3-mode  
Rotary Hammer
- ▶ SDS-Plus tool holder & Quick change chuck
  - ▶ Rotation stop for chiselling & Vibration Control Counter Balancer

Specification	GBH 2-28 DFV
Rated power (W)	850
No load speed (rpm)	0 – 1,300
Impact rate (bpm)	0 – 5,100
Impact energy (J)	3.2
Drilling Ø concrete (mm)	28
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	11/11
Weight (kg)	3.1
Part Number	0611267240

CB#1

## GBH 2-28 DBV Bulldog



- 3-mode  
Rotary Hammer
- ▶ Bosch Vibration Control System
  - ▶ SDS-Plus tool holder
  - ▶ Overload Safety Clutch
  - ▶ Bosch Vario Lock for chisel rotation
  - ▶ Soft grip for comfort

**BULLDOG**  
*XtremeMax*

Specification	GBH 2-28 DBV
Rated power (W)	850
No load speed (rpm)	0 – 1,300
Impact rate (bpm)	0 – 5,100
Impact energy (J)	3.2
Drilling Ø concrete (mm)	28
Weight (kg)	3.4
Part Number	0611268140

CB#1

### Vibration Control Engineering in the GBH 2-28 DV/DFV/DBV

- ▶ Bosch engineered the GBH 2-28 DV/DFV/DBV with a counter balance
- ▶ The reduced vibration enables longer periods of work and less fatigue while making the handling of the tool more comfortable





# Rotary Hammers

## GBH 4-28 DFR Compact



### 3-mode Rotary Hammer

- ▶ SDS-Plus tool holder
- ▶ Rotation stop for chiselling
- ▶ Includes 4 piece drill set + chisel
- ▶ Quick change chuck
- ▶ Bosch Vibration Control
- ▶ Overload Clutch Protection

## GBH 4-32 DFR Premium



### 3-mode Rotary Hammer

- ▶ SDS-Plus tool holder
- ▶ Includes 4 piece drill set, pointed chisel, flat chisel and 6 piece Self Cut Spade Bit wrap
- ▶ Quick change chuck
- ▶ Bosch Vibration Control

## GBH 5-40 D



### 2-mode Rotary Hammer

- ▶ SDS-max fast tool holder
- ▶ Variable speed
- ▶ Constant Electronic
- ▶ Vario-lock

## GBH 5-40 DCE



### 2-mode Rotary Hammer

- ▶ SDS-max fast tool holder
- ▶ Bosch Vibration Control
- ▶ Overload Clutch Protection
- ▶ Constant Electronic
- ▶ Lockable switch pawl for chisel mode

Specification	GBH 4-28 DFR
Rated power (W)	800
No load speed (rpm)	0 – 900
Impact rate (bpm)	0 – 4,000
Impact energy (J)	3.5
Drilling Ø concrete (mm)	28
Weight (kg)	3.6
Part Number	061124A042

### CB#1

Specification	GBH 4-32 DFR
Rated power (W)	900
No load speed (rpm)	0 – 760
Impact rate (bpm)	3,600
Impact energy (J)	5
Drilling Ø concrete (mm)	32
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	12/9
Weight (kg)	4.7
Part Number	0611332141

### CB#53

Specification	GBH 5-40 D
Rated Power (W)	1,100
No load speed (rpm)	170 – 340
Impact rate (bpm)	1,500 – 2,900
Impact Energy (J)	8.5
Drilling Ø concrete (mm)	40
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	10.5/7.5
Weight (kg)	6.8
Part Number	0611269040

### CB#22

Specification	GBH 5-40 DCE
Rated power (W)	1,150
No load speed (rpm)	170 – 340
Impact rate (bpm)	1,500 – 3,050
Impact energy (J)	2 – 11
Drilling Ø concrete (mm)	40
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	10.5/7.5
Weight (kg)	6.8
Part Number	0611264040

### CB#23

# Rotary Hammers

## GBH 8-45 D



### 2-mode Rotary Hammer

- SDS-max fast tool holder
- Constant electronic
- Vario-lock

Specification	GBH 8-45 D
Rated Power (W)	1,500
No load speed (rpm)	0 – 305
Impact rate (bpm)	1,380 – 2,720
Impact energy (J)	12.5
Drilling Ø concrete (mm)	45
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	18.5/14
Weight (kg)	8.2
Part Number	0611265140

CB#54

## GBH 8-45 DV



### 2-mode Rotary Hammer

- SDS-max fast tool holder
- Bosch Vibration Control
- Turbo Power Function
- Automatic lock-on switch

Specification	GBH 8-45 DV
Rated Power (W)	1,500
No load speed (rpm)	150 – 305
Impact rate (bpm)	1,380 – 2,760
Impact Energy (J)	12.5
Drilling Ø concrete (mm)	45
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	8/7
Weight (kg)	8.9
Part Number	0611265040

CB#16

## GBH 11 DE



### 2-mode Rotary Hammer

- SDS-max fast tool holder
- Overload Clutch Protection
- Constant Electronic

Specification	GBH 11 DE
Rated power (W)	1,500
No load speed (rpm)	120 – 250
Impact rate (bpm)	1,100 – 2,250
Impact energy (J)	5 – 18
Drilling Ø concrete (mm)	52
Vibration level (drilling/chiselling) (m/s <sup>2</sup> )	24/15
Weight (kg)	11
Part Number	0611245737

CB#14

# Demolition Hammers

## GSH 3 E



### Demolition Hammer

- ▶ SDS-Plus tool holder
- ▶ Lockable accelerator switch
- ▶ Compact low weight design

Specification	GSH 3 E
Rated power (W)	650
Impact rate (bpm)	0 – 3,500
Impact energy (J)	4.3
Vibration level (m/s <sup>2</sup> )	17.5
Weight (kg)	3.5
Part Number	0611320737

CB#3

## GSH 5 Basic



### Demolition Hammer

- ▶ SDS-max fast tool holder
- ▶ Bosch Vario Lock
- ▶ Longer hammer tube for balanced performance
- ▶ Soft grip for user comfort

Specification	GSH 5 Basic
Rated power (W)	1,100
Impact rate (bpm)	2,850
Impact energy (J)	7.5
Vibration level (m/s <sup>2</sup> )	14
Weight (kg)	5.6
Part Number	0611337040

CB#22

## GSH 5 CE



### Demolition Hammer

- ▶ SDS-max fast tool holder
- ▶ Bosch Vibration Control
- ▶ Variable impact rate
- ▶ Constant Electronic

Specification	GSH 5 CE
Rated power (W)	1,150
Impact rate (bpm)	1,300 – 2,900
Impact energy (J)	2 – 13
Vibration level (m/s <sup>2</sup> )	11
Weight (kg)	6.2
Part Number	0611321040

CB#23

## GSH 9 VC



### Demolition Hammer

- ▶ SDS-max fast tool holder
- ▶ Bosch Vibration Control
- ▶ Variable impact rate
- ▶ Constant Electronic

Specification	GSH 9 VC
Rated power (W)	1,500
Impact rate (bpm)	2,720
Impact energy (J)	13
Vibration level (m/s <sup>2</sup> )	8
Weight (kg)	8.5
Part Number	0611322040

CB#54



# Demolition Hammers

## GSH 11 VC



### Demolition Hammer

- SDS-max fast tool holder
- Bosch Vibration Control
- Constant Electronic
- Variable chisel fitting angles

Specification	GSH 11 VC
Rated power (W)	1,650
Impact rate (bpm)	900 – 1,700
Impact energy (J)	23
Vibration level (m/s <sup>2</sup> )	8
Weight (kg)	11.1
Part Number	0611336040

CB#19

## GSH 16-30



### Demolition Hammer

- 30mm Internal Hex tool holder
- Bosch Vibration Control
- 45 Joule impact force
- Carrying case with rollers

Specification	GSH 16-30
Rated power (W)	1,750
Impact rate (bpm)	1,300
Impact energy (J)	45
Vibration level (m/s <sup>2</sup> )	13
Weight (kg)	16.5
Part Number	0611335140

CB#57

## GSH 27 VC



### Demolition Hammer

- 28mm Hex tool holder
- Improved impact mechanism and decoupled handles
- 69 Joule impact force
- Anti slip surface

Specification	GSH 27 VC
Rated power (W)	1,900
Impact rate (bpm)	1,000
Impact energy (J)	69
Vibration level (m/s <sup>2</sup> )	8.5
Weight (kg)	29.5
Part Number	061130A040

CB#18

# Bosch Accessory Range for Rotary and Demolition Hammers



## Hammer Drill Bits

Bosch SDS-Plus and SDS-max Hammer Drill Bit range covers all applications.



### MultiFit

- ▶ Multi-fit Shank system



### plus-5

- ▶ Faster in concrete
- ▶ Long life in concrete
- ▶ Exact pilot drilling



### plus-7

- ▶ Best performance in concrete with re-bars



### max-7

- ▶ Extreme long life and precision in concrete with re-bar



## Bosch Chisel Range

SDS-Plus for hammers < 5kg, for renovating and restoring  
SDS-max for hammers 5–12kg, for renovation, restoration, breakthroughs, mortising and demolition work.

Hexagon socket (HEX) 28.5 and 30mm for hammers > 12kg, for breakthroughs, mortising and demolition work.



### Pointed chisel & Flat chisel

- ▶ Adjustment work in masonry and concrete
- ▶ Restoring joints
- ▶ Clearing reinforcements

### Spade chisel 40 and 60mm

- ▶ Removing roughcasting and layers of dirt
- ▶ Removing concrete residues from casing boards
- ▶ Restoring steel

### Tile chisel

- ▶ Removing wall and floor tiles



*Bosch has a full range of Hammer Drill Bits and Chisels to suit all applications. See the Bosch Accessories Catalogue for more information.*



Drills, Hammer Drills,  
Screwdrivers, Mixers,  
Impact Wrenches

## Drills and Screwdrivers





# Drilling



## GBM 10 RE

10mm Chuck



### Rotary Drill

- ▶ 1-Speed Drill
- ▶ 10mm Keyed chuck
- ▶ Variable speed trigger
- ▶ Forward/Reverse operation

Specification	GBM 10 RE
Rated power (W)	600
No load speed (rpm)	2,600
Max. torque (Nm)	20
Drilling Ø steel (mm)	10
Weight (kg)	1.7
Part Number	0601473540

CB#33

## GBM 13-2



### Rotary Drill

- ▶ 2-Speed Drill
- ▶ 13mm Keyed chuck
- ▶ Depth stop limiter

Specification	GBM 13-2
Rated power (W)	550
No load speed (rpm)	0 – 1,000 / 1,900
Max. torque (Nm)	11.5 / 6
Drilling Ø steel (mm)	13 / 8
Weight (kg)	2
Part Number	0601169037

CB#25

## GBM 13-2 RE

13mm Chuck



### Rotary Drill

- ▶ 2-Speed gear box
- ▶ 13mm Keyed chuck
- ▶ Variable speed trigger
- ▶ Forward/Reverse operation

Specification	GBM 13-2 RE
Rated power (W)	550
No load speed (rpm)	0 – 1,000 / 1,900
Max. torque (Nm)	11.5 / 6
Drilling Ø steel (mm)	13 / 8
Weight (kg)	2
Part Number	0601169537

CB#25

## GBM 16-2 RE

16mm Chuck



### Rotary Drill

- ▶ 2-Speed gear box
- ▶ 16mm Keyed chuck
- ▶ Variable speed trigger
- ▶ Forward/Reverse operation

Specification	GBM 16-2 RE
Rated power (W)	1,050
No load speed (rpm)	0 – 380 / 880
Max. torque (Nm)	50 / 22
Drilling Ø steel (mm)	16 / 8
Weight (kg)	3.7
Part Number	0601120537

CB#17

## GBM 1600 RE



### Rotary Drill

- ▶ 360 degree rotating D-handle
- ▶ 16mm keyed chuck
- ▶ Forward/reverse switch

Specification	GBM 1600 RE
Rated power (W)	850
No load speed (rpm)	0 – 630
Max. torque (Nm)	11
Max. drilling Ø steel (mm)	16
Weight (kg)	3.0
Part Number	06011B0040

CB#58

## Bosch Accessories – Metal Drill Bit Sets



Specification				
Piece Count	19	25	21	29
Bit Type	HSS-Ground	HSS-Ground	HSS-Ground	HSS-Ground
Metric / Imperial	Metric	Metric	Imperial	Imperial
Dimensions	1.0 – 10.0mm	1.0 – 13.0mm	1/16" – 3/8"	1/16" – 1/2"
Part Number	2608588402	2608588403	2608588396	2608588397

A full range of individual bits and various sets are available for each range. See the full Bosch Accessories Range Catalogue for full product listing.

**TOUGH  
MUDDER**

**PROBABLY  
THE TOUGHEST  
EVENT ON  
THE PLANET**



**THE OFFICIAL  
POWER TOOL OF  
TOUGH MUDDER**

**BOSCH  
BLUE** **GOES AS  
HARD**  
AS YOU DO





**PROBABLY  
THE TOUGHEST  
EVENT ON  
THE PLANET**

## **EVENT DATES**

**Tough Mudder  
South East Queensland  
September 12 & 13, 2015**

**Tough Mudder Melbourne  
October 17 & 18, 2015**

**Tough Mudder Sydney  
November 21 & 22, 2015**



Sign up now at  
**[toughmudder.com.au](http://toughmudder.com.au)**

**ARE YOU TOUGH ENOUGH?**

**THE OFFICIAL  
POWER TOOL OF  
TOUGH MUDDER**



## Drilling – High Torque

### GBM 13 HRE



#### High Torque Rotary Drill

- ▶ 1-Speed Drill
- ▶ 13mm Keyed chuck
- ▶ Triple reduction gearing for high torque
- ▶ Variable Speed trigger
- ▶ Forward/Reverse operation

CB#25

Specification	GBM 13 HRE
Rated power (W)	550
No load speed (rpm)	550
Max. torque (Nm)	60
Drilling Ø steel (mm)	13
Weight (kg)	2.1
Part Number	0601049637

## Bosch Accessories – Metal Drill Bit Sets



Specification					
Piece Count	7	13	7	13	13
Bit Type	HSS-Ground	HSS-Ground	HSS-Ground	HSS-Ground	HSS-Cobalt
Metric / Imperial	Metric	Metric	Imperial	Imperial	Imperial
Dimensions	1.5 – 6.0mm	1.5 – 6.5mm	1/16" – 1/4"	1/16" – 1/4"	1/16" – 1/4"
Part Number	2608588404	2608588405	2608588398	2608588399	2608588400

# Wood Drilling Accessories

## Self Cut Spade Bit Sets



### Features & Benefits:


- ▶ Innovative self-feeding threaded tip for up to 7 x faster drilling\*
- ▶ Suitable for soft and hard wood, light building material and plasterboard
- ▶ Screw tip pulls bits through material – less force needed especially in overhead drilling
- ▶ Precision ground tip and cutting edges for accurate dimensional stability when drilling
- ▶ ¼" hex shank
- ▶ Includes nylon pouch for storage

\* Compared to Bosch Cleancut spade bit

Specification	3 Piece Set	6 Piece Set	13 Piece Set
Pieces	3	6	13
Included sizes (mm)	16, 20, 25	13, 16, 19, 20, 22, 25	10, 12, 13, 16, 19, 20, 22, 24, 25, 28, 32, 35, 38
Part Number	2608588447	2608588488	2608588450


## Scotch Pattern Augur Bits

Economical solution for clean drilled holes in timber



## Spur Pattern Augur Bits

Premium solution for precise and clean drilled holes in timber



For further information and full range details, see Bosch Accessories Catalogue



# Hammer Drills

## GSB 13 RE KLC



### Hammer Drill

- ▶ Auto lock 13mm keyless chuck
- ▶ Variable speed trigger
- ▶ Forward/Reverse operation

Specification	GSB 13 RE KLC
Rated power (W)	650
No load speed (rpm)	0 - 3,150
Impact rate (bpm)	0 - 47,000
Chuck capacity (mm)	1.5 - 13
Drilling Ø wood/steel/concrete (mm)	25 / 10 / 13
Weight (kg)	1.6
Part Number	0601227142

CB#33

## GSB 16 RE KLC



### Hammer Drill

- ▶ Auto lock 13mm keyless chuck
- ▶ Variable speed trigger
- ▶ Forward/Reverse operation

Specification	GSB 16 RE KLC
Rated power (W)	750
No load speed (rpm)	0 - 3,250
Impact rate (bpm)	0 - 48,500
Chuck capacity (mm)	1.5 - 13
Drilling Ø wood/steel/concrete (mm)	25 / 12 / 16
Weight (kg)	1.8
Part Number	0601228141

CB#33

## GSB 19-2 RE KC



### Hammer Drill

- ▶ 13mm Keyed chuck
- ▶ Stacked metal gear housing
- ▶ Rotatable brush plates
- ▶ Overload Clutch Protection

Specification	GSB 19-2 RE KC
Rated power (W)	850
No load speed (rpm)	0 - 1,000 / 3,000
Impact rate (bpm)	0 - 17,000 / 51,000
Max. torque (Nm)	36 / 15.5
Drilling Ø masonry (mm)	18 / 13
Weight (kg)	2.7
Part Number	060117B640

CB#1

## NEW! GSB 20-2 RE KLC / KC



### Hammer Drill

- ▶ Metal gear housing
- ▶ Forward/reverse operation
- ▶ Variable speed

Specification	GSB 20-2 RE
Input power (W)	800
No load speed (rpm)	0 - 1,100 / 0 - 3,000
Impact Rate (bpm)	0 - 48,000
Drilling Ø (mm)	
Brick/ Concrete/Steel/Wood	20 / 20 / 13 / 40
Weight (kg)	2.6
Part Number (KC)	06011A2140
Part Number (KLC)	06011A2240

CB#1

# Hammer Drills

## GSB 21-2 RE KC



### Hammer Drill

- ▶ 13mm Keyed chuck
- ▶ Stacked metal gear housing
- ▶ Rotatable brush plates
- ▶ Overload Clutch Protection

Specification	GSB 21-2 RE KC
Rated power (W)	1,100
No load speed (rpm)	0 – 900 / 3,000
Impact rate (bpm)	0 – 15,300 / 51,000
Max. torque (Nm)	40 / 14.5
Drilling Ø masonry (mm)	22 / 13
Weight (kg)	2.8
Part Number	060119C640

CB#1

## GSB 21-2 RE KLC



### Hammer Drill

- ▶ Auto lock 13mm keyless chuck
- ▶ Stacked metal gear housing
- ▶ Rotatable brush plates
- ▶ Overload Clutch Protection



Specification	GSB 21-2 RE KLC
Rated power (W)	1,100
No load speed (rpm)	0 – 900 / 3,000
Impact rate (bpm)	0 – 15,300 / 51,000
Max. torque (Nm)	40 / 14.5
Drilling Ø masonry (mm)	23 / 13
Weight (kg)	2.8
Part Number	060119C540

CB#1

## GSB 21-2 RCT



### Hammer Drill

- ▶ Auto lock 13mm keyless chuck
- ▶ Stacked metal gear housing
- ▶ Rotatable brush plates
- ▶ Overload Clutch Protection
- ▶ Constant speed electronics



Specification	GSB 21-2 RCT
Rated power (W)	1,300
No load speed (rpm)	0 – 900 / 3,000
Impact rate (bpm)	0 – 15,300 / 51,000
Max. torque (Nm)	43 / 20.5
Drilling Ø masonry (mm)	24 / 13
Weight (kg)	2.8
Part Number	060119C740

CB#1

## GSB 162-2 RE



### Hammer Drill

- ▶ 16mm Keyed Chuck
- ▶ Metal gear housing
- ▶ Variable speed trigger
- ▶ Forward/reverse operation

Specification	GSB 162-2 RE
Rated power (W)	1,500
No load speed (rpm)	0 – 750 / 0 – 2,550
Impact rate (bpm)	0 – 12,750 / 43,350
Max. torque (Nm)	50 / 14.5
Max. drilling Ø masonry (mm)	162 / 68
Weight (kg)	4.8
Part Number	060118B040

CB#60

# Screwdrivers



## GSR 6-25 TE



### Screwdriver

- ▶ 1/4" Internal hexagon
- ▶ Forward/Reverse Operation
- ▶ High torque for power intensive applications
- ▶ Depth stop
- ▶ Cut-off clutch

Specification	GSR 6-25 TE
Rated power (W)	701
No load speed (rpm)	0 – 2,500
Max. torque (Nm)	20
Self-drilling screw Ø (mm)	6
Tool Holder	1/4" hex
Weight (kg)	1.5
Part Number	0601445040

CB#34

## GSR 6-45 TE



### Screwdriver

- ▶ 1/4" Internal hexagon
- ▶ Forward/Reverse Operation
- ▶ High speed for drywall and softwood
- ▶ Depth stop
- ▶ Cut-off clutch

Specification	GSR 6-45 TE
Rated power (W)	701
No load speed (rpm)	0 – 4,500
Max. torque (Nm)	12
Self-drilling screw Ø (mm)	6
Tool Holder	1/4" hex
Weight (kg)	1.4
Part Number	0601445140

CB#34

## MA 55



### Collated Screwgun Attachment

- ▶ Suitable for GSR 6-25 TE and GSR 6-45 TE Professional
- ▶ Enables precise driving of rows of screws at top speed

Specification	MA 55
Self-drilling screw diameter (mm)	6
Weight (kg)	0.4
Part Number	1600Z0000Y

## MA55 Screwdriver Bits

(For use of the MA55 the below two bits are essential)

Description	Part Number
Phillips # 2 x 142mm	2608522068
Pozidrive # 2 x 142mm	2608522069



Phillips



Pozidrive







## Impact Wrenches

### GDS 18 E



#### Impact Wrench

- ▶ ½" External square
- ▶ Low-recoil mechanism
- ▶ Forward/Reverse operation

Specification	GDS 18 E
Rated power (W)	500
No load speed (rpm)	500 – 1,300
Max. torque hard/soft (Nm)	250 / 160
Screw Ø	M 6 – M 18
Weight (kg)	3.2
Part Number	0601444040

CB#28

### GDS 24



#### Impact Wrench

- ▶ ¾" External square
- ▶ Low-recoil mechanism
- ▶ Forward/Reverse operation

Specification	GDS 24
Rated power (W)	800
No load speed (rpm)	950
Max. torque hard/soft (Nm)	600 / 300
Screw Ø	M 24
Weight (kg)	5.7
Part Number	0601434137

CB#17

### GDS 30



#### Impact Wrench

- ▶ 1" External square
- ▶ Low-recoil mechanism
- ▶ Forward/Reverse operation

Specification	GDS 30
Rated power (W)	920
No load speed (rpm)	860
Max. torque hard/soft (Nm)	1,000 / 500
Screw Ø	M 30
Weight (kg)	7.3
Part Number	0601435137

CB#17

## Stirrer / Mixers

### GRW 18-2 E



- Stirrer / Mixer
- ▶ 2-speed gearing
  - ▶ Variable speed trigger
  - ▶ Ergonomic warp handle

Specification	GRW 18-2 E
Rated power (W)	1,800
No load speed (rpm)	0 – 450 / 0 – 1,050
Max. mixing volume (L)	80
Weight (kg)	7.2
Part Number	06011A8040

CB#59




## Bosch Accessories – Hammer Drill Bits

### CYL-3 SilverPercussion



#### Features & Benefits

- ▶ High quality Tungsten Carbide tip for longer life in concrete
- ▶ Plug indicator for precise drill depth indication
- ▶ Deep U-spiral flute for faster dust removal, effortless drilling
- ▶ Dimensions 3 - 25mm are available in various lengths



### CYL-9 MultiConstruction



#### Features & Benefits

- ▶ Diamond-ground Tungsten Carbide tip for fast clean holes in almost all kind of materials
- ▶ Steep spiral flute for quick dust removal, effortless drilling
- ▶ Sturdy drilling head suitable for use in rotary or impact mode
- ▶ Dimensions 3 - 14mm are available in various lengths





Grinders, Polishers,  
Metal Cut Off Saws,  
Shears, Nibblers

## Grinders + Metal Working





## Small Angle Grinders

### GWS 7-100 Case



- 100mm 720W
- Slim line grinder
- Burst proof guard
- Carry case + 3 x grinding discs



Specification	GWS 7-100 Case
Input power (W)	720
No load speed (rpm)	11,000
Disc Ø (mm)	100
Spindle thread	M 10
Weight (kg)	1.5
Part Number	0601388040

CB#21

### GWS 9-115



- 115mm 900W
- Burst proof guard
- Bosch Vibration Control



Specification	GWS 9-115
Input power (W)	900
No load speed (rpm)	11,500
Disc Ø (mm)	115
Spindle thread	M 14
Weight (kg)	2.1
Part Number	0601790042

CB#37

### GWS 7-125 Case



- 125mm 720W
- Slim line grinder
- Burst proof guard
- Carry case + 3 x grinding discs



Specification	GWS 7-125 Case
Input power (W)	720
No load speed (rpm)	11,000
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	1.5
Part Number	0601388042

CB#21

### GWS 7-125 T Case



- 125mm 720W
- High torque slim line grinder
- Burst proof guard
- Carry case + 3 x grinding discs



Specification	GWS 7-125 T Case
Input power (W)	720
No load speed (rpm)	9,300
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	1.5
Part Number	0601388642

CB#21

## Small Angle Grinders

### GWS 11-125



- 125mm 1100W
- ▶ Burst proof guard
  - ▶ Bosch Vibration Control

Specification	GWS 11-125
Input power (W)	1,100
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.3
Part Number	0601792042

CB#37

### GWS 1400 C



- 125mm 1400W
- ▶ Constant speed electronics
  - ▶ Bosch Vibration Control
  - ▶ Long life motor
  - ▶ Burst proof guard

Specification	GWS 1400 C
Input power (W)	1,400
No load speed (rpm)	11,000
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.2
Part Number	0601824241

CB#9

### NEW! GWS 13-125 CI



- 125mm 1300W
- ▶ Burst proof guard
  - ▶ Constant speed electronics
  - ▶ KickBack Stop
  - ▶ Bosch Vibration Control
  - ▶ Restart protection

Specification	GWS 13-125 CI
Input power (W)	1,300
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.3
Part Number	060179E042

CB#5

## Small Angle Grinders



### NEW! GWS 17-125 CI



125mm 1700W

- ▶ Burst proof guard
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Constant speed electronics
- ▶ Restart protection

Specification	GWS 17-125 CI
Input power (W)	1,700
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	060179G042

CB#5

### NEW! GWS 17-125 CIT



125mm 1700W

- ▶ Torque control
- ▶ Constant speed electronics
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Restart protection

Specification	GWS 17-125 CIT
Input power (W)	1,700
No load speed (rpm)	2,800 – 9,300
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	060179J042

CB#5

## Bosch Accessories – Cutting and Grinding Discs



### Metal

Ideal for:

- ▶ Fast stock removal and long life cutting and grinding disc for metal materials and profiles

### Masonry

Ideal for:

- ▶ High performance, long lasting cutting and grinding disc for masonry materials

### Inox/Stainless Steel

Ideal for:

- ▶ Fast and easy cutting solution
- ▶ Cutting into stainless steel and other metals

### Aluminium/ MultiConstruction

Ideal for:

- ▶ Cutting into multiple materials
- ▶ No necessity to change discs for different applications, saving time and money



## Small Angle Grinders

### NEW! GWS 17-125 CIE



- 125mm 1700W
- ▶ Constant speed electronics
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Restart protection

Specification	GWS 17-125 CIE
Input power (W)	1,700
No load speed (rpm)	2,800 – 11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	060179H042

CB#5

### NEW! GWS 17-125 INOX



- 125mm 1700W
- ▶ Designed for stainless steel work
- ▶ Constant speed electronics
- ▶ Torque control
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Restart protection

Specification	GWS 17-125 INOX
Rated Power (W)	1,700
No load speed (rpm)	2,200 – 7,500
Disc diameter (mm)	125
Spindle Thread	M 14
Weight (kg)	2.4
Part Number	060179M048

CB#5

## Bosch Accessories – Inox Cutting Disc Sets



### Inox Cutting Discs 10 Piece Sets

- ▶ Available in the following diameters: 105mm, 115mm and 125mm
- ▶ Comes in a handy 10 piece tin
- ▶ A fast and easy cutting solution
- ▶ Used for cutting into stainless steel and metals

Specification			
Piece Count	10	10	10
Diameter (mm)	105	115	125
Part Number	2608603464	2608603467	2608603470

# Angle Grinders – Dead Man Switch



## GWS 11-125 DMS



125mm 1100W

- ▶ Bosch Vibration Control
- ▶ Burst proof guard
- ▶ Direct cooling



Specification	GWS 11-125 DMS
Input power (W)	1,100
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.3
Part Number	0615990FF0

CB#37

## NEW! GWS 13-125 CI DMS



125mm 1300W

- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Restart protection
- ▶ Burst proof guard
- ▶ Constant speed electronics



Specification	GWS 13-125 CI DMS
Input power (W)	1,300
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.3
Part Number	TBC

CB#5

## GWS 12-125 CIEP Paddle Switch



125mm 1200W

- ▶ PROtection Switch
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Restart protection
- ▶ Burst proof guard
- ▶ Constant speed electronics



Specification	GWS 12-125 CIEP
Input power (W)	1,200
No load speed (rpm)	2,800 – 11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.2
Part Number	0601794242

CB#5

## NEW! GWS 17-125 CI DMS



125mm 1700W

- ▶ Burst proof guard
- ▶ KickBack Stop
- ▶ Bosch Vibration Control
- ▶ Constant speed electronics
- ▶ Restart protection



Specification	GWS 17-125 CI DMS
Input power (W)	1,700
No load speed (rpm)	11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	TBC

CB#5

# Angle Grinders – Dead Man Switch

## NEW! GWS 17-125 CIT DMS



- 125mm 1700W
- ▶ High torque
  - ▶ KickBack Stop
  - ▶ Bosch Vibration Control
  - ▶ Restart protection
  - ▶ Burst proof guard
  - ▶ Constant speed electronics



Specification	GWS 17-125 CIT DMS
Input power (W)	1,700
No load speed (rpm)	2,800 – 9,300
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	TBC

CB#5

## NEW! GWS 17-125 CIE DMS



- 125mm 1700W
- ▶ KickBack Stop
  - ▶ Bosch Vibration Control
  - ▶ Restart protection
  - ▶ Burst proof guard
  - ▶ Constant speed electronics



Specification	GWS 17-125 CIE DMS
Input power (W)	1,700
No load speed (rpm)	2,800 – 11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.4
Part Number	TBC

CB#5

## GWS 15-125 CIEP Paddle Switch



- 125mm 1500W
- ▶ PROtection Switch
  - ▶ KickBack Stop
  - ▶ Bosch Vibration Control
  - ▶ Restart protection
  - ▶ Burst proof guard
  - ▶ Constant speed electronics



Specification	GWS 15-125 CIEP
Input power (W)	1,500
No load speed (rpm)	2,800 – 11,500
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.5
Part Number	0601796242

CB#5

## GWS 15-125 CITH Rattail



- 125mm 1500W
- ▶ Rear Handle Switch
  - ▶ KickBack Stop
  - ▶ Bosch Vibration Control
  - ▶ Restart protection
  - ▶ Burst proof guard
  - ▶ Constant speed electronics



Specification	GWS 15-125 CITH
Input power (W)	1,500
No load speed (rpm)	2,800 / 9,300
Disc Ø (mm)	125
Spindle thread	M 14
Weight (kg)	2.3
Part Number	0601830E42

CB#9



## Straight Grinders – Dead Man Switch



### GGG 28 CE DMS



**KICK  
BACK  
STOP**

#### Dead Man Switch Straight Grinder

- ▶ Powerful 650W motor with soft start and KickBack Stop
- ▶ Compact, ergonomic shape for versatile grinding work

Specification	GGG 28 CE DMS
Input power (W)	650
No load speed (rpm)	0 – 10,000 / 28,000
Spindle collar (mm)	43
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.4
Part Number	0615990ERO

**CB#9**

### GGG 28 LCE DMS



**KICK  
BACK  
STOP**

#### Dead Man Switch Straight Grinder

- ▶ Powerful 650W motor with soft start and KickBack Stop
- ▶ Extended (long) grinding spindle – ideal for grinding in tight spots

Specification	GGG 28 LCE DMS
Input power (W)	650
No load speed (rpm)	0 – 10,000 / 28,000
Spindle collar (mm)	43
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.6
Part Number	0615990ESO

**CB#9**

## Grinder Safety features



#### Deadman / paddle switches

- A specifically designed switch, which shuts the grinder off once the switch/trigger is released.

**KICK  
BACK  
STOP**

**KickBack protection** - A safety feature similar to ABS, detects if the tool is jammed and immediately switches the grinder off.



**Restart protection** - Prevents the grinder from restarting automatically after a power cut, the grinder will need to be switched on again to continue working.



#### Multi-position locking guard

- Twist-proof protective guard – quickly and easily adjustable and provides protection if the grinding disc shatters.



**Constant Electronic** -Power booster for heavy loads. Constant speed, even under load.



**Spindle Lock** - Faster, simpler disc/tool change.



#### Anti vibration handles (AVH)

- Patented vibration dampening system

## Large Angle Grinders

### GWS 24-180 LV



180mm 2400W

- ▶ Lightweight
- ▶ Bosch Vibration Control
- ▶ Burst proof guard



Specification	GWS 24-180 LV
Input power (W)	2,400
No load speed (rpm)	8,500
Disc Ø (mm)	180
Spindle thread	M 14
Weight (kg)	4.1
Part Number	0601892E40

CB#13

### GWS 24-180 LVI



180mm 2400W

- ▶ Soft Start & KickBack Stop
- ▶ Restart Protection
- ▶ Bosch Vibration Control
- ▶ 3 swivel positions



Specification	GWS 24-180 LVI
Input power (W)	2,400
No load speed (rpm)	8,500
Disc Ø (mm)	180
Spindle thread	M 14
Weight (kg)	5.4
Part Number	0601892H40

CB#13

### GWS 22-230



230mm 2200W

- ▶ Lightweight
- ▶ Straight back handle
- ▶ Triple control safety switch

Specification	GWS 22-230
Input power (W)	2,200
No load speed (rpm)	6,500
Disc Ø (mm)	230
Spindle thread	M 14
Weight (kg)	4.2
Part Number	0601882A40

CB#13

### GWS 26-230 H



230mm 2500W

- ▶ Straight back handle
- ▶ Burst proof guard
- ▶ Triple control safety switch

Specification	GWS 26-230 H
Input power (W)	2,500
No load speed (rpm)	6,500
Disc Ø (mm)	230
Spindle thread	M 14
Weight (kg)	6
Part Number	0601856L40

CB#13



# Bosch Accessories

## Diamond Blades



**LPP Universal**  
Segmented Rim  
► 105mm to 350mm



**HPP Universal**  
Segmented Rim  
► 105mm to 350mm



**LPP Universal**  
Turbo Rim  
► 115mm to 230mm



**LPP Ceramic**  
Continuous Rim  
► 115mm to 230mm



**HPP Ceramic**  
Turbo Rim  
► 105mm to 500mm



**LPP Stone**  
Segmented Rim  
► 105 to 500mm



**HPP Stone**  
Segmented Rim  
► 105mm to 400mm



**LPP Concrete**  
Segmented Rim  
► 105mm to 400mm



**HPP Concrete**  
Segmented Rim  
► 105mm to 230mm





## Bosch Accessories Diamond Blades



**HPP Universal**  
Turbo Rim  
▶ 105mm to 230mm



**HPP Marble**  
Continuous Rim  
▶ 115mm to 230mm



**LPP Abrasive**  
Segmented Rim  
▶ 115mm to 230mm



**HPP Abrasive**  
Segmented Rim  
▶ 115mm to 230mm



**HPP Mortar**  
Segmented Rim  
▶ 125mm



**LPP Asphalt**  
Segmented Rim  
▶ 300mm to 500mm



**HPP Asphalt**  
Segmented Rim  
▶ 300mm to 500mm



**Concrete Cup Wheels**  
▶ 125mm

*For further information  
and full range details,  
see Bosch Diamond  
Catalogue*

# Large Angle Grinders



## GWS 22-230 LV



230mm 2200W

- ▶ Lightweight
- ▶ Bosch Vibration Control
- ▶ Burst proof guard
- ▶ Triple control safety switch



Specification	GWS 22-230 LV
Input power (W)	2,200
No load speed (rpm)	6,500
Disc Ø (mm)	230
Spindle thread	M 14
Weight (kg)	5.3
Part Number	0601891E40

**CB#13**

## GWS 24-230 LV



230mm 2400W

- ▶ Bosch Vibration Control
- ▶ Burst proof guard
- ▶ 3 swivel positions



Specification	GWS 24-230 LV
Input power (W)	2,400
No load speed (rpm)	6,500
Disc Ø (mm)	230
Spindle thread	M 14
Weight (kg)	5.4
Part Number	0601893G40

**CB#13**

## GWS 24-230 LVI



230mm 2400W

- ▶ Soft Start & KickBack Stop
- ▶ Restart Protection
- ▶ Bosch Vibration Control
- ▶ 3 swivel positions



Specification	GWS 24-230 LVI
Input power (W)	2,400
No load speed (rpm)	6,500
Disc Ø (mm)	230
Spindle thread	M 14
Weight (kg)	5.5
Part Number	0601893H40

**CB#13**

## Straight Grinders / Burnisher

### GGG 28 CE



**KICK  
BACK  
STOP**

#### Straight Grinder

- ▶ Powerful 650W motor with soft start and KickBack Stop
- ▶ Compact, ergonomic shape for versatile grinding work

Specification	GGG 28 CE
Input power (W)	650
No load speed (rpm)	0 – 10,000 / 28,000
Spindle collar (mm)	43
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.4
Part Number	0601220140

**CB#9**

### GGG 28 LCE



**KICK  
BACK  
STOP**

#### Straight Grinder

- ▶ Powerful 650W motor with soft start and KickBack Stop
- ▶ Extended (long) grinding spindle – Ideal for grinding in tight spots

Specification	GGG 28 LCE
Input power (W)	650
No load speed (rpm)	0 – 10,000 / 28,000
Spindle collar (mm)	43
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.6
Part Number	0601221140

**CB#9**

### NEW! GGG 28 LP



#### Straight Grinder

- ▶ Safety switch shuts off tool immediately
- ▶ Long spindle allows grinding in narrow spaces

Specification	GGG 28 LP
Input power (W)	500
No load speed (rpm)	29,000
Spindle collar (mm)	38
Collet (mm)	8
Weight (kg)	1.96
Part Number	0601225040

### GGG 6 S



#### Straight Grinder

- ▶ Bosch SDS system
- ▶ Triple-control safety switch
- ▶ Cut-out carbon brushes

Specification	GGG 6 S
Input power (W)	1,150
No load speed (rpm)	6,800
Spindle collar	M 14
Collet (mm / ")	20 / –
Weight (kg)	3.9
Part Number	0601214137

**CB#17**



# Burnisher / Polisher / Concrete Grinder



## NEW! GSI 14 CE



### Burnisher

- Constant speed electronics
- Variable speed
- Tool-free accessory change

Specification	GSI 14 CE
Input power (W)	1,400
No load speed (rpm)	750 – 3,000
Mounting Ø (mm)	19
Max. outer Ø accessory (mm)	115
Max. width of accessory (mm)	100
Weight (kg)	3.4
Part Number	06018B1040

**CB#9**

## GPO 12 CE



### Polisher

- Electronic variable speed control
- Optional side or D handle
- Lock-on control switch

Specification	GPO 12 CE
Rated power (W)	1,250
No load speed (rpm)	750 – 3,000
Spindle thread	M 14
Weight (kg)	3.5
Part Number	0601389040

**CB#9**

### Includes

- 1 x Lambs wool bonnet for polishing plate
- 1 x M 14/M 16 adaptor
- 1 x Polishing plate
- 1 x Spacer disc

## Polisher Accessories



Description	Part Number
180mm Rubber Backing Pad	2608601209

## NEW! GBR 15 CA



### 125mm Concrete Grinder

- Constant speed electronics
- Dust extraction
- Ergonomic shape

Specification	GBR 15 CA
Input power (W)	1,500
No load speed (rpm)	9,300
Disc Ø (mm)	125
Spindle collar (mm)	M 14
Weight (kg)	2.6
Part Number	0601776040

**CB#5**

## Concrete Grinder Accessories



Description	Part Number
Diamond grinding head – Best for Concrete	2608600260
Diamond grinding head – Best for Abrasive	2608600259

## Bench Grinders / Cut Off Saws

### GBG 6



#### 6" Bench Grinder

- ▶ Powerful induction motor
- ▶ Compact size for easy transport
- ▶ Die-cast housing with encapsulate ball bearings
- ▶ Robust and solid base with rubber feet

Specification	GBG 6
Input power (W)	350
No load speed (rpm)	50 Hz: 2,900 60 Hz: 3,500
Disc diameter (mm)	150
Arbour size (mm)	20
Weight (kg)	10
Part Number	060127A040

### GBG 8



#### 8" Bench Grinder

- ▶ Powerful induction motor
- ▶ Compact size for easy transport
- ▶ Die-cast housing with encapsulate ball bearings
- ▶ Robust and solid base with rubber feet

Specification	GBG 8
Input power (W)	600
No load speed (rpm)	50 Hz: 2,900 60 Hz: 3,500
Disc diameter (mm)	200
Arbour size (mm)	32
Weight (kg)	16.5
Part Number	060127A140

### GCO 2



#### Cut Off Saw

- ▶ Ergonomic D-handle provides secure and comfort grip
- ▶ Powerful and durable 2000W motor for a long lifetime

Specification	GCO 2
Rated power (W)	2,000
No load speed (rpm)	3,500
Wheel size (mm)	355
Arbour size (mm)	25.4
Cutting depth (mm)	120
Weight (kg)	14.6
Part Number	0601B17340

CB#13

### GCO 2400 J



#### Cut Off Saw

- ▶ Soft start
- ▶ High load capacity
- ▶ Adjustable spark guard

Specification	GCO 2400 J
Rated power (W)	2,400
No load speed (rpm)	3,800
Wheel size (mm)	355
Arbour size (mm)	25.4
Cutting depth (mm)	120
Weight (kg)	17
Part Number	0601B18040

CB#13

# Cold Cut Saw / Shears / Nibbler



## GCD 12 JL



### 12" Cold Cut Saw

- Integrated laser
- Tool free adjustments
- Minimal sparks
- Soft start
- Solid reinforced supporting table

Specification	GCD 12 JL
Rated Power (W)	2,000
No load speed (rpm)	1,500
Saw blade (mm)	305
Mitre angles (°)	0-45
Max cutting capacity (mm)	100 x 100
Weight (kg)	20
Part Number	0601B28040

CB#13

## GSC 160



### Shear

- Small grip circumference
- Safety switch

Specification	GSC 160
Rated power (W)	500
No load stroke rate (spm)	5,000
Cutting cap. steel/alu (mm)	1.6 / 2.2
Weight (kg)	1.8
Part Number	0601500437

CB#50

## GSC 2.8



### Shear

- Knob grip
- Forward/Reverse operation blade
- Safety switch

Specification	GSC 2.8
Rated power (W)	500
No load stroke rate (spm)	2,400
Cutting cap. steel/alu (mm)	2.8 / 3.5
Weight (kg)	2.7
Part Number	0601506137

CB#52

## GNA 2.0



### Nibbler

- SDS tool holder system
- Lockable cutting die
- Slim-line body design

Specification	GNA 2.0
Rated power (W)	500
No load stroke rate (spm)	4,500
Cutting cap. steel/alu (mm)	2.0 / 2.5
Weight (kg)	2
Part Number	0601530137

CB#30







Benchtop, Saws,  
Oscillating Tools, Sanders,  
Planers and Router

**Woodworking**



# Table Saws / Mitre Saws



## GTS 10 J



### Table Saw

- Softstart and overload protection
- Compact design with ergonomic handle
- Tool-free Height adjustable Riving Knife
- Squarelock™ Rip Fence
- Self-aligning design for accurate performance

CB#10

Specification	GTS 10 J
Rated power (W)	1,800
No load speed (rpm)	3,650
Saw blade / bore Ø (mm)	254 / 30
Incline setting (°)	47° L / 2° R
Max. cutting capacity (mm)	210 L / 460 R
Weight (kg)	26
Part Number	0601B30540
+ GTA 600 Stand	0615990EY2

## GTS 10 XC



### Table Saw

- Motor brake, soft start, overload protection and constant speed electronics
- Tool-free height adjustable riving knife
- Integrated sliding table Squarelock™ Rip Fence
- Self-aligning design for accurate performance

CB#10

Specification	GTS 10 XC
Rated power (W)	2,100
No load speed (rpm)	3,200
Saw blade / bore Ø (mm)	254 / 25.4
Incline setting (°)	47° L / 1° R
Max. cutting capacity (mm)	250 L / 635 R
Weight (kg)	35
Part Number	0601B30440
+ GTA 6000 Stand	0615990EM9

## GCM 10 M



### 10" Mitre Saw

- High power for multi-material cutting
- Max cutting capacity 144 x 89mm
- Easy adjust bevel & mitre scales

CB#13

Specification	GCM 10 M
Rated power (W)	2,000
No load speed (rpm)	4,500
Saw blade / bore Ø (mm)	254 / 25.4
Mitre setting (°)	47° L / 47° R
Incline setting (°)	47° L
Max. Cutting Capacity (mm)	89 x 89
Weight (kg)	14
Part Number	0601B20140

## GCM 10 SD



### 10" Sliding Mitre Saw

- Dual Rail
- Max cutting capacity 305 x 85mm
- 4 position main handle
- Integrated table extension

CB#49

Specification	GCM 10 SD
Rated power (W)	1,800
No load speed (rpm)	5,000
Saw blade / bore Ø (mm)	254 / 30
Mitre setting (°)	52° L / 60° R
Incline setting (°)	45° L / 45° R
Max. Cutting Capacity (mm)	85 x 305
Weight (kg)	26
Part Number	0601B22537





## Mitre & Sliding Compound Mitre Saws

### NEW GCM 10 MX



- 10" Mitre Saw
- ▶ Electric Brake
  - ▶ High cutting capacity
  - ▶ Ergonomic handle for comfortable use

CB#55

Specification	GCM 10 MX
Rated power (W)	1,700
No load speed (rpm)	4,800
Saw blade / bore Ø (mm)	255 / 25.4
Electric brake	✓
Mitre setting (0° mm)	89
Incline setting (45° mm)	67
Cutting Capacity (mm)	89
Weight (kg)	14.1
Part Number	0601B29040

### GCM 12 MX



- 12" Mitre Saw
- ▶ Electric brake
  - ▶ High power for fast progress cutting
  - ▶ Easy to access bevel lock lever
  - ▶ Max cutting capacity 91 x 187 mm

CB#46

Specification	GCM 12 MX
Rated power (W)	1,800
No load speed (rpm)	4,300
Saw blade / bore Ø (mm)	305 / 25.4
Electric brake	✓
Mitre setting (°)	52° L / 52° R
Incline setting (°)	47° L / 2° R
Max. Cutting Capacity (mm)	91 x 187
Weight (kg)	20.5
Part Number	0601B21140

### GCM 12 SD



- 12" Sliding Mitre Saw
- ▶ Dual Rail
  - ▶ Max cutting capacity 305 x 110 mm
  - ▶ Max 47° incline on both sides
  - ▶ Integrated table extensions

CB#49

Specification	GCM 12 SD
Rated power (W)	1,800
No load speed (rpm)	3,800
Saw blade / bore Ø (mm)	305 / 30
Mitre setting (°)	52° L / 60° R
Incline setting (°)	45° L / 45° R
Max. Cutting Capacity (mm)	110 x 305
Weight (kg)	29
Part Number	0601B23537

### GCM 12 GDL



- 12" Glide Saw
- ▶ Axial-Glide™ System allows for expanded cutting capacity and smooth precision cuts
  - ▶ Squarelock™ Quick-Release Fences
  - ▶ Dual Line Precision Laser

CB#46

Specification	GCM 12 GDL
Rated power (W)	2,000
No load speed (rpm)	3,800
Saw blade / bore Ø (mm)	305 / 30
Mitre setting (°)	52° / 60°
Incline setting (°)	47° L / 45° R
Max. Cutting Capacity (mm)	104 x 341
Weight (kg)	32.1
Part Number	0601B23640



# Saw Stands



## GTA 600



### Table Saw Stand

- ▶ Purpose built for GTS 10 J Table saw
- ▶ Attach and detach saw in seconds
- ▶ Folds flat for easy transport and storage
- ▶ Solid and durable all-steel design

Specification	GTA 600
Weight (kg)	6.3
Part Number	0601B22002

## T1B



### Mitre Saw Stand

- ▶ Stand for all mitre saws
- ▶ 2.6m Extension

Specification	T1B
Weight (kg)	15
Part Number	0601B12310

## GTA 3800



### Mitre Saw Stand

- ▶ Stand for all mitre saws
- ▶ 3.8m extension
- ▶ Adjustable roller supports
- ▶ Easy to use, quick setup
- ▶ Reduced weight, maximum strength

Specification	GTA 3800
Weight (kg)	19
Part Number	0601B24000



## GTA 6000



### Table Saw Stand

- ▶ Purpose built for GTS 10 XC Table saw
- ▶ Attach and detach saw in seconds
- ▶ Folds flat for easy transport and storage
- ▶ Solid and durable all-steel design

Specification	GTA 6000
Weight (kg)	14
Part Number	0601B24100

## GTA 2500



### Mitre Saw Stand

- ▶ Stand for all mitre saws
- ▶ 2.5m Extension
- ▶ Adjustable roller supports

Specification	GTA 2500
Weight (kg)	15.8
Part Number	0601B12440

## GTA 2500 W



### Gravity Rise Mitre Saw Stand

- ▶ Stand for all mitre saws
- ▶ Wheeled gravity rise stand

Specification	GTA 2500 W
Weight (kg)	35
Part Number	0601B12141



# Jigsaws

## GST 75 BE Generalist



### Jigsaw

- ▶ Bow Handle
- ▶ Variable speed trigger
- ▶ 4 Stage pendulum
- ▶ SDS System
- ▶ Dust extraction



Specification	GST 75 BE
Rated power (W)	650
No load stroke rate (spm)	500 – 3,100
Cutting depth wood (mm)	90
Stroke height (mm)	26
Weight (kg)	2.6
Part Number	060158F040

CB#32

## GST 150 BCE Performance



### Jigsaw

- ▶ Bow Handle
- ▶ Constant speed electronics
- ▶ 4 Stage pendulum
- ▶ SDS tool holder system
- ▶ Dust extraction



Specification	GST 150 BCE
Rated power (W)	780
No load stroke rate (spm)	500 – 3,100
Cutting depth wood (mm)	150
Stroke height (mm)	26
Constant Speed	✓
Weight (kg)	2.6
Part Number	0601513040

CB#7

## GST 150 CE Performance



### Jigsaw

- ▶ Barrel Grip
- ▶ Constant speed electronics
- ▶ 4 Stage pendulum
- ▶ SDS tool holder system
- ▶ Dust extraction



Specification	GST 150 CE
Rated power (W)	780
No load stroke rate (spm)	500 – 3,100
Cutting depth wood (mm)	150
Stroke height (mm)	26
Constant Speed	✓
Weight (kg)	2.6
Part Number	0601512040

CB#7





## GST 140 BCE Precision



### Jigsaw

- Precision control double roller system minimizes blade wander and blade deflection
- Magnesium footplate with plastic insert and LED light



Specification	GST 140 BCE
Rated power (W)	720
No load stroke rate (spm)	800 – 2,800
Cutting depth wood (mm)	140
Stroke height (mm)	26
Weight (kg)	2.3
Part Number	0601515042

CB#31

## GST 140 CE Precision



### Jigsaw

- Precision control double roller system minimizes blade wander and blade deflection
- Magnesium footplate with plastic insert and LED light



Specification	GST 140 CE
Rated power (W)	720
No load stroke rate (spm)	800 – 2,800
Cutting depth wood (mm)	140
Stroke height (mm)	26
Weight (kg)	2.2
Part Number	0601514042

CB#31



# Circular Saws



## GKS 190 Turbo



### Circular Saw

- ▶ Turbo blower for dust free work
- ▶ Includes 2 x 184mm saw blades



CB#27

Specification	GKS 190 Turbo
Rated power (W)	1,400
No load speed (rpm)	5,500
Saw blade Ø (mm)	184
Saw blade bore (mm)	20
Cutting depth 90°/45° (mm)	67 / 49
Weight (kg)	4.2
Part Number	0601623041

## GKS 235 Turbo



### Circular Saw

- ▶ High power for faster cutting
- ▶ Turbo blower for dust free work
- ▶ 2x overload protection compared to GKS 235
- ▶ Robust steel base plate

CB#56

Specification	GKS 235 Turbo
Rated power (W)	2,050
No load speed (rpm)	5,300
Saw blade Ø (mm)	235
Saw blade bore (mm)	25
Cutting depth 90°/45° (mm)	85 / 65
Weight (kg)	7.6
Part Number	06015A2040

## OptiLine Wood

The clean and precise Solution



### Ideal for:

- ▶ The top choice for a precise quality cut in all standard woodworking applications

## SpeedLine Wood

The fast and efficient Performer



### Ideal for:

- ▶ Fast rip and cross cuts in all types of wood

## Cordless Wood

The cordless saw Specialist



### Ideal for:

- ▶ Cordless Circular Saws requiring fast cutting blades for softwood, hardwood, MDF and chipboard

## MultiMaterial

The multi-material Allrounder



### Ideal for:

- ▶ The perfect blade for powerful cuts with clean cut edges in all different kinds of materials

## Ferrous Metal

The metal cutting Professional



### Ideal for:

- ▶ Heavy duty ferrous metal cutting ie: Steel Profiles, Steel Pipe, Thin Steel Pipes
- ▶ Use with Metal cutting saws

## Fibre Cement

The fibre cement cutting Expert



### Ideal for:

- ▶ Cutting large quantities of Fibre Cement sheeting



## Panel Saw

### GKT 55 GCE



#### Panel Saw

- ▶ Strong 1400W motor
- ▶ Constant Electronics
- ▶ Variable speed
- ▶ Convenient blade stop

CB#36

Specification	GKT 55 GCE
Rated power (W)	1,400
No load speed (rpm)	0 - 3,600 / 6,250
Saw blade Ø (mm)	165
Saw blade bore (mm)	20
Cutting depth 90°/45° (mm)	57 / 42
Weight (kg)	4.7
Part Number	0601675040

### FSN 800 Guide rail



- ▶ 800mm Rail
- ▶ Part No: 1600Z00005

### FSN 1100 Guide rail



- ▶ 1100mm Rail
- ▶ Part No: 1600Z00006

### FSN 1600 Guide rail



- ▶ 1600mm Rail
- ▶ Part No: 1600Z0000F

### FSN 2100 Guide rail



- ▶ 2100mm Rail
- ▶ Part No: 1600Z00007

### FSN 3100 Guide rail



- ▶ 3100mm Rail
- ▶ Part No: 1600Z00008

### FSN VEL



- ▶ Rail Connector
- ▶ Part No: 1600Z00009

### FSN WAN



- ▶ Rail Mitre
- ▶ Part No: 1600Z0000A

### FSN SZW



- ▶ Rail Clamps
- ▶ Part No: 1600Z0000B

### FSN KK



- ▶ Rail End Caps
- ▶ Part No: 1600Z0000C

### FSN SS



- ▶ Splinter Protection
- ▶ Part No: 1600Z0000D

### FSN HB



- ▶ Anti-slip strip
- ▶ Part No: 1600Z0000E

### FSN Bag



- ▶ Rail Bag
- ▶ Part No: 1610Z00020

## Blades for GKT 55 GCE Panel Saw



### TOP Precision

#### best for Wood

Dimensions	Part Number
165mm x 20 Tooth	2608642385
165mm x 32 Tooth	2608642386
165mm x 48 Tooth	2608642384

#### best for MultiMaterial

Dimensions	Part Number
165mm x 48 Tooth	2608642388



# Sabre Saws

## GSA 1100 E



### Sabre Saw

- ▶ SDS tool holder system
- ▶ High power to weight ratio
- ▶ Fast orbital cutting action

CB#11

Specification	GSA 1100 E
Rated power (W)	1,100
No load stroke rate (spm)	0 – 2,700
Stroke length (mm)	28
Cutting capacity wood (mm)	250
Weight (kg)	3.5
Part Number	060164C840

## GSA 1300 PCE



### Sabre Saw

- ▶ Anti vibration system for comfortable use
- ▶ SDS system for quick blade changes
- ▶ LED Light for cutting accuracy
- ▶ Constant speed electronics

CB#44

Specification	GSA 1300 PCE
Rated power (W)	1,300
No load stroke rate (spm)	0 – 2,900
Stroke length (mm)	28
Cutting capacity wood (mm)	250
Weight (kg)	3.9
Part Number	060164E240

## Bosch Accessories – MetalMax Metal Demolition Blades

### Stainless Steel & Hardened Metal Plunge Cutting Blades for Professional Multi Tools

Perfect for Stainless Steel Nails and Screws, Fibre Cement, Compressed Cement Sheet and Reinforced Plastics



**NEW! 20mm AIZ 20 AT**  
20mm wide Plunge Cutting Blade  
▶ Part No: 2608662019



**NEW! 32mm AIZ 32 AT**  
32mm wide Plunge Cutting Blade  
▶ Part No: 2608662018

## GOP 250 CE



### Oscillating Tool

- ▶ Variable speed preselection
- ▶ Constant speed electronics
- ▶ Robust zinc gearbox

CB#21

Specification	GOP 250 CE
Rated power (W)	250
No-load speed rate (opm)	8,000 – 20,000
Oscillation L°/R°	1.4
Weight (kg)	1.3
Part Number	0601230040

Kit includes:



## GOP 250 CE Premium



### Oscillating Tool

- ▶ Variable speed preselection
- ▶ Constant speed electronics
- ▶ Robust zinc gearbox
- ▶ Includes 48 accessories

CB#21

Specification	GOP 250 CE Premium
Rated power (W)	250
No-load speed rate (opm)	8,000 – 20,000
Oscillation L°/R°	1.4
Weight (kg)	1.3
Part Number	0601230042

Kit includes:



10 x 4 Pack

## GOP 300 SCE



### Oscillating Tool

- ▶ Powerful 300W motor & SDS system for fast accessory change
- ▶ Comes with big selection of Accessories

CB#35

Specification	GOP 300 SCE
Rated power (W)	300
No-load speed rate (opm)	8,000 – 20,000
Oscillation L°/R°	1.4
Weight (kg)	1.6
Part Number	0601230540

Kit includes:



# Random Orbital Sanders



## GEX 125-1 AE



### Random Orbital Sander

- ▶ Micro-filter dust extraction
- ▶ Variable speed
- ▶ Convenient velcro fastening system

Specification	GEX 125-1 AE
Rated power (W)	250
No load speed (rpm)	7,500 – 12,000
Orbital stroke rate (opm)	15,000 – 24,000
Sanding plate Ø (mm)	125
Weight (kg)	1.3
Part Number	0601387540

**CB#41**

## GEX 125-150 AVE



### Random Orbital Sander

- ▶ Bosch Vibration Control
- ▶ Comes with 150mm and 125mm sanding pad diameter
- ▶ Velcro-type fastening
- ▶ Micro-filter dust extraction

**Bonus  
150mm  
pad**

Specification	GEX 125-150 AVE
Rated power (W)	400
No load speed (rpm)	5,500 – 12,000
Orbital stroke rate (opm)	11,000 – 24,000
Sanding plate Ø (mm)	125 / 150
Weight (kg)	2.5
Part Number	060137B040

**CB#12**

## GEX 150 T



### Random Orbital Sander

- ▶ Variable speed
- ▶ Constant speed electronics
- ▶ Convenient velcro fastening system
- ▶ Dual action

Specification	GEX 150 T
Rated power (W)	600
No load speed (rpm)	3,100 – 6,650
Orbital stroke rate (opm)	6,200 – 13,300
Sanding plate Ø (mm)	150
Weight (kg)	2.4
Part Number	0601250737

**CB#16**








# **Sanding Discs, Sheets and Belts**

**Highest quality materials  
delivering outstanding performance  
for all your sanding needs.**



**Features a unique Multihole  
pattern allowing sheets to  
fit every machine.**



**Swiss made.**

**"SAND WELL, SAND BETTER, SAND PERFECT!"**

# Orbital Sanders / Belt Sander

## GSS 140 A



### Orbital Sander

- ▶ Easy-Fit paper tensioning system
- ▶ Micro-filter dust extraction
- ▶ Easy-Fit paper tensioning system

Specification	GSS 140 A
Rated power (W)	180
No load speed (rpm)	12,000
Orbital stroke rate (opm)	24,000
Sheet type	¼ sheet
Weight (kg)	1.4
Part Number	0601297095

CB#47

## GSS 23 AE Twister



### Orbital Sander

- ▶ Easy-Fit paper tensioning system
- ▶ Micro-filter dust extraction
- ▶ Variable speed
- ▶ Velcro fastening
- ▶ Control electronics for material oriented working

Specification	GSS 23AE Twister
Rated power (W)	190
No load speed (rpm)	7,000 – 12,000
Orbital stroke rate (opm)	14,000 – 24,000
Sheet type	½ sheet
Weight (kg)	1.7
Part Number	0601070740

CB#41

## GSS 280 AVE



### Orbital Sander

- ▶ Bosch Vibration Control
- ▶ Micro-filter dust extraction
- ▶ Easy-Fit paper tensioning system

Specification	GSS 280 AVE
Rated power (W)	350
No load speed (rpm)	8,000 – 11,000
Orbital stroke rate (opm)	16,000 – 22,000
Sheet type	½ sheet
Weight (kg)	2.7
Part Number	0601292940

CB#12

## GBS 75 AE



### Belt Sander

- ▶ Graphite coated sanding plate
- ▶ Heavy duty aluminium rollers
- ▶ Fine deflection roller adjustment
- ▶ Constant speed electronics

Specification	GBS 75 AE
Rated power (W)	750
Belt speed (m/min)	200 – 330
Sanding surface (mm)	75
Belt L x W (mm)	533 x 75
Weight (kg)	3.4
Part Number	0601274737

CB#25





## Routers

### GMR 1



#### Router

- ▶ Constant speed electronics
- ▶ Variable speed trigger
- ▶ Soft Start
- ▶ 6.35mm Collet

Specification	GMR 1
Rated power (W)	550
No load speed (rpm)	33,000
Collet (mm / ")	6.35 / ¼
Weight (kg)	1.5
Part Number	060160A040

CB#40

### GOF 1600 CE



#### Features & Benefits

- ▶ Soft Start
- ▶ Trigger switch on handle
- ▶ Quick change motor/base
- ▶ Smooth Plunge action
- ▶ Includes parallel guide
- ▶ Constant electronic
- ▶ LED light

Specification	GOF 1600 CE
Rated power (W)	1,650
No load speed (rpm)	10,000 – 25,000
Stroke (mm)	76
After-lock adjustment	⅝" (16mm)
Weight (kg)	5.8
Part Number	0601624040

CB#43




## Bosch Accessories – Diablo Router Bits



## PRECISION ROUTER BITS



For Extreme  
Durability &  
Cutting Life



For Extreme  
Impact Resistance



For Less Working  
Friction & Corrosion

# Diablo Router Bits – Simply Better by Design



# Planers

## GHO 15-82



### Planer

- ▶ Wood razor blade system
- ▶ Single sided dust extraction

Specification	GHO 15-82
Rated power (W)	600
No load speed (rpm)	16,000
Cutting depth (mm)	1.5
Planing width (mm)	82
Rebate depth (mm)	9
Weight (kg)	2.5
Part Number	0601594240

CB#39

## GHO 26-82



### Planer

- ▶ Wood razor blade system
- ▶ Dual side dust extraction

Specification	GHO 26-82
Rated power (W)	710
No load speed (rpm)	16,500
Cutting depth (mm)	2.6
Planing width (mm)	82
Rebate depth (mm)	9
Weight (kg)	2.6
Part Number	0601594137

CB#42

## GHO 40-82 C



### Planer

- ▶ Wood razor blade system
- ▶ Dual side dust extraction
- ▶ Constant speed electronics

Specification	GHO 40-82 C
Rated power (W)	850
No load speed (rpm)	14,000
Cutting depth (mm)	4
Planing width (mm)	82
Rebate depth (mm)	24
Weight (kg)	3.2
Part Number	060159A763

CB#8

## Planer Blades



Description	Part Number
2 pack T/C Planer Blades, Double Sided, 82mm, 40°	2608635350
2 pack T/C Planer Blades, Double Sided, 82mm, 35°	2607000096
10 pack T/C Planer Blades, Double Sided, 82mm, 35°	2607001292

## GAS 50



### Wet/Dry Vacuum

- ▶ Current limitation
- ▶ Remote auto switching



Specification	GAS 50
Rated power (W)	1,200
Capacity (L)	50
Max. Airflow (L/sec)	61
Max. Ventilating pressure (mbar)	248
Weight (kg)	16
Part Number	0601989137

CB#2

## GSG 300



### Foam Rubber Cutter

- ▶ Low vibration & noise
- ▶ Good handling, also for left handers
- ▶ Blades & guide sold separately

Specification	GSG 300
Rated power (W)	350
No load stroke rate (spm)	3,200
Cutting depth foam rubber (mm)	300
Weight (kg)	1.6
Part Number	0601575137

CB#6

## Blades for GSG 300

Dimensions	Part Number
70mm	2607018013
130mm	2607018010
200mm	2607018011
300mm	2607018012

## Guides for GSG 300

Dimensions	Part Number
70mm	2608135023
130mm	2608135020
200mm	2608135021
300mm	2608135022

## GHG 660 LCD



### Heat Gun

- ▶ LCD display screen
- ▶ Thermo-stop overload protection

Specification	GHG 660 LCD
Rated power (W)	2,300
Temp range (°C)	50 – 660
Airflow (l/min)	250 – 500
Weight (kg)	1
Part Number	0601944737

Full range of nozzles and plastic welding attachments are available. See Bosch Accessories Catalogue for further details.

# MOST COMPACT DREMEL® CORDLESS ROTARY TOOL

POWER / LIGHTWEIGHT / PRECISION



## DREMEL MICRO BRILLIANTLY POWERFUL



Compatible with all Dremel rotary tool accessories

Lightweight 8V Max Li-Ion battery & continuous charge docking station ensures the tool is always ready to go

### FIRST-TO-MARKET INTEGRATED LED FRONT-END LIGHT

Designed to be held like a pencil the NEW Dremel Micro 8050 is the ultimate cordless rotary tool for intricate craft projects and light DIY jobs.

To illuminate projects, the Dremel Micro has LED lights built into the nose cap to aid in vision and accuracy.



Get Inspired  
Scan Here or visit  
[dremelweekends.com](http://dremelweekends.com)



Learn More  
Scan Here or visit  
[dremel.com.au](http://dremel.com.au)

## DREMEL



Dremel410



DremelAustralia

[www.dremel.com.au](http://www.dremel.com.au)





Detectors, Laser Levels,  
Rangefinders, Angle Measurers,  
Optical Levels & Accessories

## Digital Measuring



# Detectors

## GMS 120



### Detector

- ▶ Calibration free
- ▶ 3 Detection modes (drywall, metal & live wire)
- ▶ Centre Indication in drywall and metal modes

Specification	GMS 120
Measuring depth, max. (mm)	120
Live cables (mm)*	50
Wooden beams (mm)*	38
Metal (magnetic) (mm)*	120
Metal (non-magnetic) (mm)*	80
Plastic pipes (mm)*	-
Signal View Mode	-
Power supply	1 x 9V 6LR61
Weight (kg)	0.27
Part number	0601081000

\*dependant on mode selected.

## D-Tect 120



### Detector

- ▶ Automatic calibration
- ▶ 3 Detection modes (drywall, concrete & universal)
- ▶ Orientation arrows & centre indication to located objects centre
- ▶ Dual power source

Specification	D-Tect 120
Measuring depth, max. (mm)	120
Measuring depth, max. (mm) in:	
Concrete mode	120
Metal objects	120
Cables & water-filled plastic pipes	60
Operating mode Universal	60
Operating mode Drywall	60
Dual Power Source: Rechargeable batteries/batteries	10.8V LI or 4 x 1.5V LR6 (AA)
Battery life (GBA 10.8V with AA1 battery adapter) (h)	5
Weight (kg)	0.5
Part number	06010813K0
D-Tect 120 + L-BOXX insert	0601081300



## GOS 10.8 V-Li



10.8 V

### Inspection Camera

- ▶ Bright Power-LED for optimum illumination in dark areas
- ▶ Extra long, waterproof camera cable with compact camera head

Specification	GOS 10.8 V-Li
Voltage (V)	10.8
Display size (mm)	68.6
Display resolution (px)	320x240
Diameter of camera head (mm)	17
Length of camera cable (cm)	122
Number of LED lighting stages	9
Run time with one battery charge (h)	up to 15
Part number	0601241040
Barebones – Part number	0601241004

## NEW! GIC 120



### Inspection Camera

- ▶ Quick Connector camera cable
- ▶ Bright LED for illuminating dark areas.
- ▶ Digital zoom for better recognition of details

Specification	GIC 120
Camera head Ø (mm)	8.5
Backlight LED Display	✓
Display size (")	2.7
Camera cable L x Ø (mm)	1200 x 8.5
Zoom	2x
Battery status	✓
Power source	4x LR6 (AA)
Part Number	0601241100

## NEW! GIC 120 C



10.8 V

### Inspection Camera

- ▶ Quick Connector camera cable
- ▶ Up is Up™ function
- ▶ Transfers images/videos via micro USB cable or micro SD card
- ▶ Compatible with 10.8 V-Li and alkaline batteries

Specification	GIC 120 C
Camera head Ø (mm)	8.5
Backlight LED Display	✓
Display size (")	3.5
Camera cable L x Ø (mm)	1200 x 8.5
Zoom	2x
Battery status	✓
Power source	10.8 V or 4x LR6 (AA)
Part Number	06012412K0



# Surface and Tile Laser / Point Laser

## GSL 2 Set



**10.8V**

### Surface Laser

- Projects 2 laser lines and rotates 360° to check floor planarity
- Self-levelling within 5 seconds
- The first instrument, worldwide, dedicated to checking floor planarity
- Comes in L-BOXX with RC2, target plate and safety glasses

Specification	GSL 2 Set
Working range (m)	20 (with target plate)
Levelling accuracy (mm/m)	±0.3
Self-levelling range (°)	± 4
Laser class	3R
Dust and splash protection	IP54
Power supply	10.8V Li-Ion / 4 x AA 1.5V
Operating time, max (h)	15
Weight (kg)	1.5
Part number	0601064002

## GTL 3



### Tile Laser

- Projects a third line at 45° for precise and fast aligning
- High accuracy of 0.2mm/m
- Compact, lightweight design

Specification	GTL 3
Working range (m)	20
Angular accuracy (0° to 90°)	± 0.2
Laser class	2
Dust and splash protection	IP 54
Power supply (AA)	4 x 1.5 V LR6
Operating time, max (h)	18
Weight (kg)	0.5
Part number	0601015200

## GPL 5



### Point Laser

- Self-levelling within 4 seconds
- Self-explanatory operating switch
- Universal mount for fixing to objects

Specification	GPL 5
Working range (m)	30
Levelling accuracy (mm/m) horizontal / vertical	± 0.3 / ± 0.3
Self levelling accuracy (°)	up to ± 3
Laser class	2
Dust and splash protection	IP5X
Power supply (AA)	3 x 1.5 V LR6
Operating time, max (h)	24
Weight (kg)	0.25
Part number	0601066200
+ BT 150 – Part number	F005XK0253

# 18V 6.0Ah BATTERY

## GOES HARDER FOR LONGER

WORLD  
FIRST  
INNOVATION



Go harder for longer with Bosch Blue's high capacity Li-Ion technology. With more power and 50% longer run time\*, the world's first 6.0Ah battery is compact, lightweight and 100% compatible with the entire Bosch Blue 18V Range. So you can get the job done, Bosch's built in Electronic Cell Protection (ECP) and CoolPack technologies defend your battery against overheating, overload and deep-discharge – extending its lifetime by up to 100%\*.



# BOSCH

Invented for life



Bosch Blue Power Tools

\*Comparison between 4.0Ah and 6.0Ah batteries.

^Comparison of batteries with/without CoolPack cooling technology

[www.bosch-pt.com.au/professional](http://www.bosch-pt.com.au/professional)





# Line Lasers



## GLL 3 X



### Line Laser

- 3 line
- Compact, modern and robust design
- Easy to use for versatile applications
- Vivid line visibility
- 1 cross line and 1 vertical
- 0.5m drop resistance

## GLL 2-15



### Line Laser

- 2 line
- Small, lightweight
- Line selection function
- Slope function
- Target plate included in scope of delivery

## GLL 2-80 P



### Line Laser

- 2 line
- High work efficiency: with two 360° planes
- Precise work in a diameter of up to 80m
- 2 x 360° Laser lines for levelling

## GLL 3-80 P



### Line Laser

- 3 line
- Wide range of applications: with three 360° planes
- 3 x 360° laser lines for levelling
- 6 Laser points for squaring

Specification	GLL 3 X	GLL 2-15	GLL 2-80 P	GLL 3-80 P
Working range without/ with receiver (m)	15	15	40 / 80	40 / 80
Levelling accuracy (mm/m)	± 0.5	± 0.3	± 0.2	± 0.2
Self-levelling range (°)	up to ± 4	up to ± 4	up to ± 4	up to ± 4
Laser class	2	2	2	2
Dust and splash protection		IP5X	IP54	IP54
Power supply (AA)	4 x 1.5V (AA)	3 x 1.5 V LR6	4 x 1.5 V LR6	4 x 1.5 V LR6
Operating time, max (h)	20	15	23	18
Weight (kg)	0.14	0.3	0.68	0.76
Part number	0601063CJ0	0601063701	0601063204	0601063305
+ BT 150 – Part number	06159940DL	–	F005XK0223	F005XK0251
+ LR 2 – Part number	N/A	N/A	F005XK0195	F005XK0224

## LR 2



### Laser Receiver

- Receiver for indoor and outdoor use
- Alignment of the laser beam plane, visual (display and LEDs) and audible signals
- Top-mounted magnets for better fixing
- For use with GLL 2-80 P and GLL 3-80 P

Specification	LR 2
Measuring range (m)	5 – 50
Measuring accuracy (fine/rough) (mm)	±1 / ±3
Dust and splash protection	IP54
Power supply	1 x 9 V 6LR61
Weight (kg)	0.2
Scope of delivery	Battery
Suitable for	GLL 3-80 P, GLL 2-80 P, GLL 3-50
Suitable accessories	Bracket
Part number	0601069100



## GLL 3-15



### Line Laser

- ▶ 3 line
- ▶ Self-explanatory switch and button
- ▶ Includes unique turning base with telescopic legs for better view of plumb point
- ▶ Easily attached to turning base by sliding motion

Specification	GLL 3-15
Working range (m)	15 (without receiver) 5 plumb (without receiver)
Levelling accuracy (mm/m)	±0.2
Self levelling range (°)	Up to ±3
Laser diode / class	635Nm, <1mW/Class 2
Tripod Thread Size (")	5/8
Dust and splash protection	IP54
Dimensions (LxWxH) (mm)	122 x 83 x 129 (without base); Ø 151x203 (with base)
Operating time (3 lines) (hr)	17
Weight (kg)	0.5
Part Number	0601063E80

## GLL 5-50



### Line Laser

- ▶ 5 line
- ▶ Self-explanatory switch and button
- ▶ Includes unique turning base with telescopic legs for better view of plumb point
- ▶ Easily attached to turning base by sliding motion

Specification	GLL 5-50
Working range (m)	15 (without receiver) 50 (horizontal with receiver) 30 (vertically with receiver)
Levelling accuracy (mm/m)	±0.2
Self levelling range (°)	Up to ±3
Laser diode	635Nm, < 1mW
Tripod Thread Size (")	5/8
Dust and splash protection	IP54
Dimensions (LxWxH) (mm)	122 x 83 x 129 (without turning base); Ø 151 x 203 (with base)
Operating time 5/3 Lines (hr)	10 / 17
Weight (kg)	0.5
Part Number	0601063F80



## GCL 25



### Combi Laser

- Combination of a 5-point horizontal & plumb laser with horizontal & vertical laser lines
- Self-levelling within 4 seconds
- Wide variety of fixing possibilities

Specification	GCL 25
Working range without/ with receiver (m)	Point mode 30 Cross-line mode 10
Levelling accuracy (mm/m)	Plumb $\pm 0.5$ Cross-line $\pm 0.3$
Self-levelling range (°)	up to $\pm 4$
Laser class	2
Dust and splash protection	IP54
Power supply (AA)	4 x 1.5 V LR6
Operating time, max (h)	20
Weight (kg)	0.68
Part number	0601066B00
+ BT 150 – Part number	06159940DD

## GLL 3-50



### Combi-Line Laser

- Self-explanatory switch and button
- Includes unique turning base with telescopic legs for better view of plumb point
- Easily attached to turning base by sliding motion

Specification	GLL 3-50
Working range (m)	50 (with receiver) 10m-line (w/o receiver) 5m-plumb (w/o receiver)
Levelling accuracy (mm/m)	$\pm 0.3$ Line $\pm 0.3$ Plumb
Self levelling range (°)	up to $\pm 4$
Laser diode / class	635Nm, < 1mW / Class 2
Dust and splash protection	IP54
Dimensions (L/W/H) (mm)	146 x 83 x 117 (w/o turning base) 201 (diameter) x 197 (height) (with turning base)
Operating Time 1/ 3Lines (hr)	6/ 3
Weight (kg)	0.9
Part Number	0601063800

## BT 350 + BM 1



### BT 350 Telescopic Pole and BM 1 Universal Mount

- These 2 products can be combined
- BT 350 is ideal for flexible applications to maximum height of 3.5m
- Easy levelling of hard-to-reach places
- Handy for all indoor applications
- For use with all Bosch Professional Point / Line Lasers

Specification	BM 1
Tripod thread (°)	¾
Weight (kg)	0.5
Suitable for	GLL 2 -80 P, GPL 5 C
Suitable accessories	BT 350
Part number	0601015A00

Specification	BT 350
Work height (cm)	140 – 350
Weight (kg)	2.5
Scope of delivery	Clamp
Suitable for	GLL 2-80 P, GLL 3-80 P, GLL 2, GPL 5, GPL 5C, BM1
Part number	0601015B00

# Electronic Multi-Line Laser

## NEW! GLL 5-40 E



### Electronic Multi-Line Laser

- ▶ 5 line
- ▶ Near perfect precision electronic levelling
- ▶ 360° rotating platform with fine adjustment
- ▶ Easy to use keypad & buttons

Specification	GLL 5-40 E
Working range without LR 5 / with receiver LR 5 (m)	15 / 40
Levelling accuracy (mm/m)	±0.1
Self levelling range (°)	up to ± 3
Slope Function	✓
Pulse Mode	✓
Laser diode / class	635-650 Nm, < 1mW / Class 2
Dust and splash protection	IP54
Dimensions (mm) (Ø x H with turning base)	136 x 210
Operating time, max (h)	24
Power Supply	4 x AA or 6V DC
Weight (kg)	1.1
Part Number	0601063GB0

## NEW! GLL 8-40 E



### Electronic Multi-Line Laser

- ▶ 8 line
- ▶ Near perfect precision electronic levelling
- ▶ 360° rotating platform with fine adjustment
- ▶ Easy to use keypad & buttons

Specification	GLL 8-40 E
Working range without LR 5 / with receiver LR 5 (m)	15 / 40
Levelling accuracy (mm/m)	±0.1
Self levelling range (°)	up to ± 3
Slope Function	✓
Pulse Mode	✓
Laser diode / class	635-650 Nm, < 1mW / Class 2
Dust and splash protection	IP54
Dimensions (mm) (Ø x H with turning base)	136 x 210
Operating time, max (h)	24
Power Supply	4 x AA or 6V DC
Weight (kg)	1.1
Part Number	0601063HB0

## NEW! LR 5



### Laser Receiver

- ▶ Up to 40 m working range
- ▶ Traffic light signalling for an easy reading from any angle
- ▶ Comes with the GLL 5-40 E and GLL 8-40 E

Specification	LR 5
Working range: Close/Far (m)	1 – 7.5 / 7.5 – 40
Measuring accuracy (mm)	±1
Dust and splash protection	IP 54
Power supply	1 x 9 V 6LR61
Suitable accessories	Bracket
Weight (kg)	0.1
Part Number	TBC



# Rotation Lasers

## GRL 300 HV Set



### Rotation Laser

- ▶ Working diameter 300m
- ▶ Self levelling in horizontal and vertical position
- ▶ Aluminium Cage IP54

## GRL 300 HVG



### Rotation Laser

- ▶ Bright green beam laser for better visibility
- ▶ Working diameter 300m
- ▶ Self levelling in horizontal and vertical position
- ▶ Sealed and glass protected head IP65

## GRL 400 H



### Rotation Laser

- ▶ Working diameter 400m
- ▶ Self levelling in horizontal position
- ▶ Sealed and glass protected head



Specification	GRL 300 HV Set	GRL 300 HVG	GRL 400 H
Working range Ø (m)	300	300	400
Levelling accuracy (mm/m)	0.1	0.1	0.08
Self-levelling range (°)	± 5	± 5	± 5
Laser class	2	3 R	2
Dust and splash protection	IP54	IP54	IP65
Power supply	2 x 1.5 V LR20 2 x 1.5 V HR20	2 x 1.5 V LR20 2 x 1.5 V HR20	2 x 1.2 V HR20 2 x 1.5 V LR20
Operating time, max (h)	50	30	50
Weight (kg)	1.8	1.8	1.8
Part number	0601061503	0601061703	0601061803
+ BT 170 – Part number	F005XK0245	F005XK0247	F005XK0249
+ BT 170 + GR 240 – Part number	F005XK0246	F005XK0248	F005XK0250

# Rotation Laser Accessories

## LR 1



### Laser Receiver

- Visual and audible alignment of the laser beam plane
- Dust and splash protection (IP65)
- For use with GRL 300 HV and GRL 400 H

## LR 1G



### Laser Receiver

- Easy to fit on a rod or staff using the bracket
- Practical display with all the necessary information
- Dust and splash protection (IP65)
- For use with GRL 300 HVG

## RC 1



### Remote Control

- For use with GRL 300 HV and GRL 300 HVG

## WM 4



### Wall Mount

- Versatile fixing of the mount
- Height adjustment with locking device for safe and precise alignment
- For use with all Bosch Professional Rotation Lasers

## GR 240



### Cut and Fill Rod

- For use with GRL 400 H, GRL 300 HVG and GRL 300 HV

Specification	GR 240
Work height (m)	up to 2.4
Weight (kg)	1.3
Part number	0601094100

Specification	LR 1	LR 1G	RC 1	WM 4
Measuring range (m)	0 – 200	0 – 150	0 – 30	–
Measuring accuracy (fine/rough) (mm)	±1 / ±3	±1 / ±3	–	–
Tripod thread (")	–	–	–	5/8
Dust and splash protection	IP65	IP65	–	–
Power supply	1 x 9 V 6LR61	1 x 9 V 6LR61	1 x 1.5 V LR6 (AA)	–
Weight (kg)	0.36	0.36	0.07	0.70
Suitable for	GRL 300 HV, GRL 400 H	GRL 300 HVG	GRL 300 HV, GRL 300 HVG	GRL 300 HV, GRL 300 HVG, GRL 400 H
Part number	0601015400	0601069700	0601069900	0601092400

# Rangefinders

## GLM 30



### Laser Rangefinder

- ▶ Measuring range from .15m to 30m
- ▶ Ease of use with one-button concept
- ▶ Easy material calculation with unique auto-sum feature

Specification	GLM 30
Measuring range (m)	0.15 – 30
Measuring accuracy (mm)	± 2.0
Laser class	2
Integrated viewfinder	–
Dust and splash protection	IP54
Power supply	2 x 1.5V (AAA)
Operating time, individual measurements	10,000
Weight (kg)	0.1
Part number	0601072500

## GLM 40



### Laser Rangefinder

- ▶ Easy to read and interpret.
- ▶ Functions included: length, continuous, area, volume measurement, single Pythagoras, memory
- ▶ Job-site proofed: protected against dust and water (IP 54)

Specification	GLM 40
Measuring range (m)	0.15 – 40
Measuring accuracy (mm)	± 2.0
Laser class	2
Integrated viewfinder	–
Dust and splash protection	IP54
Power supply	2 x 1.5V (AAA)
Operating time, individual measurements	10,000
Weight (kg)	0.1
Part number	0601072980

## GLM 50



### Laser Rangefinder

- ▶ Measuring range from .05m to 50m
- ▶ Large soft grip for high durability
- ▶ Intuitive 7-button design for highest usability

Specification	GLM 50
Measuring range (m)	0.05 – 50
Measuring accuracy (mm)	± 1.5
Laser class	2
Integrated viewfinder	–
Dust and splash protection	IP54
Power supply	2 x 1.5V (AAA) LR03
Operating time, individual measurements	10,000
Weight (kg)	0.14
Part number	0601072200
+ BT 150	06159940DE



## GLM 150



### Laser Rangefinder

- ▶ New functions such as partial height measurement, height calculation and roof slope measurement
- ▶ Millimetre-accurate measurement

Specification	GLM 150
Measuring range (m)	0.05 – 150
Measuring accuracy (mm)	± 1
Laser class	2
Integrated viewfinder	–
Dust and splash protection	IP54
Power supply	4 x 1.5 V (AAA) LR03
Operating time, individual measurements	30,000
Weight (kg)	0.24
Part number	0601072000
+ BT 150	F005XK0257

## GLM 250 VF



### Laser Rangefinder

- ▶ Ideal for outdoor use: integrated view finder
- ▶ Maximum measurement performance and precision
- ▶ Numerous easy-to-operate measurement functions

Specification	GLM 250 VF
Measuring range (m)	0.05 – 250
Measuring accuracy (mm)	± 1
Laser class	2
Integrated viewfinder	✓
Dust and splash protection	IP54
Power supply	4 x 1.5 V (AAA) LR03
Operating time, individual measurements	30,000
Weight (kg)	0.24
Part number	0601072100
+ BT 150	F005XK0256



# Rangefinders

## GLM 80



### Laser Rangefinder

- Automatic storage of the last 20 measured values and one constant
- Can be recharged via standard micro USB port
- Timer function



## GLM 100 C



### Laser Rangefinder

- Bluetooth Technology which can instantly send results to your smartphone
- Integrated 360° incline sensor
- Timer/Smartphone control



Specification	GLM 80
Measuring range (m)	0.05 – 80
Measuring accuracy (mm)	± 1.5
Inclinometer accuracy (°)	± 0.2
Dust and splash protection	IP54
Laser class	2
Power supply (battery)	1 x 1.25 Ah Li-Ion
Operating time, individual measurements	25,000
Includes	Battery, Protective Pouch, Charger
Dimensions (mm)	111 x 51 x 30
Weight (kg)	0.14
Part number	0601072340
+ BT 150	F005XK0255
+ R 60	F005XK0235
+ BT 150 + R 60	F005XK0242

Specification	GLM 100 C
Measuring range (m)	0.05 – 100
Measuring accuracy (mm)	± 1.5
Inclinometer accuracy (°)	± 0.2
Dust and splash protection	IP54
Laser class	2
Power supply (battery)	1 x 1.25 Ah Li-Ion
Operating time, individual measurements	25,000 (non-Bluetooth mode) 18,000 (Bluetooth mode)
Includes	Battery, Protective Pouch, Charger
Dimensions (mm)	111 x 51 x 30
Weight (kg)	0.14
Part Number	0601072740
+ BT 150	06159940DF
+ R 60	06159940DG
+ BT 150 + R 60	06159940DH

## R 60



### Measuring Rail

- Robust fixture and locking mechanism to securely hold the GLM 80 Professional and GLM 100 C Professional
- Sturdy aluminium rail for high precision and durability
- Bubble vials for fast indication of calibration

Specification	R 60
Measuring range (°)	360 (4 x 90)
Length (mm)	600
Suitable for	GLM 80 Prof, GLM 100 C Prof
Part number	0601079000



## Optical Levels

### GOL 26 D



#### Optical Level

- Sturdy metal housing with dust and splash protection (IP54)
- Robust design
- Carrying case with compensator lock

Specification	GOL 26 D
Working range (m)	up to 100
Levelling accuracy (mm/30m)	± 1.6
Shortest focusing distance (m)	0.3
Dust and splash protection	IP54
Magnification	26 x
Angular accuracy (°)	1
Field of view	1°20'
Clear objective aperture (mm)	36
Weight (kg)	1.7
Part number	0601068000
+ BT 160 – Part number	F005XK0258
+ BT 160 + GR 500 – Part number	F005XK0259

### GOL 32 D



#### Optical Level

- Water and dust protection (IP54)
- Robust metal housing
- Integrated Collimator for rough targeting
- Greater durability due to collimator and bubble vial

Specification	GOL 32 D
Working range (m)	up to 120
Levelling accuracy (mm/30m)	± 1
Shortest focusing distance (m)	0.3
Dust and splash protection	IP54
Magnification	32 x
Angular accuracy (°)	1
Field of view	1°30'
Clear objective aperture (mm)	36
Weight (kg)	1.7
Part number	0601068500
+ BT 160 – Part number	06159940DJ
+ BT 160 + GR 500 – Part number	06159940DK

### GR 500



#### Levelling Staff

- Single button for easy extension and assembling
- Scaling values on both sides of rod
- Extends up to 5m

Specification	GR 500
Work height (cm)	up to 5
Weight (kg)	1.98
Suitable for	GOL 26 D, GRL 400 H, GRL 300 HV, GRL 300 HVG, GOL 32 D
Part number	0601094300



# Angle Measurers



## GAM 220 MF



### Angle Measurer

- ▶ Automatic calculation of single and double mitre angles
- ▶ No calibration required

Specification	GAM 220 MF
Measuring range (°)	0 – 220
Measuring accuracy (°)	± 0.1
Measuring accuracy spirit level (°)	± 0.05
Calculation function	✓
Dust and splash protection	IP54
Power supply (AA)	4 x 1.5 V
Operating time, max (h)	130
Weight (kg)	1.1
Part number	0601076200

## GIM 60 L



### Measuring Rail

- ▶ Integrated magnets for versatile fixing options
- ▶ Holes for fastening straps to non-magnetic objects
- ▶ Inbuilt 30m laser for long distance applications

Specification	GIM 60 L
Length (mm)	600
Measurement range (°)	0 – 360 (4 x 90)
Working Range of Laser (m)	30
Electronics incline measurement accuracy (°)	± 0.05 for 0/90 ± 0.2 for 1-89
Measurement accuracy (mm/m)	± 0.057° = ± 1 (vials) ± 0.5 (laser)
Power supply	1 x 9V 6LR61 (Inclinometer) 2 x 1.5 V AAA (laser)
Operating duration approx. (h)	300 (Inclinometer) 20 (laser)
Weight approx. (kg)	0.9
Part number	0601076300

## DNM 60 L, DNM 120 L



### Digital Inclinometer

- ▶ Measures precise inclines in degrees, percent or mm/m
- ▶ Direction arrows and audible signals at 0° and 90°
- ▶ Easy calibration function for sustained accuracy

Specification	DNM 60	DNM 120
Measuring range (°)	0 – 360 (4 x 90)	0 – 360 (4 x 90)
Measuring accuracy (°)	0/90: ± 0.05 1-89: ± 0.2	0/90: ± 0.05 1-89: ± 0.2
Units of measure	°, %, mm/m	°, %, mm/m
Power supply	1 x 9V 6LR61 Block	1 x 9V 6LR61
Operating time, max (h)	200	200
Weight (kg)	0.7	1.3
Part number	0601014000	0601014100

## Measuring Wheels

### GWM 32



#### Measuring Wheel

- ▶ Ergonomic grip
- ▶ Lightweight construction
- ▶ Rubber wheel suitable for all terrains and surfaces
- ▶ Telescopic shaft

Specification	GWM 32
Wheel Ø / circumference (cm)	31.83 / 100
Measurement accuracy (mm/m)	± 0.5
Counter	Manual
Units	m/cm
Material	Aluminium
Telescopic handle	✓
Includes	Wheel stand, bag, manual
Weight (kg)	1.4
Part Number	0601074000

### GWM 40



#### Measuring Wheel

- ▶ Large magnified counter
- ▶ Durable stainless steel handle
- ▶ Wheel brake
- ▶ 1cm accuracy

Specification	GWM 40
Wheel Ø / circumference (cm)	39.37 / 123
Measurement accuracy (mm/m)	± 0.5
Counter	Manual
Units	m/cm
Material	Steel
Folding handle	✓
Includes	Wheel stand, bag, manual
Weight (kg)	3.3
Part Number	0601074100



# Tripod

**BT 150**



## Tripod

- ▶ Robust aluminium design
- ▶ Quick adjustment of the working height
- ▶ Rubber feet for better stability
- ▶ Lightweight, easy to transport

**BT 160**



## Tripod

- ▶ Flat headed with  $\frac{5}{8}$ " x 11 thread (eg. for optical level) and plumb function for easier alignment
- ▶ Locking clamps for quick adjustment of height and fast disassembling
- ▶ Light aluminium construction with double banded legs for high stability
- ▶ Removable rubber base (eg. protection of indoor floor)
- ▶ Shoulder strap for easy transportation



Specification	BT 150	BT 160	BT 170 HD	BT 300 HD
Work height (cm)	55 – 157	97 – 160	107 – 165	122 – 295
Weight (kg)	1.3	4.1	5.5	7.2
Tripod thread (")	$\frac{1}{4}$	$\frac{5}{8}$ " x 11	$\frac{5}{8}$ " x 11	$\frac{5}{8}$ " x 11
Suitable for	Line & Point lasers, Rangefinders	Line & Point Lasers, Optical Levels	Line, Point & Rotating Lasers, Optical Levels	Line, Point & Rotating Lasers
Part number	0601096B00	0601091200	0601091300	0601091400



BT 170 HD



BT 300 HD



## Tripod

- ▶ Flat headed with  $\frac{1}{4}$ " x 11 thread (eg. for optical level) and plumb function for easier alignment
- ▶ Locking clamps for quick adjustment of height and fast disassembling
- ▶ Heavy aluminium construction with double banded legs for higher stability
- ▶ Removable rubber base (eg. protection of indoor floor)
- ▶ Shoulder strap for easy transportation

## Tripod

- ▶ Flat head with  $\frac{1}{4}$ " x 11 thread (eg. for optical level)
- ▶ Locking clamps for quick adjustment of height and fast disassembling
- ▶ Heavy aluminium construction with double banded legs for higher stability
- ▶ Removable rubber base (eg. protection of indoor floor)
- ▶ Locking mechanism with a screw which does not damage the material
- ▶ Elevator column for precise adjustment
- ▶ Shoulder strap for easy transportation
- ▶ Large handle



# Laser Measuring Accessories

## Ceiling plate



- Suitable for improving the visibility of the laser beam
- Including magnet for direct mounting

Specification	Ceiling plate
Suitable for	All laser measuring tools
Part number	2607001301

## Measuring plate



- Suitable for better alignment of the laser and as a marking aid for transferring the laser beam to walls and floors

Specification	Measuring plate
Suitable for	All laser measuring tools
Part number	2607002195

## Bracket for receivers



- For easy fixing to a rod or staff

Specification	Bracket
Suitable for	LR1, LR1G, LR2
Part number	1608M0070F

## Laser viewing glasses



- Improve the visibility of the laser beam, therefore making it easy to work in adverse lighting conditions

Specification	Laser glasses red
Suitable for	All red beam laser measuring tools
Part number	1608M0005B

Specification	Laser glasses green
Suitable for	All green beam laser measuring tools
Part number	1608M0005J



## Laser Measuring Accessories

### Red laser target



- ▶ Red target suitable for improving the visibility of the red laser beam

Specification	Red laser target
Suitable for	All red beam laser measuring tools
Part number	1608M0005C

### Blue laser target



- ▶ Blue target suitable for improving the visibility of the green laser beam

Specification	Blue laser target
Suitable for	All green beam laser measuring tools
Part number	1608M0005K

### Laser target



- ▶ Suitable for better reflection of the laser beam, for example when measuring outdoors in bright sunlight

Specification	Laser target
Suitable for	Laser Rangefinders
Part number	2607001391







## Index

Description	Tool Name	pg
<b>18 Volt Combo Kits</b>		
18 V-Li Cordless Kits	18V SBR 2-C	19
18 V-Li Cordless Kits	18V SBR 2-P	19
18 V-Li Cordless Kits	18V SBX 2-P EC	19
18 V-Li Cordless Kits	18V SBX 2-C-EC WL	19
18 V-Li Cordless Kits	18V DBX 2-P	19
18 V-Li Cordless Kits	18V DBX 2-P EC	19
18 V-Li Cordless Kits	18V DBW 2-P EC	19
18 V-Li Cordless Kits	18V WHG 2-P	19
18 V-Li Cordless Kits	18V DB 3-XG	21
18 V-Li Cordless Kits	18V DB 6-XGS	21
18 V-Li Cordless Kits	18V DB 6-HWD	21
18 V-Li Cordless Kits	18V DB 10-HWD	21
<b>18 V-Li Cordless Tools</b>		
Hammer Drill	GSB 18 V-Li 2.0Ah Kit Striker	22
Brushless Hammer Drill	GSB 18 V-EC 4.0Ah Kit	22
Hammer Drill	GSB 18 VE-2 Li Destroyer 4.0Ah Kit	22
Hammer Drill	GSB 18 VE-2 Li Destroyer 6.0Ah Kit	22
Impact Driver	GDR 18 V-Li 2.0Ah Kit	23
Brushless Impact Driver/ Wrench	GDX 18 V-EC 6.0Ah Kit	23
Impact Wrench	GDS 18 V-EC 250 6.0Ah Kit	23
Screwdriver	GSR 18 V-EC TE & MA 55 6.0Ah Kit	24
Brushless Drill Driver	GSR 18 V-EC FC 2 FlexiClick 6.0Ah Kit	24
High Torque Impact Wrench	GDS 18 V-Li HT 6.0Ah Kit	24
Brushless 3-mode Rotary Hammer	GBH 18 V-EC 6.0Ah Kit	25
Angle Grinder	GWS 18-125 V-Li 6.0Ah Kit	25
<b>18 V-Li Barebones Cordless Tools</b>		
Brushless Drill Driver	GSR 18 V-EC FC 2 FlexiClick	26
Drill Driver	GSR 18 V-Li Striker BB	27
Hammer Drill	GSB 18 V-Li Striker BB	27
Brushless Drill Driver	GSR 18 V-EC BB	27
Brushless Hammer Drill	GSB 18 V-EC BB	27
Drill Driver	GSR 18 VE-2 Li Destroyer 2.5 BB	28
Hammer Drill	GSB 18 VE-2 Li Destroyer 2.5 BB	28
Impact Driver	GDR 18 V-Li BB	28
Brushless Impact Driver	GDR 18 V-EC BB	28
Impact Driver/Wrench	GDX 18 V-Li BB	29
Brushless Impact Driver/ Wrench	GDX 18 V-EC BB	29
Impact Wrench	GDS 18 V-Li BB	30
Impact Wrench	GDS 18 V-EC 250 BB	30
High Torque Impact Wrench	GDS 18 V-Li HT BB	30
Screwdriver	GSR 18 V-EC TE BB	30
Brushless 3-mode Rotary Hammer	GBH 18 V-EC BB	31
2-mode Rotary Hammer	GBH 18 V-Li Compact BB	31
Angle Grinder	GWS 18V-Li BB	31
Angle Grinder	GWS 18-125 V-Li BB	31
Straight Grinder	GSB 18 V-Li BB	32
Bandsaw	GCB 18 V-Li BB	32
Brushless Oscillating Tool	GOP 18 V-EC BB	32

Description	Tool Name	pg
Planer	GHO 18 V-Li BB	32
Jigsaw	GST 18 V-Li BB	33
Circular Saw	GKS 18 V-Li BB	33
Circular Saw for metal	GKM 18 V-Li BB	33
Sabre Saw	GSA 18 V-Li BB	33
Nailer	GSK 18 V-Li BB	34
Orbital Sander	GSS 18 V-Li BB	34
Vacuum	GAS 18 V-Li BB	34
Cordless Work Light	GLI Vari LED BB	34
<b>10.8 Volt Cordless Tools</b>		
Drill Driver	GSR 10.8-2-Li	36
Hammer Drill	GSB 10.8-2-Li	36
Impact Driver	GDR 10.8 V-Li	36
10.8 V-Li Cordless Kit	10.8 V-Li Cordless Kit	36
Sabre Saw	GSA 10.8 V-Li	37
Oscillating Tool	GOP 10.8 V-Li	37
Metal Shear	GSC 10.8 V-Li	37
Inspection Camera	GOS 10.8 V-Li	37
<b>10.8 V-Li Barebones Cordless Tools</b>		
Jacket	10.8 V-Li Heated Jacket BB	38
Drill Driver	GSR 10.8 V-Li BB	38
Drill Driver	GSB 10.8-2-Li BB	38
Brushless Drill Driver	GSR 10.8 V-EC HX BB	38
Brushless Drill Driver	GSB 10.8 V-EC BB	39
Hammer Drill	GSB 10.8-2-Li BB	39
Impact Driver	GDR 10.8 V-Li BB	39
Angle Drill/Driver	GWB 10.8 V-Li BB	39
Oscillating Tool	GOP 10.8 V-Li BB	40
Jigsaw	GST 10.8 V-Li BB	40
Circular Saw	GKS 10.8 V-Li BB	40
Sabre Saw	GSA 10.8 V-Li BB	40
Rotary multi-tool	GRO 10.8 V-Li BB	41
Universal Shear	GUS 10.8 V-Li BB	41
Metal Shear	GSC 10.8 V-Li BB	41
Torch	GLI 10.8 V-Li LED BB	41
Vacuum	GAS 10.8 V-Li BB	42
Inspection Camera	GOS 10.8 V-Li BB	42
Surface Laser	GSL 2 BB	42
<b>Cordless Radio/Music Players</b>		
Radio/Music Player	GML 10.8 V-Li BB	43
Radio/Music Player	GML 18 V-Li SoundBox BB	43
Radio Charger	GML 18 V-Li PowerBox 360 BB	43
<b>36 Volt Cordless Tools</b>		
Drill Driver	GSB 36 VE-2-Li	44
Hammer Drill	GSB 36 VE-2-Li	44
Brushless 2-mode Rotary Hammer	GBH 36 V-Li Compact	44
3-mode Rotary Hammer	GBH 36 VF-Li	44
<b>36 Volt Cordless Barebones Tools</b>		
Drill Driver	GSB 36 VE-2-Li BB	45
Hammer Drill	GSB 36 VE-2-Li BB	45
Brushless 2-mode Rotary Hammer	GBH 36 V-Li Compact BB	45
3-mode Rotary Hammer	GBH 36 V-Li BB	45
Circular Saw	GKS 36 V-Li BB	46





Description	Tool Name	pg
<b>Li-Ion Batteries</b>		
Battery	10.8 V-Li 2.0Ah Compact Battery	48
Battery	10.8 V-Li 4.0Ah Premium Battery	48
Wireless Battery	18 V-Li 2.0Ah Wireless Battery	48
Battery	18 V-Li 3.0Ah Premium Battery	48
Battery	18 V-Li 4.0Ah Premium Battery	48
Battery	18 V-Li 5.0Ah Premium Battery	48
Battery	18 V-Li 6.0Ah Premium Battery	48
Battery	36 V-Li 2.0Ah Compact Battery	48
Battery	36 V-Li 4.0Ah Premium Battery	48
<b>Li-Ion Batteries / Chargers</b>		
Charger	AL 1130 CV	49
Charger	AL 1820 CV	49
Charger	AL 1860 CV	49
Wireless Charger	WLC 18V Charger	49
Charger	AL 3640 CV	49
Multi-voltage Charger	GAL 3680 CV	49
<b>L-BOXX 'Click &amp; Go' Storage Solutions</b>		
L-BOXX Case	L-BOXX Compact 102	51
L-BOXX Case	L-BOXX Small 136	51
L-BOXX Case	L-BOXX Medium 238	51
L-BOXX Case	L-BOXX Large 374	51
L-BOXX Organiser	L-BOXX Organiser	51
L-BOXX Trolley	L-BOXX Trolley	51
Medium Tool Bag	Medium Tool Bag	51
Large Tool Bag	Large Tool Bag	51
Small Tool Bag	Small tool bag	59
Large Tool Bag	Large tool bag	59

Description	Tool Name	pg
<b>SDS Hammers and Breakers</b>		
Rotary Hammer	GBH 2-18 RE	54
Rotary Hammer	GBH 2-20 RE	54
Rotary Hammer	GBH 2-20 DRE	54
Rotary Hammer	GBH 2-26 DRE Super Kit	54
Rotary Hammer	GBH 2-28 DV	55
Rotary Hammer	GBH 2-28 DFV	55
Rotary Hammer	GBH 2-28 DBV Bulldog	55
Rotary Hammer	GBH 4-28 DFR Compact	56
Rotary Hammer	GBH 4-32 DFR Premium	56
Rotary Hammer	GBH 5-40 D	56
Rotary Hammer	GBH 5-40 DCE	56
Rotary Hammer	GBH 8-45 D	57
Rotary Hammer	GBH 8-45 DV	57
Rotary Hammer	GBH 11 DE	57
Demolition Hammer	GSH 3 E	58
Demolition Hammer	GSH 5 Basic	58
Demolition Hammer	GSH 5 CE	58
Demolition Hammer	GSH 9 VC	58
Demolition Hammer	GSH 11 VC	59
Demolition Hammer	GSH 16-30	59
Demolition Hammer	GSH 27 VC	59
<b>Drills and Screwdrivers</b>		
Rotary Drill	GBM 10 RE	62
Rotary Drill	GBM 13-2	62
Rotary Drill	GBM 13-2 RE	62
Rotary Drill	GBM 16-2 RE	62
Rotary Drill	GBM 1600 RE	63
High Torque Rotary Drill	GBM 13 HRE	64
Hammer Drill	GSB 13 RE KLC	66
Hammer Drill	GSB 16 RE KLC	66
Hammer Drill	GSB 19-2 RE KC	66
Hammer Drill	GSB 20-2 RE KLC/ KC	66
Hammer Drill	GSB 21-2 RE KC	67
Hammer Drill	GSB 21-2 RE KLC	67
Hammer Drill	GSB 21-2 RCT	67
Hammer Drill	GSB 162-2 RE	67
Screwdriver	GSR 6-25 TE	68
Screwdriver	GSR 6-45 TE	68
Collated Screwgun	MA 55	68
Attachment		
Impact Wrench	GDS 18 E	69
Impact Wrench	GDS 24	69
Impact Wrench	GDS 30	69
Stirrer / Mixer	GRW 18-2 E	70



## Description Tool Name pg

### Grinders and Metalworking

Angle Grinder	GWS 7-100 Case	72
Angle Grinder	GWS 9-115	72
Angle Grinder	GWS 7-125 Case	72
Angle Grinder	GWS 7-125 T Case	72
Angle Grinder	GWS 11-125	73
Angle Grinder	GWS 1400 C	73
Angle Grinder	GWS 13-125 CI	73
Angle Grinder	GWS 17-125 CI	74
Angle Grinder	GWS 17-125 CIT	74
Angle Grinder	GWS 17-125 CIE	75
Angle Grinder	GWS 17-125 INOX	75
Angle Grinder	GWS 11-125 DMS	76
Angle Grinder	GWS 13-125 CI DMS	76
Angle Grinder	GWS 12-125 CIEP Paddle Switch	76
Angle Grinder	GWS 17-125 CI DMS	76
Angle Grinder	GWS 17-125 CIT DMS	77
Angle Grinder	GWS 17-125 CIE DMS	77
Angle Grinder	GWS 15-125 CIEP Paddle Switch	77
Angle Grinder	GWS 15-125 CITH Rattail	77
Straight Grinder	GGG 28 CE DMS	78
Straight Grinder	GGG 28 LCE DMS	78
Angle Grinder	GWS 24-180 LV	79
Angle Grinder	GWS 24-180 LVI	79
Angle Grinder	GWS 22-230	79
Angle Grinder	GWS 26-230 H	79
Angle Grinder	GWS 22-230 LV	82
Angle Grinder	GWS 24-230 LV	82
Angle Grinder	GWS 24-230 LVI	82
Straight Grinder	GGG 28 CE	83
Straight Grinder	GGG 28 LCE	83
Straight Grinder	GGG 28 LP	83
Straight Grinder	GGG 6 S	83
Burnisher	GSI 14 CE	84
Polisher	GPO 12 CE	84
125mm Concrete Grinder	GBR 15 CA	84
Bench Grinder	GBG 6	85
Bench Grinder	GBG 8	85
Metal Cut Off Saw	GCO 2	85
Metal Cut Off Saw	GCO 2400 J	85
Metal Cut Off Saw	GCD 12 JL	86
Shear	GSC 160	86
Shear	GSC 2.8	86
Nibbler	GNA 2.0	86

## Description Tool Name pg

### Woodworking

Table Saw	GTS 10 J	88
Table Saw	GTS 10 XC	88
Mitre Saw	GCM 10 M	88
Sliding Mitre Saw	GCM 10 SD	88
Mitre Saw	GCM 10 MX	89
Mitre Saw	GCM 12 MX	89
Sliding Mitre Saw	GCM 12 SD	89
Compound Glide Saw	GCM 12 GDL	89
Saw Stand	GTA 600	90
Saw Stand	T1B	90
Saw Stand	GTA 3800	90
Saw Stand	GTA 6000	91
Saw Stand	GTA 2500	91
Saw Stand	GTA 2500W	91
Jigsaw	GST 75 BE Generalist	92
Jigsaw	GST 150 BCE Performance	92
Jigsaw	GST 150 CE Performance	92
Jigsaw	GST 140 BCE Precision	93
Jigsaw	GST 140 CE Precision	93
Circular Saw	GKS 190 Turbo	94
Circular Saw	GKS 235 Turbo	94
Panel Saw	GKT 55 GCE	95
Panel Saw Accessory	FSN 800	95
Panel Saw Accessory	FSN 1100	95
Panel Saw Accessory	FSN 1600	95
Panel Saw Accessory	FSN 2100	95
Panel Saw Accessory	FSN 3100	95
Panel Saw Accessory	FSNVEL	95
Panel Saw Accessory	FSNWAN	95
Panel Saw Accessory	FSN SZW	95
Panel Saw Accessory	FSN KK	95
Panel Saw Accessory	FSN SS	95
Panel Saw Accessory	FSN HB	95
Panel Saw Accessory	FSN Bag	95
Sabre Saw	GSA 1100 E	96
Sabre Saw	GSA 1300 PCE	96
Oscillating Tool	GOP 250 CE	97
Oscillating Tool	GOP 250 CE Premium	97
Oscillating Tool	GOP 300 SCE	97
Random Orbital Sander	GEX 125-1 AE	98
Random Orbital Sander	GEX 125-150 AVE	98
Random Orbital Sander	GEX 150 T	98
Orbital Sander	GSS 140 A	100
Orbital Sander	GSS 23AE Twister	100
Orbital Sander	GSS 280 AVE	100
Belt Sander	GBS 75 AE	101
Router	GMR 1	101
Router	GOF 1600 CE	102
Planer	GHO 15-82	102
Planer	GHO 26-82	102
Planer	GHO 40-82 C	102
Vacuum Cleaner	GAS 50	103
Foam Rubber Cutter	GSG 300	103
Heat Gun	GHG 660 LCD	103

# Index



Description	Tool Name	pg
<b>Digital Measuring Tools</b>		
Detector	GMS 120	106
Detector	D-Test 120	106
Inspection Camera	GOS 10.8 V-LI	107
Inspection Camera	GIC 120	107
Inspection Camera	GIC 120 C	107
Surface Laser	GSL 2 Set	108
Tile Laser	GTL 3	108
Point Laser	GPL 5	108
Line Laser	GLL 3 X	110
Line Laser	GLL 2-80 P	110
Line Laser	GLL 2-15	110
Line Laser	GLL 3-80 P	110
Laser Receiver	LR 2	110
Line Laser	GLL 3-15	111
Line Laser	GLL 5-50	111
Combi Laser	GCL 25	112
Combi-Line Laser	GLL 3-50	112
Telescopic Pole + Universal Mount	BT 350 + BM 1	112
Electronic Multi-Line Laser	GLL 5-40 E	113
Electronic Multi-Line Laser	GLL 8-40 E	113
Laser Receiver	LR 5	113
Rotation Laser	GRL 300 HV Set	114
Rotation Laser	GRL 400 H	114
Rotation Laser	GRL 300 HVG	114
Laser Receiver	LR 1	115
Laser Receiver	LR 1G	115
Remote Control	RC 1	115
Wall Mount	WM 4	115
Cut and Fill Rod	GR 240	115
Laser Rangefinder	GLM 30	116
Laser Rangefinder	GLM 40	116
Laser Rangefinder	GLM 50	116
Laser Rangefinder	GLM 150	117
Laser Rangefinder	GLM 250 VF	117
Laser Rangefinder	GLM 80	118
Laser Rangefinder	GLM 100 C	118
Measuring Rail	R 60	118
Optical Level	GOL 26 D	119
Optical Level	GOL 32 D	119
Levelling Staff	GR 500	119
Angle Measure	GAM 220 MF	120
Measuring Rail	GIM 60 L	120
Digital Inclinator	DNM 60L, DNM 120 L	120
Measuring Wheel	GWM 32	121
Measuring Wheel	GWM 40	121

Description	Tool Name	pg
Tripod	BS 150	122
Tripod	BT 160	122
Tripod	BT 170 HD	123
Tripod	BT 300 HD	123
Ceiling plate	Ceiling plate	124
Measuring plate	Measuring plate	124
Bracket for receivers	Bracket for receivers	124
Laser viewing glasses	Laser viewing glasses	124
Red laser target	Red laser target	125
Blue laser target	Blue laser target	125
Laser target	Laser target	125

# Robert Bosch (Australia) Pty Ltd (Bosch) Power Tools

## Voluntary Repair or Replacement Warranty

Applicable for purchases of specified power tools, garden tools, rotary tools, pneumatic tools and measuring tools after 1 July 2013

All Bosch power tools, garden tools, rotary tools, pneumatic tools and measuring tools are carefully checked, tested and are subject to the stringent quality controls of Bosch Quality Assurance.

### Important Note: Consumer Protections

If you have purchased your product in Australia, you should be aware that:

This warranty is provided in addition to other rights and remedies held by a consumer at law. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

If you have purchased your product in New Zealand, you should be aware that:

This warranty is supplemental to any other rights and remedies you have under the Consumer Guarantees Act 1993 NZ, unless your purchase is made for commercial purposes, in which case Bosch excludes all consumer guarantees implied in the Consumer Guarantees Act 1993 NZ in respect of your product.

(A reference to "Bosch" in this Voluntary Repair or Replacement Warranty is a reference to Robert Bosch (Australia) Pty Ltd, unless from the particular context it is obvious that it is being used as a trade mark or brand name.)

### Warranty

Bosch warrants, at its option, to repair or exchange those ranges of power tools, garden tools, rotary tools, pneumatic tools and measuring tools described below (Products) if such Products are faulty or defective in manufacture or materials during the warranty period which is also specified below.

Repair or replacement under this warranty does not extend to repair or replacement, or any cost of replacement, of consumables or accessories incorporated into or supplied with the Products (for example, drill bits or jigsaw blades).

This warranty only extends to repair or replacement of the Products. It does not extend to cover:

- any costs incurred by the end user in normal or scheduled maintenance of the Products; or
- any damage to property, personal injury, direct or indirect loss, consequential losses or other expenses arising from breach of this warranty. Any end user concerned with this exclusion should consider the "Important Note: Consumer Protections" above.

### Warranty Period and Coverage

The following warranty period will apply in respect of the following Products in Australia and New Zealand.

- Bosch Green Tools (including measuring tools) used solely for DIY / domestic purposes: 24 months
- Bosch Professional (Blue) Tools (including measuring tools) used for commercial / professional purposes: 12 months
- Bosch Lawn and Garden Tools: 2 years
- Skill Tools: 2 years
- Dremel Corded Rotary Tools: 5 years
- Dremel Cordless Rotary Tools: 2 years
- Dremel Non-Rotary Tools: 2 years

The warranty period commences on the date of purchase of the Product by the end user of the Product.

### Optional Extended Warranty - Bosch Professional (Blue) Tools

The warranty period for Bosch Professional (Blue) Tools (details of which are available at [www.bosch-pt.com.au/warranty](http://www.bosch-pt.com.au/warranty)) may be extended from 12 months to 3 years and the warranty period for Bosch Professional (Blue) Lithium Ion batteries and chargers (details of which are available at [www.bosch-pt.com.au/warranty](http://www.bosch-pt.com.au/warranty)) (collectively, **Extended Warranty Products**) may be extended from 12 months to 2 years if registered with Bosch, as follows:

- The Extended Warranty Products must be registered within 12 months of the date of purchase by the end user.
- Registration can only be made at [www.bosch-pt.com.au/warranty](http://www.bosch-pt.com.au/warranty) or [www.bosch-pt.co.nz/warranty](http://www.bosch-pt.co.nz/warranty).
- This warranty extension is not available for Bosch Professional (Blue) high frequency tools, production cordless screwdrivers, air tools, supplied accessories and normal wear items and consumables such as jig saw blades, drill bits etc.

### Warranty Conditions

- The warranty period is not renewed or extended as a result of a warranty repair or replacement.
- The warranty is not transferable and is only offered to the original end user of the Product.
- The warranty does not extend to any Products that have been completely or partially disassembled.
- These warranty terms cannot be amended except in writing by an authorised representative of Bosch.
- The warranty only applies to Products purchased by an end user in Australia or New Zealand from Bosch or from a reseller where the Products have been originally sold by Bosch.
- The warranty claim must meet the requirements below in respect to "How to Make a Warranty Claim."

### Warranty Exclusions

This warranty will not apply to a defect or fault to the extent to which it arises:

- due to storage, handling or installation of the Products otherwise than in accordance with instructions provided for the Products by Bosch or without reasonable care;
- due to operation, use or maintenance of the Products otherwise than in accordance with instructions provided for the Products by Bosch or without reasonable care;
- due to accidental damage or to use of the Products for a purpose or in environmental conditions for which the Products were not designed or sold, or use of the products outside the specified or normal operating ranges for such Products (such as commercial / professional use of Green Tools);
- as a result of changes which occur in the condition or operational qualities of the Products due to climate or other environmental influence, foreign material contamination or water entry or as a result of exposure to excessive heat or solvents;
- from normal wear and tear or when replacement or repair of parts would be part of normal maintenance or service of the Products (for example, carbon brushes, springs or cords) or where the damage is only to surface coating, varnish or enamel;
- as a result of repairs, alterations or modifications to the Product which have been performed by a third party; or
- from the use of any spare parts not manufactured, sold or approved by Bosch in connection with the repair or replacement of the Product.

Neither will this warranty apply to products where damage has been caused by continued use of the products after it is known they are defective.

### Wrong Deliveries and Transit Damage

Wrong deliveries, incorrect or damaged packing and transit damage claims are not warranty claims. Such cases should be directed to Bosch's Customer Service line in Australia on **1300 307 044** or in New Zealand on **0800 543 353**.

### How to Make a Warranty Claim

If a Product fails within the warranty period, the end user must stop using the Product and store the Product in a safe, dry environment.

The Product must be returned before the end of the Warranty Period (see **Deadlines for Submitting Warranty Claims** below) to the place of purchase or to a Bosch Silver Service Dealer or other Bosch Authorised Service Dealer together with proof of purchase and documentation detailing facts relevant to the claim. To locate a Bosch Silver Service Dealer or other Bosch Authorised Service Dealer, please call **1300 307 044**.

For claims under the Optional Extended Warranty in respect of the Extended Warranty Products, a copy of the warranty confirmation certificate must also be provided with the warranty claim.

### Costs of Submitting a Warranty Claim

For invalid claims under this voluntary warranty, Bosch will not be liable for the end user's costs in making the warranty claim, including transport or return freight. In respect of valid claims under this supplementary voluntary warranty, the end user will not be charged for costs associated with making a warranty claim, including warranty processing costs, the cost of replacement parts or freight. Reimbursement for necessary and reasonably incurred costs or expenses in making valid warranty claims under this manufacturer's warranty may be sought from Bosch. To enquire how to make a claim for reimbursement for costs incurred in submitting a warranty claim, please call **1300 307 044** in Australia or **0800 543 353** in New Zealand. Documentary evidence in support of such claim will be required.

### Deadlines for Submitting Warranty Claims

Bosch aims to rectify genuine quality problems as a priority. This is generally achieved by investigating why defective products have failed and by introducing immediate corrective action measures to prevent re-occurring warranty failures. It is therefore critical that all warranty claims are promptly submitted to Bosch as soon as the product fails, and in any event before the end of the warranty period.

### Packaging

Products do not need to be returned with the original packaging to make a warranty claim.

### Product Liability and Product Safety

Bosch should be informed immediately about any potential product safety concerns within and outside the warranty period. Bosch is well aware of its product liability and product safety obligations and responsibilities. It is our aim to ensure appropriate product safety standards are met in order to avoid injury, loss and damage caused by defects in any Products.

### Privacy

Bosch is required to seek personal information from an end user who seeks to make a claim under this warranty.

Such personal information may be used by Bosch and/or any Authorised Service Dealer (who is authorised to process warranty claims and/or carry out warranty repairs on behalf of Bosch) for the purpose of processing such warranty claim and also for the provision of customer support and further information about Bosch's products and services (**Purpose**).

If an end user does not wish to provide Bosch and/or its Authorised Service Dealer with personal information, Bosch may be unable to process the end user's warranty claim or to provide the end user with additional customer support, services and information. Bosch is committed to protecting the privacy of personal information and will act in compliance with applicable privacy laws, including the National Privacy Principles under the Australian Privacy Act 1998 (Cth) (as amended) and New Zealand's Information Privacy Principles described in the Privacy Act 1993 (NZ). Bosch takes security measures in order to protect any personal information collected in the warranty claim process against manipulation, loss, destruction, access by unauthorized persons or unauthorized disclosure. Bosch will not disclose any personal information to third parties other than for the Purpose or except as required by law.

An end user has the right to access the personal information Bosch or its Authorised Service Dealers hold about them. The end user can request to see, change or modify the personal information held about them, or withdraw consent for its usage, by contacting Bosch at the Bosch Contact Details below.

### Bosch Contact Details

This warranty is offered by Robert Bosch (Australia) Pty Ltd (ACN 004 315 628) of 1555 Centre Road, Clayton, Victoria 3168. Please call Robert Bosch (Australia) Pty Ltd on **1300 307 044** in Australia or **0800 543 353** in New Zealand or email at [customerservice.pt@au.bosch.com](mailto:customerservice.pt@au.bosch.com) if you have any queries in relation to this warranty.



# Carbon Brush Set Reference Guide



**Step 1:** Find your tool Model Number

**Step 2:** Match up the Carbon Brush Number (CB No. #) from your tool model number to the Carbon Brush Set Reference Number

Model Number

	BARETOOL No.	CB No. #		BARETOOL No.	CB No. #
CORDLESS					
GDX - IMPACT DRIVER/WRENCH			GSH 11 VC	3 611 C36 000	19
GDX 18V - LI	3 601 J88 140	29	GSH 16-30	3 611 C35 140	57
GDS - IMPACT WRENCH			GSH 27 VC	3 611 C0A 0H0	18
GDS 18V-LI	3 601 JA1 S04	29	GSR- SCREWDRIVERS		
GSR - DRILL/ DRIVER			GSR 6-25 TE	3 601 D45 040	34
GSR 36V-LI	3 601 J12 100	38	GSR 6-45 TE	3 601 D45 140	34
GSB - HAMMER DRILL			GRW - MIXER		
GSB 36V-LI	3 601 J13 100	38	GRW 11 E	0 601 940 737	17
GDR - IMPACT DRIVER			GRW 18-2 E	3 601 AA8 040	59
GDR 18V-LI	3 601 JA1 305	29	GDS - IMPACT WRENCHES		
GKS - CIRCULAR SAW			GDS 18 E	3 601 D44 040	28
GKS 18V-LI	3 601 F6H 040	45	GDS 24	0 601 434 137	17
GKS 36V-LI	3 601 F73 R00	48	GDS 30	0 601 435 137	17
GSA - SABRE SAW			METAL WORKING		
GSA 18V-LI	3 601 F4J 000	45	GWS - ANGLE GRINDERS		
GSA 36V-LI	3 601 F45 R00	45	GWS 7-100	3 601 C88 040	21
CORDED			GWS 7-125	3 601 C88 042	21
DRILLING & FASTENING			GWS 7-125 T	3 601 C88 642	21
GBM - ROTARY DRILLS			GWS 8-115	3 601 H20 040	9
GBM 10 RE	3 601 D73 540	33	GWS 850 C	0 601 377 761	16
GBM 13-2	0 601 169 037	25	GWS 9-115	3 601 G90 040	37
GBM 13-2 RE	0 601 169 560	25	GWS 10-125	3 601 H21 040	9
GBM 16-2 RE	0 601 120 537	17	GWS 10-125 Z	3 601 H32 040	9
GBM 13 HRE	0 601 049 637	25	GWS 11-125	3 601 G92 040	37
GBM 1600 RE	3 601 AB0 040	58	GWS 11-125 CI	3 601 H22 040	9
GSB - IMPACT DRILLS			GWS 13-125 CI	3 601 G9E 040	5
GSB 13 RE KLC	3 601 B27 141	33	GWS 13-125 CI DMS	3 601 G9E 040	5
GSB 16 RE KLC	3 601 B28 141	33	GWS 12-125 CIEP Paddle Switch	3 601 G94 240	5
GSB 16-2 RE	3 601 A8B 041	60	GWS 1400C	3 601 H24 241	9
GSB 19-2RE KC	3 601 A7C 500	1	GWS 14-125 CIT	3 601 H29 040	9
GSB 20-2 RE	3 601 AA2 240	1	GWS 14-125 CIE	3 601 H25 040	9
GSB 21-2 RE KC	3 601 A9C 640	1	GWS 14-125 INOX	3 601 H29 J40	9
GSB 21-2 RE KLC	3 601 A9C 540	1	GWS 17-125 CIT	3 601 G9J 040	5
GSB 21-2 RCT	3 601 A9C 740	1	GWS 17-125 CIT DMS	3 601 G9J 040	5
GBH - ROTARY HAMMERS			GWS 17-125 CIE	3 601 G9H 040	5
GBH 2-18 RE	3 611 B58 340	26	GWS 17-125 CIE DMS	3 601 G9H 040	5
GBH 2-20 RE	3 611 B5A 340	24	GWS 17-125 CI	3 601 G9G 000	5
GBH 2-20 DRE	3 611 B5A 440	24	GWS 17-125 CI DMS	3 601 G9G 000	5
GBH 2-23 RE	3 611 B50 440	1	GWS 15-125 CIEP	3 601 G96 240	5
GBH 2-26 DBR	0 611 255 537	1	GWS 15-125 CITH Rattail	3 601 H30 E40	9
GBH 2-26 DRE	0 611 253 737	1	GWS 17-125 INOX	3 601 G9M 040	5
GBH 2-28 DBV	3 611 B68 140	1	GWS 24-180 LV	3 601 H92 E40	13
GBH 2-28 DV	3 611 B67 140	1	GWS 24-180 LVI	3 601 H92 H40	13
GBH 2-28 DFV	3 611 B67 240	1	GWS 26-230 H	3 601 H56 L40	13
GBH 4-28 DFR	3 611 B4A 041	1	GWS 22-230 LV	3 601 H91 E40	13
GBH 4-32 DFR	3 611 C32 145	53	GWS 24-230 LVI	3 601 H93 J40	13
GBH 5-40 D	3 611 B69 040	22	GWS 24-230 LV	3 601 H93 H40	13
GBH 5-40 DCE	3 611 B64 041	23	GGS - STRAIGHT GRINDERS		
GBH 7-46	0 611 263 737	20	GGS 28 CE DMS	3 601 B20 100	9
GBH 8-45 D	3 611 B65 140	54	GGS 28 LCE DMS	3 601 B21 100	9
GBH 8-45 DV	3 611 B65 040	16	GGS 28 CE	3 601 B20 100	9
GBH 11DE	0 611 245 737	14	GGS 28 LCE	3 601 B21 100	9
GSH - DEMOLITION HAMMERS			GGS 6S	0 601 214 137	17
GSH 3 E	0 611 320 737	3	GSI - BURNISHER		
GSH 5 Basic	3 611 C37 040	22	GSI 14 CE	3 601 HB1 040	9
GSH 5 CE	0 611 313 737	23	GPO - POLISHER		
GSH 9VC	3 611 C22 041	54	GPO 12 CE	3 601 C89 040	9
GSH 11 E	0 611 316 737	14	GBR - CONCRETE GRINDER		
			GBR 14 CA	0 601 773 737	51
			GBR 15 CA	3 601 G76 040	5

# Carbon Brush Set Reference Guide

	BARETOOL No.	CB No. #
<b>GCO - METAL CUT OFF SAW</b>		
GCO 2	3 601 L17 340	13
GCO 2400J	3 601 M18 040	13
<b>GCD - COLD CUT SAW</b>		
GCD 12 JL	3 601 M28 040	13
<b>GSZ - NIBBLERS/SHEARS</b>		
GSZ 160	0 601 521 037	50
<b>GSC - NIBBLERS/SHEARS</b>		
GSC 160	0 601 500 437	50
GSC 2.8	0 601 506 137	52
<b>GNA - NIBBLERS/SHEARS</b>		
GNA 16	0 601 534 037	15
GNA 2.0	0 601 530 137	30
<b>WOODWORKING</b>		
<b>GTS - TABLE SAW</b>		
GTS 10 J	3 601 M30 540	10
GTS 10 XC	3 601 L30 440	10
<b>GCM - MITRE SAW</b>		
GCM 10 M - 255mm (10")	3 601 M20 140	13
GCM 12 MX - 305mm (12")	3 601 M21 140	46
GCM 10SD - 255mm (10")	0 601 822 537	49
GCM 12SD - 305mm (12")	0 601 823 537	49
GCM 12GDL - 305mm (12")	0 601 M23 640	46
GCM 10 MX	3 601 M29 040	55
<b>GST - JIGSAWS</b>		
GST 75 BE	3 601 E8F 040	32
GST 135 CE	0 601 510 737	7
GST 135 BCE	0 601 511 737	7
GST 140 CE	3 601 E14 040	31
GST 140 BCE	3 601 E15 040	31
GST 150 BCE	3 601 E13 040	7
GST 150 CE	3 601 E12 000	7
<b>GKS - CIRCULAR SAW</b>		
GKS 190 Turbo	3 601 F23 040	27
GKS 235	3 601 E7A 040	4
GKS 235 Turbo	3 601 EA2 040	56
<b>GKT - PANEL SAW</b>		
GKT 55 GCE	3 601 F75 040	36
<b>GSG - FOAM RUBBER CUTTER</b>		
GSG 300	0 601 575 137	6
<b>GSA - SABRE SAW</b>		
GSA 1100 E	3 601 F4C 840	11
GSA 1300 PCE	3 601 F4E 240	44
<b>GOP - MULTI TOOL</b>		
GOP 250 CE	3 601 B30 040	21
GOP 300 SCE	3 601 B30 540	35
<b>GSS - SANDERS</b>		
GSS 140A	3 601 B97 037	47
GSS 23 AE Twister	3 601 K70 740	41
GSS 280 AVE	3 601 B92 940	12
<b>GEX - SANDERS</b>		
GEX 125-1 AE	3 601 C87 540	41
GEX 125-150 AVE	3 601 C7B 140	12
GEX 150 T	0 601 250 737	16
<b>GBS - SANDERS</b>		
GBS 75AE - 75mm (3")	0 601 274 737	25
<b>GHO - PLANER/ROUTERS</b>		
GHO 15-82 - 1.5mm Cut	3 601 E94 240	39
GHO 26-82 - 2.6mm Cut	0 601 594 137	42
GHO 40-82C - 4.0mm Cut	0 601 59A 737	8
<b>GMR - PLANERS/ROUTERS</b>		
GMR 1	3 601 F0A 041	40
<b>GOF - PLANERS/ROUTERS</b>		
GOF 1600 CE	3 601 F24 040	43
<b>GAS - VACUUM CLEANER</b>		
GAS 50	0 601 989 137	2

## Carbon Brush Set Reference Number

CB No. #	Part No. 1 Unit	Part No. 10 Units
1	1 617 000 525	1 607 000 485
2	1 609 203 224	N/A
2	1 617 014 137	N/A
4	1 619 P01 685	N/A
5	1 607 000 V37	N/A
6	2 604 320 911	N/A
7	2 604 321 941	1 607 000 494
8	2 607 014 016	N/A
9	1 607 014 176	1 607 000 482
10	2 610 018 332	N/A
11	2 610 956 917	N/A
12	1 607 014 117	N/A
13	1 607 014 171	1 607 000 480
14	1 607 031 227	N/A
15	1 607 014 116	N/A
16	1 607 014 145	1 607 000 483
17	3 607 014 012	N/A
18	1 617 000 425	N/A
19	1 617 000 750	N/A
20	1 617 014 135	1 607 000 487
21	1 619 P02 870	1 607 000 489
22	1 617 014 138	1 607 000 493
23	1 617 014 144	1 607 000 492
24	1 617 014 146	N/A
25	2 604 321 905	1 607 000 484
26	1 619 P01 777	N/A
27	1 619 P06 346	N/A
28	1 619 PA2 438	N/A
29	2 609 199 169	N/A
30	2 604 320 912	N/A
31	2 604 320 918	N/A
32	2 604 321 925	N/A
33	2 610 391 290	1 607 000 491
34	2 604 321 943	N/A
35	2 604 321 956	N/A
36	2 604 321 957	N/A
37	1 607 000 V53	N/A
38	2 607 034 904	1 607 000 488
39	2 609 120 064	N/A
40	2 609 120 149	N/A
41	2 609 120 199	N/A
42	2 609 120 398	N/A
43	2 610 007 957	N/A
44	2 610 013 260	N/A
45	2 610 943 623	N/A
46	2 610 021 311	N/A
47	2 610 924 701	N/A
48	2 610 945 334	N/A
49	1 609 203 L02	N/A
50	3 604 321 039	N/A
51	3 607 014 010	1 607 000 500
52	2 604 320 912	1 607 000 486
53	1 614 321 079	N/A
54	1 617 000 A50	N/A
55	1 619 PA7 057	N/A
56	1 619 P10 476	N/A
57	1 617 014 143	N/A
58	1 619 PA7 827	N/A
59	3 604 321 034	N/A
60	2 604 321 947	N/A





## Join Bosch Blue Crew the club rewarding tradies



If you're a tradie, join the tens of thousands who are already in the Crew!

Join today to see the latest on Bosch Blue Professional Power Tools and Accessories in the Bosch online newsletter.

Plus as a Blue Crew member, you can enter fantastic competitions exclusive to Blue Crew, and receive updates on promotions, new product launches, specials on Bosch products, events and much more.

Visit [www.bosch-pt.com.au](http://www.bosch-pt.com.au) to sign up and also join Bosch Blue Crew now on Facebook at [www.facebook.com/BoschBlueCrew](http://www.facebook.com/BoschBlueCrew)

**BOSCH**  
**BLUE** **GOES AS**  
**HARD**  
**AS YOU DO**





## Symbols and their meanings



### Bosch SDS-System

Fast tool insertion and removal, without the need for additional tools.



### SDS-Plus Shank

Optimum power transfer and good guidance with auto-locking system.



### SDS-max Toolholder

Optimum power transfer and good guidance with auto-locking system.



### Electronic

Accelerator function for smooth start-up when drilling, screwdriving and sawing.



### Constant Electronic

Power booster for heavy loads.  
Constant speed, even under load.



### Right-left Operation

For inserting and removing screws.



### Spindle Lock

Faster, simpler disc/tool change.



### Electronic Rotation Control

Detects jams to prevent kick-back and safeguard from user injury.



### Starting Current Limitation

Machines with starting current limitation (16A). For a safe start.



### Velcro-type Fastening

The velcro-type system is used for quick and easy sanding sheet changes.



### Precision Control



### Restart protection

Prevents the machine from restarting automatically after a power cut.



### KickBack Stop

Shuts down the tool in fractions of a second, similar to ABS, if the disc gets jammed.



### Wood Razor Blade System



### Saw Blade Pendulum Action

For optimum curve cutting ability, high cutting capacity and blade-saving.



### Dust Extraction

Directly into dust bag on the machine or using an all-purpose dust extractor.



### Antistatic

For diverting charge accumulation.



### Microfilter

Design integrated microfilter with anti spill back for efficient dust removal.



### Distortion-resistant protective guard

Protects against flying fragments if parts of the workpiece break. Meeting the latest standards (EN, IEC 60745-2-3).



### Auto-Lock

For fastest possible tool changes with one hand.



### Turbo Power

20% more power for chiselling work.



### Vibration Control

Patented vibration damping system that reduces oscillations and vibrations.



### Laser Class 2

Laser class for various measuring tools.



### Torque Control

Torque pre-selection for uniform screw driving of a large number of screws.



### Lithium Ion Technology

No self discharge. No memory effect.



### Bosch EC brushless motor



### Carbon Brush

Number for spare parts

# 18V 6.0Ah BATTERY GOES HARDER FOR LONGER



**CORE**  
BRUSHLESS

**Up to 100% longer battery lifetime with Bosch Coolpack Technology\*.**  
Heat is every battery's worst enemy. Overheating due to battery overload and overdraw can destroy your Lithium-Ion battery within seconds. Bosch Coolpack technology ensures effective heat balance and dispersion so your battery stays cooler and working for up to 100% longer.



**BOSCH**

Invented for life



Bosch Blue Power Tools

\*Comparison of batteries with/without CoolPack cooling technology  
\*On selected tools only

Robert Bosch Australia Pty Ltd

1555 Centre Road  
Clayton VIC 3168

Ph: 1300 30 70 44

Fax: 1300 30 70 45

[www.bosch-pt.com.au](http://www.bosch-pt.com.au)



Check out  
Bosch Blue Crew  
on Facebook

1619M00FA8